



Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	06-11-2023 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	06-11-2023 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Rajasthan
Department Name/विभाग का नाम	Urban Development And Housing Department Rajasthan
Organisation Name/संगठन का नाम	Jaipur Metro Rail Corporation Limited (jmrc)
Office Name/कार्यालय का नाम	Jaipur
Total Quantity/कुल मात्रा	35
ltem Category/मद केटेगरी	Sofas (V2) (Q3) , Centre Table (Q3) , Single / Double Bed - Wooden - With / Without Box (Q3) , Bed Side Table (Q3) , Executive Table (V2) (Q3) , Revolving Chair (V2) (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	6 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	6 Lakh (s)
Years of Past Experience Required for same/similar service/उर्न्हों/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	Νο
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No

Bid Details/बिड विवरण	
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Single / Double Bed - Wooden - With / Without Box
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)	Νο
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	ICICI	
EMD Amount/ईएमडी राशि	12370	

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	ICICI
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	16

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए बिनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Public Sector

JAIPUR, Urban Development and Housing Department Rajasthan, Jaipur Metro Rail Corporation Limited (JMRC), (Jaipur Metro Rail Corporation Limited)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Sofas (V2) (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Total Number of Seats in the Sofa Set	1	
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	
	Number of Single Seater Units (Nos)	1	
	Number of Two Seater Units (Nos)	No Two Seater Unit	
	Number of Three Seater Units (Nos)	No Three Seater Unit	

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Number of Four Seater Units (Nos)	No Four Seater Unit	
	Frame Covering	Fully Upholstered	
	Sofa Set is Foldable to use as bed	No	
	Backrest Cushion Material	Foam	
	Density of Cushion of Backrest Material (Kg/Cubic M)	60	
	Covering Material for Seat and Backrest	Fabric	
MATERIAL	Frame Structure Material and size (±1 mm)	Any other wood of minimum 25 mm thickness	
	Seat Cushion Material	Foam	
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	30	
	Type of Spring in the Base / Seating	Zig Zag spring	
DIMENSION	Length of Single Seater Units in mm (±5 mm)	935	
	Length of Two Seater Units in mm (±10 mm)	N.A	
	Length of Three Seater Units in mm (±10 mm)	N.A	
	Length of Four Seater Units in mm (±10 mm)	N.A	
	Depth of Sofa Units in mm (±10 mm)	850	
	Sofa Height (Without Back Cushion) ±5 (mm)	450.0 (millimeter)	
	Sofa Height (With Back Cushion) ±5 mm	850.0 (millimeter)	
	Arm Width ±5 (mm)	65.0 (millimeter)	
	Arm Height ±5 (mm)	590.0 (millimeter)	
	Seat Height (With Seat Cushion) ±5 (mm)	450.0 (millimeter)	
	Sofa Leg Height ±2(mm)	25.0 (millimeter)	
	Sofa Leg Width / Diameter ±2 (mm)	25.0 (millimeter)	
	Seat Cushion Length ±5 (mm)	640	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	530
	Seat Cushion Thickness ±3 (mm)	65
	Backrest Cushion Length ±5 (mm)	1050
	Backrest Cushion Width ±5 (mm)	530
	Backrest Cushion Thickness ±3 (mm)	47
	Thickness of Foam/Rubber in arms ±2 (mm)	50
	Thickness of Foam/Rubber in back ±2 (mm)	50
	Thickness of Foam/Rubber in front ±2 (mm)	20
	Thickness of Foam/Rubber in sides ± 2 (mm)	10
COLOUR AND FINISH	Colour of Polish on exposed Wood frame	N.A
	Colour of Covering Material	Red
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	8	45

Sofas (V2) (2 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Total Number of Seats in the Sofa Set	3	
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	
	Number of Single Seater Units (Nos)	No Single Seater Unit	
	Number of Two Seater Units (Nos)	No Two Seater Unit	
	Number of Three Seater Units (Nos)	1	
	Number of Four Seater Units (Nos)	No Four Seater Unit	
	Frame Covering	Fully Upholstered	
	Sofa Set is Foldable to use as bed	Νο	
	Backrest Cushion Material	Foam	
	Density of Cushion of Backrest Material (Kg/Cubic M)	60	
	Covering Material for Seat and Backrest	Fabric	
MATERIAL	Frame Structure Material and size (±1 mm)	Any other wood of minimum 25 mm thickness	
	Seat Cushion Material	Foam	
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	30	
	Type of Spring in the Base / Seating	Zig Zag spring	
DIMENSION	Length of Single Seater Units in mm (±5 mm)	N.A	
	Length of Two Seater Units in mm (±10 mm)	N.A	
	Length of Three Seater Units in mm (±10 mm)	1850	
	Length of Four Seater Units in mm (±10 mm)	N.A	
	Depth of Sofa Units in mm (±10 mm)	530	
	Sofa Height (Without Back Cushion) ±5 (mm)	450.0 (millimeter)	
	Sofa Height (With Back Cushion) ±5 mm	850.0 (millimeter)	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Arm Width ±5 (mm)	65.0 (millimeter)	
	Arm Height ±5 (mm)	590.0 (millimeter)	
	Seat Height (With Seat Cushion) ±5 (mm)	450.0 (millimeter)	
	Sofa Leg Height ±2(mm)	25.0 (millimeter)	
	Sofa Leg Width / Diameter ±2 (mm)	25.0 (millimeter)	
	Seat Cushion Length ±5 (mm)	640	
	Seat Cushion Width ±5 (mm)	530	
	Seat Cushion Thickness ±3 (mm)	65	
	Backrest Cushion Length ±5 (mm)	1050	
	Backrest Cushion Width ±5 (mm)	530	
	Backrest Cushion Thickness ±3 (mm)	47	
	Thickness of Foam/Rubber in arms ±2 (mm)	50	
	Thickness of Foam/Rubber in back ±2 (mm)	50	
	Thickness of Foam/Rubber in front ±2 (mm)	20	
	Thickness of Foam/Rubber in sides ±2 (mm)	10	
COLOUR AND FINISH	Colour of Polish on exposed Wood frame	N.A	
	Colour of Covering Material	Red	
WARRANTY	Warranty	1 - Year	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	2	45

Centre Table (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked down to be assembled at Consigning site by the seller
	Shape of the Centre table	Oval
	Style of Centre Table	Fixed table supported by single column
	Design of centre table	mushroom centre table
	Number of storage under top	No storage
MATERIAL	Top material	Tempered glass
	Frame material	No frames
	Leg material	No leg - supported by external sides
	Material of Understructure supporting the top	No understructure support
	Storage material	Tempered glass
	Shoes/Buffers Material	Nylon
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	1000mmX650mm
	Height of centre table ±10 mm	380.0 (millimeter)
	Thickness of top material (+/-2 mm)	10.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	0.0 (millimeter)
	Width X Depth, or Diameter of leg material	30mm x 45mm
	Thickness of understructure support material	8.0 (millimeter)
MISC	connecting of leg	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of buffers/shoes	Four number at bottom
COLOUR & FINISH	Table top finish	Natural
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	1	45

Single / Double Bed - Wooden - With / Without Box (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
MATERIAL	Material of Mattresses Panel	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	
	Material of Bottom Panel of Storage Box	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	
	Material of Front, Back and side Panels	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Material of Headrest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	
	Material of Legrest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	
GENERIC	Type of Bed	Wooden Double Bed	
	Material of Bed Frame	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	
	Headrest provided	Yes	
	Legrest provided	Yes	
	Opening of Storage Box	Storage Box Opening from Side	
	Number of Openings (Nos)	1	
	Hydraulic System provided for Opening	Yes	
	Leg Details	metal legs	
	Number of Supports under Bottom Panel of storage box (Nos)	NA	
DIMENSIONS	Mattress Fixing Length ±10 (mm)	1905	
	Mattress Fixing Width ±10 (mm)	1830	
	Mattress Panel Height ±5 (mm)	350	
	Depth of Storage Box in mm (±10 mm)	250	
	Thickness of Mattresses Panel ± 1(mm)	19	
	Thickness of Bottom Panel of Storage Box ±1 (mm)	19	
	Thickness of Front, Back and Side Panels ±2 (mm)	18	
	Thickness of material of Headrest ±2 (mm)	18	
	Overall Height of Headrest ±5 (mm)	1050	
	Length of Headrest ±10 (mm)	1833	
	Thickness of material of Legrest ±2 (mm)	18	
	Overall Height of Legrest ±5 (mm)	450	
	Overall Length of Legrest ±10 (mm)	1866	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size OF SUPPORT for Top Panel ±2 (mmxmm)	25 x 25
	Size of Supports on under Bottom Panel of storage box ±2 (mmxmm)	N.A
COLOUR &	Finish	Laminated
FINISHING	Colour of Paint	N.A
	Colour of Lamination	plain
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	4	45

Bed Side Table (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Top material of bedside table	Three layer prelaminated particles board(Wood Product) of grade II Type II of IS 12823/Latest
	Side,Back,Front and Bottom material of bedside table	Three Layer Prelaminated Particles Board(Wood Product) Of Grade II Type II Of IS 12823/Latest
	Drawer material	N.A
	Material of leg	No leg-supported by external sides
	Shoes Material	Nylon

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Type of Bedside table	Abbey end type(with two drawers)
DIMENSION & THICKNESS	Thickness of table top (±2mm except for glass)	19.0 (millimeter)
	Thickness of Side, Back, Front and Bottom of bedside table ±2mm	18.0 (millimeter)
	Thickness of Drawer Bottom of bedside table ±1mm	15.0 (millimeter)
	Dimension of Bedside Table(LxBxH) ±5mm	457mmX457mmX457mm
MISC	Table top,side,back and bottom plain sides	Edge manded with PVC tape of 2mm thick of reputed make with the help of hot melt glue
	Number of buffers to be provided	4 Numbers At The Bottom
	Lock provided	N.A
	Handle OF Drawers/Compartment made of	Corrosion Resistance Metal
	Fixing of channel for drawer	N.A
	Length of Telescopic channel ±10mm	N.A
	Average weight of telescopic channel ±50Gms	N.A
COLOUR & FINISH	Table top finish	Swede finish
	Table top shade	As per Buyer's Choice
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	8	45

Centre Table (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC Mode of supply		Knocked down to be assembled at Consigning site by the seller	
	Shape of the Centre table	Rectangular	
	Style of Centre Table	Trestle type (with a plank top & vertical planks on the side)	
	Design of centre table	Multilayered centre table	
	Number of storage under top	Double storage (one at upper portion and one at bottom portion)	
MATERIAL	Top material	Flat single layer MDF board of grade SBG II of IS 12406/Latest	
	Frame material	Other wood	
	Leg material	No leg - supported by external sides	
	Material of Understructure supporting the top	Three layer prelaminated particles board(Wood product) of grade II type II of IS 12823/Latest	
	Storage material	Other wood	
	Shoes/Buffers Material	Nylon	
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	965mmX457mm	
	Height of centre table ±10 mm	410.0 (millimeter)	
	Thickness of top material (+/-2 mm)	18.0 (millimeter)	
	Thickness of frame material (+/- 1 mm)	18.0 (millimeter)	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Width X Depth, or Diameter of leg material	No legs	
	Thickness of understructure support material	18.0 (millimeter)	
MISC	connecting of leg	N.A	
	Number of buffers/shoes	Four number at bottom	
COLOUR & FINISH	Table top finish	White acrylic paint	
WARRANTY	Warranty period in number of years	1	
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	
	OEM of offered product is ISO 9001:2015 certified	YES	
	OEM of offered product is ISO 14001:2015 certified	YES	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	4	45

Executive Table (V2) (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two leg at one side and other side supported on ERU/Side storage combo with modesty Panel

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Accessories /Optional requrement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site E The Seller
MATERIAL	Tabletop Material	MDF board of grade SBG II of IS 12406/Latest
	Thickness of table top material (± 1 mm)	15 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	NA
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	15 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with th help of hot melt glue
	Leg Material	ΝΑ
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	4 Numbers at the bottom
DIMENSION	Width of tabletop ±10 mm	1050 mm
	Depth of table ±10 mm	600 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 mm
EXTENDED RETURN	ERU unit consists of	1 drawer
UNIT	ERU top material	NA
	ERU top material thickness ± 2 mm	NA
	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	ΝΑ
	Drawer /storage shutter pull-up mechanism	NA
	ERU outer Surface Finish	ΝΑ
<u> </u>	ERU shade	Teak
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One storage
	Complete body facia and drawer material in Pedestal Unit	ΝΑ
	Thickness of the complete body fascia & drawer material	ΝΑ
	Material for back panel in pedestal unit	NA
	Back Panel Thickness in Pedestal Unit	NA
	Drawer Bottom Material	NA
	Drawer Bottom Material Thickness	NA
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	NA
	Pedestal handle material	ΝΑ
	Pedestal outer finish	NA
	Pedestal shade	White
	Width of Pedestal unit in mm (±10 mm)	600 mm
	Depth of pedestal unit ±10mm	NA
	Height of pedestal unit ±5mm	ΝΑ
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	Three layer Prelaminated particles board(wood product) of grade II type II of IS 12823/Latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Material thickness of keyboard tray ±1mm	NA	
	Fixing of supporting bracket	NA	
	Length of telescopic channel ± I0 mm	NA	
	Keyboard height±10mm	NA	
	Keyboard front width±10mm	NA	
	Keyboard depth±10mm	NA	
FOOTREST	Material of footrest	Three layer Prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest	
	Material thickness of footrest ±2mm	NA	
	Height of footrest ±10mm	NA	
	Width of footrest ±10mm	NA	
	Depth of footrest ±10mm	NA	
COLOUR AND FINISH	Table top finish	1 mm mica lamination	
	Tabletop shade	Gray	
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue	
WARRANTY	Warranty period	1 Year	
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes	
	The product has BIFMA certification	Yes	
	OEM of the offered product is ISO 9001:2015 certified	Yes	
	OEM of the offered product is ISO 14001:2015 certified	Yes	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	4	45

Revolving Chair (V2) (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERAL	Chair mechanism	Only Revolving without tilting mechanism		
REQUIREMENT	Height Adjustment ± 5(mm)	up to 100 mm		
	Armrest	With		
	Type of backrest support	Backrest foam design based on lumber support		
	Armrest Type	Fixed		
	Ergonomic Seat Design	Yes		
	Back type	Push Back		
	Backrest has separate adjustable headrest	No		
	Seat type	Fixed		
	Seat is curved	Yes		
	Locking mechanism	Yes		
	Type of locking	Upright locking		
	Number of arm movement	N.A		
MATERIAL	Pedestal Base	Glass Fiber Nylon		
	Twin wheel castor material	Nylon		
	Twin wheel castor diameter	50 mm		
	Armrest Material	Polypropylene		
	Seat material	Pressed and moulded with PU foam		
	Backrest is made of	One piece hot pressed plywood with PU foam		
	Density of PU foam used in seat KG per Cu Meter (± 3)	45		
	Density of PU foam used in backrest in KG per Cu Meter (±3)	45		
	Backrest upholstered with	100% Polyester Fabric		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Seat upholstered with	100% polyester fabric	
	GSM/Thickness of fabric ±5%(Gram/Square meter)	220 gram	
	Upholstered material colour	As per Buyer's Requirement (to be indicated at the time of bid creation)	
DIMENSION	Overall width (±10 mm)	710 mm	
	Backrest Height ±15 mm	200 mm	
	Backrest Width ±10 mm	360 mm	
	Seat Height ±10 mm	440 mm	
	Seat Width ±10 mm	440 mm	
	Seat Depth ±10 mm	410 mm	
	Thickness of MS Plate Joining the under structure with Seat	2.5 mm	
	Thickness of Plywood used in Seat ±1(mm)	12 mm	
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm	
	Pedestal Size (Diameter in mm) ±10 mm	620 mm	
	Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	40 mm	
	Thickness of Polyurethane Foam Used in Backrest in mm((±2 mm)	30 mm	
WARRANTY	Warranty period in number of years	1-year	
TESTING AND CERTIFICATION	Test reports to be furnished to buyer on demand, if claimed to be available	Yes	
	OEM of offered product is ISO 9001:2015 certified	Yes	
	OEM of offered product is ISO 14001:2015 certified	Yes	
	Aiota	Yes	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Madan Mohan Kaushal	302020,JMRC Admin Building, Metro Depot, Bhrigu Path, Mansarovar	4	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

4. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

6. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should

be submitted.

7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. Inspection

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

9. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

10. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

11. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

12. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

(i) Single order of at least 35% of estimated bid value; or
(ii) Two orders of at least 20% each of estimated bid value; or
(iii) Three orders of at least 15% each of estimated bid value.
Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

13. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1.0 LIQUIDATED DAMAGES (LD)

The Agency shall supply all the items/material that is specified in BoQ, shall be delivered to JMRC. A ny delay/defect/negligence during the contract will be termed as default on the part of the agency a nd may attract the liquidate damage as below:

- (i) In case of extension in the delivery period with liquidated damages the recovery s hall be made on the basis of following percentages of value of store with the Bidde r as per contract which he failed to supply/ install/ complete: -
- (ii) delay up to one fourth period of the prescribed delivery period: 2.5%
- (iii) delay exceeding one fourth but not exceeding half of the prescribed period: 5.0%
- (iv) delay exceeding half but not exceeding three fourth of the prescribed period: 7.5%
- (v) delay exceeding three fourth of the prescribed period: 10%
- (vi) Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- (vii) The maximum amount of liquidated damages shall be 10% of the contract value.
- (viii) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- (ix) Delivery period may be extended with or without liquidated damages if the delay i n the supply of goods is on account of hindrances beyond the control of the Bidder.

2.0 TERMINATION

- (i) The bid sanctioning authority of JMRC may, without prejudice to any o ther remedy for breach of contract, by a written notice of default of at I east 30 days sent to the supplier/ Contractor, terminate the contract in whole or in part:
 - a. If the supplier/ Contractor fails to deliver any or all quantities of the ser vice within the time period specified in the contract, or any extension th ereof granted by JMRC;

or

b. If the supplier/ Contractor fails to perform any other obligation under th e contract within the specified period of delivery of service or any exten sion granted thereof;

or

- c. If the supplier/ Contractor, in the judgment of the Purchaser, is found t o be engaged in corrupt, fraudulent, collusive, or coercive practices in c ompeting for or in executing the contract.
 - d. If the supplier/ Contractor commits breach of any condition of the c ontract.
- (ii) If JMRC terminates the contract in whole or in part, amount of Perfor mance Security Deposit may be forfeited.
- (iii) Before cancelling a contract and taking further action, advice of senio r most finance person available in the office and of legal adviser or leg al assistant posted in the office, if there is one, may be obtained.

3.0 Attach PAN Card and GSTIN Certificate

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश को बिडर हम बाते वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---