RAJASTHAN STATE ROAD TRANSPORT CORPORATION VAISHALI NAGAR DEPOT

Email ID:- rsrtc.cmvsl@gmail.com Tender Notice \s\\\

Date 3-3-2023

Tender are invited for purchase following Items in given below:-

S. No.	Group of Items	Eligibility of Firm	Estimate value of annual purchase in Rs.	Cost of tender Documents (Non Refundable)	Bid Security in Rs.	Pre-Bid Meeting Date/Last date of submission of tender document	Opening Date of Technical Bid	Venue
1	Leyland BS-3 rd Chassis Spare parts		500000	100+18%GST	10000	21-03-2023 at 5.00 PM	22-03-2023 At 01:00 PM	Chief Manager Office Vaishali Nagar Depot
2	TATA 1512 BS-3 rd &1613 BS 4 th Chassis Spare parts		500000	100+18%GST	10000	21-03-2023 at 5.00 PM	22-03-2023 At 01:00 PM	Chief Manager Office Vaishali Nagar Depot
3	Eicher 20:15 Chassis Spare parts		50000	100+18%GST	1000	21-03-2023 at 5.00 PM	22-03-2023 At 01:00 PM	Chief Manager Office Vaishali Nagar Depot

Note:- All details & Related Information available on rsrtc website: http://transport.rajasthan.gov.in/rsrtc & www.rsrtc.rajasthan.gov.in

Chief Manager Vaishali Nagar Depot Jaipur

तकनीकी निविदा आवेदन Technical Bid application

राजस्थान राज्य पथ परिवहन निगम, वैशाली नगर आगार जयपुर।

क्मांक:-

दिनांक:-

मुख्य प्रबन्धक, राजस्थान राज्य पथ परिवहन निगम, वैशाली नगर आगार जयपुर।

> विषय:—वैशाली नगर आगार कार्यशाला जयपुर में TATA 1512 BS-3rd & 1613 BS IV Chassis Spare Parts की स्थानीय खरीद हेतु दर अनुबन्ध करने बाबत।

बोली प्रप	उपरोक्त विषयान्तर्गत लेख है कि वैशाली नगर आगार कार्यशाला में स्थानी करने के सम्बन्ध में निविदा प्रपत्र राजस्थान राज्य पथ परिवहन निगम वेबसाईट दिनांव जस्थान राज्य लोक उपापन पोर्टल में प्रकाशित विज्ञापन के कम में निम्नानुसार बोली त्र की फीस राशि 100 रूपये एवं जीएसटी 18 प्रतिशत नोन रिफण्डेबल रसीद संख्या र दिनांक	π
1.	फर्म का नाम	
2	फर्म का स्थाई पता	
3.	फर्म का दूरभाष नम्बर / मोबाईल नम्बर / ई-मेल	
4.	फर्म का पत्र व्यवहार का पता	
5.	फर्म का जीo एसo टीo नम्बर	
6.	फर्म का पैन कार्ड नम्बर मय फोटो प्रति	
7.	अमानत राशि टेंडर राशि की 2 प्रतिशंत	
	I Z AMMIN	

कार्य

 निम्नलिखित सूची व विवरणानुसार TATA 1512 BS-3rd & 1613 BS IV Chassis Spare Parts क्रय किये जाने प्रस्तावित है:-

कम मं	कार्य का नाम			
		निविदा की अनुमानित लागत		
1.	TATA 1512 BS-3rd & 1613 BS IV Chassis Spare Parts			
	3,000	500000		

क्रमश: 2

- ⁴ मध्यस्थता उप नियम (Arbitration Clause) मध्यस्थता व समझौता अधिनियम 1996 व इसके संशोधन में वर्णित नियम एवं प्रावधान अनुसार
- ं जोखिम क्रय व उप नियम (Risk Purchase Clause)
 यदि अनुबन्धकर्ता द्वारा पार्ट्स समयाविध में या निगम की मांग के अनुसार सप्लाई नहीं करता है एवं
 निगम को अपना कार्य सुचारू रूप से घलाने हेतु यदि अन्य फर्म से पार्ट्स क्रय करने पढ़े तो अन्तर
 राशि की कटौती इसके बकार्या सुगुताक की सुरक्षा राशि से कर ली जांबेगी।
- भुगतान (Payment) भुगतान में देरी पर ब्याज नहीं दियो जांबेगा, भुगतान पार्ट्स सप्लाई होने के पश्चात पास होने पर उपरान्त एक माह में किया जावेगा।
- ❖ निविदा प्रपत्र एवं अन्य प्रपत्र जो निविवादाता द्वारा प्रस्तुत करने हैं।
- (अ) Mandatory Documents
- 1. टेण्डर फीस की डी०डी० या नगद रसीद
- 2. अमानत राशि की डींंगडींंंंंंंंंंंंंंंं या बैंक भारण्टी
- (ব) Necessary Documents
- 1 टिंग्डर नियम व शर्ते (हस्ताक्षरित)
- 2. जी०एस०टी० रजिस्ट्रेशन प्रपत्र (प्रतिलिपि)
- 3 दिवालियापन न होने का घोषणा पत्र।
- 4. ब्लंक लिस्टेड न होने का घोषणा पत्र।
- 5 आर0टी0पी0 एक्ट के भाग 7 एवं 11 का घोषणा पत्र।
- 6. तकनीकी निविदा के स्वीकार होने पर वित्तीय निविदा खोली जावेगी।
- 7. प्रपत्र मूल्यांकन मापदण्ड (Eligibility criteria for Bidder)
- ♣ निविदादाता हेतु पात्रता के निर्धारित मापदण्ड(Eligibility criteria for Bidder) निविदादाता के पास जी०एस०टी० रिजस्ट्रेशन होना चाहिए।
- ⁴ भूल्यांकन मापदण्ड(Eligibility criteria) वित्तीय निविदा में दी गई न्यूनतम दर ही मूल्यांकन का मानदण्ड होगी।

निविदादाताओं को निर्देश (Instruction to bidder)

1) निष्पादन सुरक्षा

सफल जिविदादाताओं को टेंडर की अनुमानित राशि का 5 प्रतिशत राशि सुरक्षा राशि के रूप निम्नानुसार जमा करावी होसी।

- 🕶 डी०डी० (मुख्य प्रबन्धक वैशाली नगर आगगर जयपुर के नाम से) अथवा
- बैक गारंटी (मुख्य प्रबन्धक वैशाली नेपार अंगगार जयणुर के नाम से) सुरक्षा राशि अनुबन्ध के सफलता पूर्वक खत्म /पूरा होने के पश्चात वापस दे दी जायेगी। स्रका राशि पर कोई ब्याज देय नहीं होगा।

निवदा सुरक्षा

नेविदादाताओं टेडर की अनुमानित कीमत का 2 प्रतिशत राशि निविदा सुरक्षा राशि की कराती होंगी।

- ে জী০জী০ (দ্বীভ্য प्रबन्धक वैशाली नगर आग्रीर जयपुर के नाम से) अथवा
- 💠 वेक गार्टी (मुख्य प्रबन्धक वैशाली नगर आगार जवकुर के नाम से) असफल निविदादाताओं को निविदा सुरक्षा राशि, सफल निविदा दाता के पक्ष में कार्यादेश/अनुबन्ध पत्र जारी होने के बाद वापस की जायेगी। निविदा सुरक्षा राशि पर कोई व्याज देय नहीं होगा। सफल 🕹 मिविदादाताओं / अनुबन्धकर्ता द्वारा नगद या डींंंंंंंंंं डींंंंंं जमा कराई गई निविदा सुरक्षा (Bid security) को निष्पादन सुरक्षा (Performance security) में भी समायोजित की जा सकती है। निविद्धा की किसी भी शर्त का उल्लंगन करने एवं निविदादाला द्वारा बीच में निविदा प्रस्ताव वापस लेने पर निविदा सुरक्षा राशि जरून करने का अधिकार निगम को होगा।
 - 4) Code of integrity आ रठटी०पी०पी० एक्ट प्रावधानों एवं वर्षित नियमों के अनुसार।
 - (5) Conflict of interest ्रोही oपी वैपी० एक्ट प्रावधानों एक वर्णित नियमों के अनुसार।
 - (6) सेवा के दौरान शिकायत निवारण (Grievance Handling procedure during service) आर०टी०पी०पी० एवट प्रावधानों एव वंर्णित नियमों के अनुसार।

प्रधान अपालीय अधिकारी का पद नाम

कार्यकारी निदेशक (यात्रिक)

द्वितीय अपीलीय अधिकारी का पद नाम

प्रबन्ध निदेशक

📆 वित्तिय निविदा पृथक से अलग लिफाफे में एवं निविद्धिया प्रपन्न के अन्य समस्त दस्तावेंजों पर निविदादाता कं इस्ताक्षर एवं मोहर अंकित कर मय आवश्यक डी०डी० / नकद राशे की रसीद / वंक गारण्टी के अलग लिप्जफं में प्रस्तृत करना होगा।

निविद्वादाताओं के हस्ताक्षर मध नाम एवं पता

मुख्य प्रबन्धकं देशाली नगर आगार जथपूर। Terms and conditions for the rate contract of supply of spare parts.

- 1. Tender are required to deposit Bid security 2% of tender cost this bid security shall be retained as security amount for the successful tender for the contract period. For unsuccessful tender, the bid security deposit shall be refunded after the finalization of the tender.
- 2. Security/Earnest money will be fix fitted if the material is not supplied by the firm in time and as per requirement
- 3 The successful tender are required to deposit performance security guarantee approximate (5% of annual project cost as per RTTPP)
- The firm will be required to supply the material within 4 hours after the receipt of the purchase order.
- 5. Tenderer should sign the enclosed terms & conditions and return along with the tender....
- 6. On the top of the envelop containing tender, please write tender "TENDER FOR RATE CONTRACT FOR SUPPLY OF SPARE" Due on......
- While submitting offers, tenders should enclose the price list of items as permake/brand specified in the enclosed' Annexure- A" along with other items & conditions such as Sales Tax' discount' structure (Trade discount / cash discount) payment terms etc.
- 8. If the supplier is manufacturer authorized stockiest, distributors/dealer of any item, other then tender then documentation proof in support of the same should be submitted.
- 9. Tender along with the sample wherever is required must be enclosed in a property scaled envelop. The envelop should bear our tender notice No. and items off supply in capital and block letters at the top.
- 10. All the spare supplies shall be of the quality to the specification trade mark laid down for them and strictly in accordance with the approved standards sample and case if any material for which there are/is no standards/approved supplier, then the supply should be of the very best quality of the stores and shall be binding upon the tenders.
- 11. All the rate quoted must be for vaishli nagar depot workshop jaipur and should include all taxes.
- 12 Our payment terms would be 100% payment after receipt acceptance of material within 30 working days
- 13 Legal jurisdiction will only be at jaipur.
- 14. In case of any dispute, executive Director (Engg) will be arbitrator and the decision arbitrator will be final and biding of both the parties.
- 15. All the duties and taxes shall be applicable as per govt. norms.

- 16. Rate quoted should be remaining valid for a period of the one year; it may be extended for 6 month or as per RTPP.
- 17. The R.S.R.T.C. Reserves the right to reject/accept any tender at any time without assigning any reason.
- 18. In case of any discrepancy between the terms of bid documents and RTPP act 2012. The latter shall be prevailing.

Chief Manager R.S.R.T.C. Vaishali Nagar

DECLARATION BY THE TENDERER

I have read the terms and conditions as mentioned above and promise to abide all.

Signature of the Tender Name Address

Note: This declaration should be accompanied with the offer.

वित्तीय निविदा आवेदन राजस्थान राज्य पथ परिवहन निगम, वैशालीनगर आगार

दिनांक

कमांक

मुख्य प्रबंधक,

राजस्थान राज्य पथ परिवहन निगम,

वैशालीनगर आगार।

विषय: – वैशालीनगर आगार कार्यशाला जयपुर में TATA 1512 BS-3rd & 1613 BS IV Chassis Spare Parts की स्थानीय खरीद हेतु दर अनुबन्ध करने

S.No.	त्तीय निविदा। Nomencleture	Make	Rate Include GST	Remark
1	Rear Axle Shaft TATA			Grey/ Slaty Black Colour
2	Front Brake Liner Set STD 6"(8pc ,80hole)			Grey/ Slaty Black Colour
3	Font Brake Liner Set 6" 1mm (8pc ,80hole)			Grey/ Slaty Black Colour
4	Front Brake Liner Set 6" 2mm (8pc ,80hole)			Grey/ Slaty Black Colour
5	Front Brake Liner Set 6" 3mm (8pc ,80hole)			Grey/ Slaty Black Colour
7.00	Front Brake Liner Set 8 3mm (Spc ,00mole)			Grey/ Slaty Black Colour
6	Front Brake Liner Set STD 6 (6pc ,112hole)			Grey/ Slaty Black Colour
7	Font Brake Liner Set 8" 1mm (8pc ,112hole)			Grey/ Slaty Black Colour
8	Front Brake Liner Set 8" 2mm (8pc ,112hole)			
9	Brass Rivet L/12 (1Set=80pc)			Grey/ Slaty Black Colour
10	Rear Brake Liner Set STD 7"(8pc ,80hole)			Grey/ Slaty Black Colour
11	Rear Brake Liner Set 7" 1mm (8pc ,80hole)	1.04		Grey/ Slaty Black Colour
12	Rear Brake Liner Set7" 2mm (8pc ,80hole)			Grey/ Slaty Black Colodi
13	Rear Brake Liner Set 7" 3mm (8pc ,80hole)			- Clata Black Colour
14	Brass Rivet L/12 (1Set=112pc) bs4th			Grey/ Slaty Black Colour
	Rear Brake Liner Set STD 9"(8pc ,112hole)			Grey/ Slaty Black Colour
15	Rear Brake Liller Set STD 9 (opt /112hole)			Grey/ Slaty Black Colour
16	Rear Brake Liner Set 9" 1mm (8pc ,112hole)			
17	Rear Brake Liner Set7 9" 2mm (8pc ,112hole)			TATA 1512
18	CMC Repair Kit Major			TATA 1512
19	CMC Assy		-	TATA 1512
20	CSC Assy			
21	CSC repair Kit Major			TATA 1512
22	Air Dryer Cartridge			
	Roller for Brake			
23				
24	Fulcrum Pin for Brake			
25	Bush Fulcrum Pin for Brake			
26	Spring Cam End (Adjustable)			
27	Fulcrum End Spring			Round Type
28	Clutch Disc Assy 330 DIA			Fan Type
29	Clutch Disc Assy 352 DIA			
30	Fan Belt 8PK 1260			EPDM
	Belt AVX13 1060 Air compressor			EPDM
31	Belt AVX13 1000 All Compressor			EPDM
32	Gear Box Flange GB 60			
33				
34	Gear Shifter GB 60	,		
35				
36	Nut M14x1.5			
37	Hanger Bolt M10x1.5x45			
38				
39				
40				
41	Bolt M10x1x30 (Fine Half Thread)			
42	THE STATE OF THE S			4kingpin+2Bearing+4bush- Minor Kit
				MINOLKIC
44	Front Spring Shackle			
45	Rear Spring Shackle			
46	Front Spring Bracket			
47	Rear Spring Bracket			
48	Filter Assy Plastic Reservoir			
49	DOWN DELENSES			
	II			
50				
51				
52	Filt - Zon Tuno			
53	Power Steering Filter Zen Type			
54	Front Spring Shackle Pin			
55	Rear Spring Shackle Pin			
56	Front Spring Main Leaf Bush			
57	Rear Spring Main Leaf Bush			
_	- 1 - 1 - 1 TC			
58	TC			
59	TO TO			
6:	The state Assembly BCIII 1512 II			Bearing with Rubber and
0.				Bracket
6:	Shaft Coupling Flange BSIII 1512 TC			
6:	Differntial Coopling Flange BSIII 1512 TC			
6	COT			
6				
1 (1)	Flange Yoke BSIV 1613 TC			

67 Ce	nter Bearing Joint Assembly BSIV 1613 TC	Bearing with Rubber and
		Bracket
	aft Coupling Flange BSIII 1512 TC	
	ont Engine Mounting Pad	
	ar Engine Mounting Pad apharam Washer M843330	
	apharam Washer M843331	
	se Assy Front (Brake Hose)	
-	se Assy Rear (Brake Hose)	
	If Setting Automatic Slack	1512 TC
76 Sp	ark Seal Kit (Air Dryer Repair Kit)	
	Rod End L.H.	
	Rod End R.H.	
	e Rod end & Drag Link Repair Kit	
	n Belt 8PK1422	EPDM
	Type Hose n Belt Tensioner 1512 TC	Eron
-	serve Tank 1512 TC	
	b Assy Ball Socket (RH)	
85 The	ermostate Valve 1512TC	
86 Ass	sembly Fuel Pressure Line 1	
	sembly Fuel Pressure Line 2	
	sembly Clutch Pipe 1512 TC	
	wer Steering Oil Pump Assy 1512 TC	
	wer Steering Oil Pump Assy 1613 TC	
	sembly St. Plactic Personair Page	
92 ASS 93 Fro	sembly St. Plastic Reservoir Rane ont Spring Centre Bolt With Nut 12"	
94 Rea	ar Spring Centre Bolt With Nut 12"	
95 Fro	ont Spring U Bolt with Nut 12"	
96 Rea	ar Spring U Bolt With Nut 14"	
	ar Spring U Bolt With Nut 16"	
98 Fro	ont Wheel Bolt	
99 Rea	ar Wheel Bolt	
	neel Nut	
	eter Pump 1512TC	
	ater Pump 1613TC	
	nter Bearing Kit BSIV ar Automatic Slack Adjuster RH 1613	
	ar Automatic Slack Adjuster LH 1613	
	S U Clip RR TATA Size 32x4.8x116x82mm	
	S U Clip RR TATA Size 32x4.8x160x82mm	
108 M.	S U Clip FR TATA Size 32x4.8x95x72mm	
	S U Clip FR TATA Size 32x4.8x140x72mm	
	ise Pipe Clip TB 54	
	se Pipe Clip TB 36 se Clip WPM01	
	ise Clip 1A(SS)	-1
	sembly Gear Shifter Lever Complete 1512 TC	
	ear Lever Mounting Bracket 1512TC	
	utch Cylinder Pin	
117 Fro	ont Hub Thrust Washer	
118 Fro	ont Hub Distance Piece	
	ont Arele Spindle Nut (M32x1.5)	
	sy Pull Cable Accelerator 3269mm	
	celerator End 2214	
	celerator End RH Long celerator Spring 1512 TC	
	Il Joint R.H. (internal thread)	
	I Joint L.H. (internal thread)	
-	Compresor Hose Tafflon 1512TC	
	CMP Like 1079 32 no. Nut Pipe (AC TO Air Dryer)	
	gine Oil Gauge Inner 1512TC	
	gine Oil Gauge Outer Tube 1512TC	
	sembly Oil dipstic Complite BSIV 1613TC	
	n Support Assembly 1512TC ppellor Shaft Chuck Nut 1512TC	
	ppellor Shaft Chuck Nut 1512TC	
	se Pipe (Radiater to Water Pump BSIV) 1613 TC	EDDM
	se Pipe (Engine to Radiater top) BSIII 1512TC	EPDM EPDM
	se Pipe (Engine to Radiater Bottam) BSIII 1512TC	EPDM
137 Ass	sembly Exhaust Pipe (Turbo Connector) 1512TC	
138 Ass	sembly Hose(Cultch Release Bearing Hose)1613TC	
139 Ass	camble Luba Lina Long (Cil Filhanta 570)	
140 Acc	sembly Lube Line Long (Oil Filter to FIP) sembly Lube Line Small (Oil Filter to FIP)	
	cking Wire 1613 TC	
	Water Seperator BSIII 1512 TC	
143 Wa	ater Seperator Cum Fuel Filter BS IV 1613TC	
	el Filter Fine With Ring BSIV 1613TC	

145	Filter Fuel BSIII 1512 TC		
146	Front Hub Outer Bearing 32308		
147	Front Hub Inner Bearing 565/562		
148	Rear Wheel Outer Bearing 32214		
149	Rear Wheel Inner Bearing 33019		
150	Pilot Bearing 6305 2RS		
151	Clutch Release Bearing Assembly 1512TC		
152	Clutch Release Bearing Assembly 1613 TC		
153	Pilot Bearing 6204 2RS		
154	Rear Hub Axle Packing 1512 TC		
155	Rear Hub Inner Oil Seal 1512 TC		
	Rear Hub Outer Oil Seal 1512 TC		
157	Front Hub Oil Seal 1512 TC		
	Gasket Cylinder Head Cover 1512 TC		
159			
-	Engine Main Oil Seal 1512 TC		
160	Engine Timing Oil Seal 1512 TC		
161	Head Light Assembly Rectangular Type 1512 TC		
162	Side Indicator Assembly 1512 TC Front		D. d
163	LED Assembly 24v (390mm*135mm)		Rectangular
164	Side Indicator Assembly 407 n/m		
	Side Indicator Assembly small(rectangulartype)		
	Bulb T10 24V 5W Wedge Type (Side parking bulb)		
167	Bulb 24V 5W (Desh Board, Tail Lamp Parking Bulb)		
	Bulb TD24V 2W (H.L Parking Bulb ,Side Parking Bulb)		
1	FIP Pump Rotor Packing 1512TC		
	Nozzle Holder GasKit 1512TC		
171	Over flow Valve (Out valve) 1512TC		
	Cylinder Top Side Cover Packing 1512TC		
	Elbow packing 1512TC (Connection GasKit)		
174	Silencer Packing 1512TC		
_	Intake Mainifold Packing 1512TC		
	Exhaust Mainifold Packing 1512TC		
	Timming Cover Packing Set 1512TC		
178	Timming Cover Packing Outer 1512TC		
179	Timming Cover Packing Inner 1512TC		
180	Gaskit Rocker ARM COVER 1613 TC		
181	Clylinder Head Gaskit 1613TC		
182	Intake Mainifold Packing 1613TC		
183	Exhaust Mainifold Packing 1613TC		
184	FRONT SPRING MAIN LEAF 1512 TC		
185	FRONT SPRING 2ND LEAF 1512 TC		
186	FRONT SPRING 3RD LEAF 1512 TC		
187	FRONT SPRING 4TH LEAF 1512 TC		
	FRONT SPRING 5TH LEAF 1512 TC		
	FRONT SPRING 6TH LEAF 1512 TC		
190	REAR SPRING MAIN LEAF 1512 TC		
191	REAR SPRING 2NDLEAF 1512 TC	,	
2000	REAR SPRING 3RD LEAF 1512 TC		
130	REAR SPRING 4TH LEAF 1512 TC		
	REAR SPRING 5TH LEAF 1512 TC		
195	REAR SPRING 6TH LEAF 1512 TC		

हस्ताक्षर

निविदादाता का नाम व पता

नोट – वित्तीय निविदा पृथक से सीलबन्द लिफाफे में प्रस्तुत किया जाना आवश्यक है।