

## JAIPUR METRO RAIL CORPORATION LIMITED

(A Government of Rajasthan Undertaking)
2nd Floor RSIC Wing, Udhyog Bhawan, Tilak Marg, C-Scheme, Jaipur-302005
E-mail: jmrc.revenue@gmail.com

No. F.1(42)/JMRC/DCA/REVENUE/LEASING/OF/2015-16//1638

Date:20.06 2016

To,

All Prospective Bidders

**Ref:** RFP No. F.1(42)/JMRC/DCA/REVENUE/LEASING/OF/2015-16/03 Dated: 01.06.2016 for leasing out Optical Fibre capacity between Jaipur metro stations

With reference to above RFP, based on the queries received from prospective bidders, following is clarified / modified:

Sl. No.	Query Raised by Prospective bidder	Clarification / Modification
	(s)	Claimeation / Mounication
1.	8 fiber pairs are E to E from Chandpol to Mansarovar or Point to point drop at all station. Clause No. 3.5 (Page No. 14) & 3.7 (Page No.14)	As mentioned in Clause 3.5 & 3.7 of the RFP, Fibre strands are end to end between Chandpole to Mansarovar Station & 8 fibre strands are dropped at each station.
2.	Space and power will be required for Tx equipment for drop at station, provisioning is not clear in RFP. Clause No. 4.3 (Page No. 28)	Installation of only Passive transmission equipments will be allowed under this RFP.
3.	For connecting JMRC fiber- Space provisioning is not mentioned for zero Main whole.	Based on feasibility, a space for a manhole of maximum 1 sq meter will be provided by JMRC at one time charges of Rs. 5000.
4.	Space and route provisioning for equipment (Tower, IBS) installed in JMRC premises, need clarity.	Any Tower / IBS / active equipment will not

These Clarification/ modifications will be integral part of the above referred RFP document. Bidders shall submit a signed copy of these clarifications along with the Technical bid.

All other terms and Conditions of RFP shall remain unchased. P. note that there is no change in date of opening I subminion of bids.

Executive Director (Corporate Affairs)

Registered office: Khanij Bhawan, Udyog Bhawan Campus, Tilak Marg, C-Scheme, Jaipur – 302005 www.jaipurmetrorail.in, CIN: U60221RJ2010SGC030630