

F. No.: 2(285)/JMRC/O&S/TEM/2023-24/SITC of LED light Depot

Price: Rs. 5900 /-

NIB No.: JMRC/O&S/EL/2023-24/NIB/033

JAIPUR METRO RAIL CORPORATION LTD.

"Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"



Jaipur Metro Rail Corporation Ltd.

Admin Building, Mansarovar Metro Train Depot, Bhrigu Path,

Mansarovar, Jaipur (Rajasthan) – 302020.

Website: http://transport.rajasthan.gov.in/jmrc



TABLE OF CONTENTS

	NOT	ICE INVITING BIDS	4
١.	INST	RUCTION TO BIDDERS	8
	2.1	Sale of Bidding/ Bid Documents	8
	2.2	Cost of bid document and Bid Security/EMD	8
	2.3	Changes in the Bidding Document	9
	2.4	Period of Validity of Bids	10
	2.5	Eligibility Criteria	10
	2.6	Format and Signing of Bids	10
	2.7	Submission of Bids	10
	2.8	Cost & Language of Bidding	12
	2.9	Alternative/ Multiple Bids	12
	2.10	Deadline for the submission of Bids	12
	2.11	Receipt and Custody of Bids	12
	2.12	Withdrawal, Substitution, and Modification of Bids	13
	2.13	Opening of Bids	13
	2.14	Selection Method	13
	2.15	Clarification of Bids	14
	2.16	Evaluation of Bids	
	2.17	Negotiations	
	2.18	Acceptance of the successful Bid and Issuance of LOA	
	2.19	Procuring entity's right to accept or reject any or all Bids	
	2.20	Performance Security Deposit	
7	. Gei	neral Conditions of Contract	
	3.1	Terms & Conditions	
	3.1		
	3.1		
	3.1		
	3.1		
	3.1		
	3.1		
	3.1		
	٥.١	in a special control of the second control o	





	3.1.	8 Liquidated Damages (LD)	. 20
	3.1.		
4.	SPE	CIAL TERMS AND CONDITIONS OF BID & CONTRACT	22
	4.1	Special Terms	
4	4.2	Bidders to Bid for all Items	
2	1.3	Payment Terms and Penalty	
2	1.4	Warranty	24
4	1.5	Procuring Entity's Right to Accept Or Reject Any Or All Bids	
	1.6	Variation	
5.	SCO	PE OF WORK:	26
6.	BID	FORMS	27
	5.1	Form A: Form of Bid	27
6	5.2	Form: B Bidder's Profile	
6	.3	Form: C Format of Bank Guarantee for Performance Security	
6	.4	Form D: Bidder's Authorization Certificate (to be filled by the BIDDERS)	
6	.5	Form E: FORMAT OF POWER OF ATTORNEY	
6	.6	Form F: Self-Declaration (to be filled by the Bidder)	
6	.7	Form G: Certificate Of Conformity/No Deviation {to be filled by the Bidder}	
6	.8	Form- H, Annexure A Compliance with the Code of Integrity and No Conflict of Interest	
6	.9	Form-:H, Annexure-:B Declaration by the Bidder regarding Qualifications	
6	.10	Form-:H, Annexure-:C Grievance Redressal during Procurement Process	
6	.11	Form: I	
6	.12	Form-: K, Work Experience	
6		Form-: L (BANK DETAILS)	
6	.14	Form-: M, CONTRACT AGREEMENT	44
6		Form-: N, Black list certificate	
6		Form-O	
7.		DF QUANTITIES (BOQ)	
FI		IAL BID FORM	
8.		V LICT	40 67



1. NOTICE INVITING BIDS

- 1.1 Jaipur Metro Rail Corporation (JMRC) Ltd. invites Bids (Single stage two envelope method) "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC" through e-tendering process i.e. by online tendering process.
- 1.2 The complete Bid document can be downloaded for online submission from the state eprocurement website https://eproc.rajasthan.gov.in and the interested Bidders will have to submit their offer in electronic formats both for technical and financial Bid on this website with their digital signatures. The complete Bid document can also be seen on Corporation's website http://transport.rajasthan.gov.in/jmrc and state procurement portal www.sppp.rajasthan.gov.in.
- 1.3 Bidders who wish to participate in this Bidding process must register on https://eproc.rajasthan.gov.in. To participate in online Bids, as per Information Technology Act, 2000, Bidders will have to obtain Digital Signatures (class-2 / class-3 category) issued by a licensed Certifying Authority for e-Biding portal. Bidders who already have a Valid Digital Signature Certificate need not obtain a new Digital Signature Certificate. This DSC will be used to sign the Bids submitted online by the Bidder. Unsigned Bids will not be entertained and will be rejected outright.

1.4 KEY DETAILS:

	- TREE DETAILS.	
1.	Designation and address of inviting authority	ED(Traction and E&M), Jaipur Metro Rail Corporation Ltd., JAIPUR
2.	NIB/Bid No	JMRC/O&S/EL/2023-24/NIB/0.33
3.	Name of Work	Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC
4:	Cost of Bid Form	Rs. 5,900/- (includes 18 %GST),) in the form of Banker's Cheque/ Demand Draft of a Scheduled Commercial Bank in favour of "Jaipur Metro Rail Corporation Ltd." payable at Jaipur Cost of Bid Form is not refundable.
5.	E- Bid Processing Fee (Non- Refundable)	Rs. 1,770/- (By demand draft/ Banker's cheque payable in favor of 'MD, RISL' payable at Jaipur)
6.	Estimated Cost	Rs. 68,50,921/- (Including GST)
7.	Earnest Money Deposit (EMD)/ Bid Security.	Rs. 1,37,018/- (2% of the Estimated Cost)
8.	Last Date & Time, Venue for Physical submission of original DD/ BC for BID fee, e-BID Processing Fee and original EMD / Bid Security fee	Last date and Time: 24.01.23 till 14.30hrs. Venue: Office of DGM (Traction/E&M), JMRC, Room no. 320, Third Floor, Admin. Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020.



9.	Performance Security			
	Security	5% of the basic contract amount in the form of Banker'		
	7	Sireque/ Demand Draft/ Bank guarantes of		
		Commercial Bank in favour of "Jaipur Metro Rai		
10) Name of	Corporation Ltd." payable at Jaipur Metro Rai		
-0	ridine of website (s) for downloa	nttng://am		
	of Bid document and clarificatio	Bid is also available on		
- 1	(s) / Modification (s), if any			
-		http://transport.rajasthan.gov.in/jmrc		
11.	vensites for Online Bir	www.sppp.rajasthan.gov.in		
	submission	https://eproc.rajasthan.gov.in		
12.	Bid Download Start Date and Time	26-12 2022		
13.		26-12-2023 at 18:00 hrs.		
	Bid Submission start date and Time	26-12-2023 at 18:00 hrs.		
14.	Last Date & Time for Online			
	Submission of Bid	24-0 -2023 _{at} 14:00 hrs.		
15.	Date and Time of Opening of	at		
	Technical Bid	24-01 2022		
16.		24-01-2023 at 15:00 prs.		
	Opening of Financial Bid	Subsequent to Technical Bid opening (Date to be		
		intimated later to the Technically qualified Bidders		
17		through e-procurement website)		
17.	Venue of Opening of Bid	Venue: Room no 330 off:		
		Venue: Room no. 320, Office of DGM (Traction/E&M),		
		Third Floor, Admin Building, Mansarovar Metro Train		
18.	Validity of Bid	Depot, Bhrigu path, Mansarovar, Jaipur-302020.		
19.	Contract Period	90 days from the last date of submission of Bid.		
- 1		Subject to the conditions of the contract, the complete		
	8 11 11	replacement of existing Old faulty Company		
- 1		insines followed by SIIC of LED lights shall be		
	A .	within Five months from the Date of issue of Letter of		
20.	Date:	Acceptance (LOA).		
20.	William Eligibility Criteria			
- 1	A. Bidder should have valid GST registi	ration certificate issued by some		
	A. Bidder should have valid GST registration certificate issued by competent authority and shall B. Applicant of the Applica			
	Applicant should have valid PAN certificate (
	enclose PAN certificate along with bid. C. Work Experience: The bidder firm should have satisfactorily completed similar works during last five financial years and the period ending last day of			
	during last five fi	should have satisfactorily completed similar		
	one in which the pid-	the period ending last day of month previous to the		
1	following:	d in current financial year should be either of the		
	Three similar completed	oc either of the		
	Cost in De 27 10 22-1	each of contract value not less than 40% of estimated		
	cost i.e. Rs. 27,40,368/	to to califiated		
	Torre	OR		
	two similar completed contracts a cost i.e. Rs. 34,25,461/	each of contract value not less than 50% of estimated		



OR

One similar completed contracts each of contract value not less than 80% of estimated cost i.e. Rs. 54,80,737/-.

D. Electrical Contractor License:

The firm/contractor should have valid electrical contractor license issued by any state Govt. authority in India, on the date of bid opening in his own name or in the name of Firm/contractor.

Or

In case bidder is OEM or his authorized contractor but he does not have electrical contractor license in his own name or in the name of Firm/contractor then he may submit undertaking (Form -O) that he will get the work executed through an contractor/contractor having a valid Electrical Contractor license in his own name/Firm/contractor's name issued by concerned authority anywhere in India. He will be required to submit such license before commencement of work.

Note:

- Bidder is required to submit the details as per Form-K along with supporting ı. documents: The Bidder shall attach copy of LOAs / POs/Work Orders along with their individual work completion certificates issued by the authorized signatory preferably on their letter head of the contract/work awarding agency, mentioning Period of the contract, work completion date, name of the work and Amount paid for the contract, BOQ. For bidders submitting LOA/P.O. of JMRC for work Experience need not to submit Work completion certificates. JMRC will examine the factual details of Work awarded and satisfactory completion of work by firm at time of Bid evaluation.
- 11. Definition of similar works:
 - 1. The works completed here shall mean having physically completed that particular work.
 - 2. The bidder firm should have work Supply/Installation/maintenance/Repairing of any electrical related work in any Central Govt. Department /State Govt. Department /PSUs of Central or any state Govt. / Any Metro Rail Projects in India/ Indian Railways or it's PSU's/ Autonomous body of Any Govt. The completion certificate shall at least be comprised of following information: a. Name of work, b. Name of firm d. Name of agreement/LOA number. d. Date of Actual commencement work e. Date of actual completion of work f. Total value (Amount) of work done, g. Performance during execution of work.
 - 3. The Bidder shall submit the details of the same as per Form-K.
- E. APPROVED MAKE OF LED lights for SITC work: As per Scope of Work (Section 5).
- F. Firm shall not be blacklisted by Central Government, any State Government or any Government agency or Public sector undertaking (PSU). Firm shall submit an undertaking to this effect as per Form-N.
- G. Annual Turnover:- The average annual turnover of applicant during last three audited financial years should not be less than forty percent (40%) (i.e. Rs.27,40,368/-) of the estimated cost. To substantiate the Annual Turnover, Contractor needs to submit the Charted Accountant (CA) Certificate.
- H. POWER OF ATTORNEY (Form E): In case bidder's firm is Partnership/ Company/ Consortium then, a power of attorney to be submitted. The power of attorney is to be signed by the partners or legally authorized signatories of all the partners authorizing the



nominated person to be In-charge to sign bid document, incur all liabilities and receive instructions.

Bidder should also enclose Copy of Account Bank Details on their Letterhead or copy of cancelled Cheque with Bid Document.

At any stage if it is found that bidder has not met any of the above eligibility criteria, his bid will be summarily rejected and action shall be taken as per terms and conditions of this bid documents.

Note:

- All above events will be held at JMRC, Admin Building, Mansarovar Depot, Bhrigu Path, Jaipur-302020.
- Corrigendum, Addendums and subsequent clarifications on bid terms, if any, can be
 down loaded from the Website https://eproc.rajasthan.gov.in. Intimation for change in the
 schedule of Bid opening etc. shall be published on above mentioned websites only. Keep
 visiting these websites for any subsequent clarifications & modifications.
- 3. In case of any further details required, the same can be collected from the office of DGM (Traction and E&M), Room No- 320, Third Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020. Email Id- dgmtem@jaipurmetrorail.in
- 4. Bidder is advised to visit actual site of JMRC and examine the scope of the work before quoting the rates. For this, bidder may contact DGM (traction and E&M) Ph- 7728895663.

Executive Director (Traction and E&M)
4th Floor, Admin Building,
Metro Train Depot, Bhrigu path,
Mansarovar, Jaipur – 302020.



2. **INSTRUCTION TO BIDDERS**

2.1 Sale of Bidding/ Bid Documents

- The sale of bidding documents shall be commenced from the date of publication of Notice 2.1.1 Inviting Bids (NIB). The complete Bid document can be downloaded for online submission from the web-site https://www.eproc.rajasthan.gov.in.
- The Bidder may obtain further information/clarification, if any, in respect of these Bid 2.1.2 documents from the office of DGM (Traction and E&M) , Room No- 320, Third Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020. Bidders participate in this Bidding process must register https://eproc.rajasthan.gov.in. To participate in online Bids, as per Information Technology Act, 2000, Bidders will have to obtain Digital Signatures (class-2 / class-3 category) issued by a licensed Certifying Authority for e-Biding portal. Bidders who already have a Valid Digital Signature Certificate need not obtain a new Digital Signature Certificate. This DSC will be used to sign the Bids submitted online by the Bidder. Unsigned Bids will not be entertained and will be rejected outright.
- 2.1.3 Cost of Bid Document (BID fee) is Rs. 5,900 (includes 18 %GST) which shall be paid in the form of Demand Draft / Bankers Cheque of Scheduled Bank drawn in favour of 'Jaipur Metro Rail Corporation Ltd.', payable at Jaipur. The Bid fee is non-refundable. 2.1.4
- In addition, E-BID processing fee of Rs. 1,770/- per Bid shall be paid in the form of banker's cheque / DD of Scheduled Bank drawn in favour of 'MD, RISL', payable at Jaipur.
- Bids submissions will be made online after uploading the mandatory scanned documents 2.1.5 towards cost of BID, e-Bid processing fee and other document as stated in the BID document.
- Any Bid not accompanied by valid Earnest Money Deposit, the cost to-wards Bid document 2.1.6 and e-Bid processing fee, in acceptable form will be liable to be treated as being nonresponsive.
- Late Bids (received after date and time of submission of Bid) shall not be accepted under any 2.1.7 circumstances.
- JMRC reserves the right to accept or reject any or all proposals without assigning any 2.1.8
- No Bid shall have any cause of action or claim against the JMRC for rejection of his proposal. 2.1.9
- 2.1.10 The JMRC reserves the right to verify all statements, information and documents sub-mitted by the Bidder in response to the Bid Document. Any such verification or lack of such verification by the JMRC shall not relieve the Bidder of its obligations or liabilities hereunder nor will it affect any rights of the JMRC there under.
- 2.1.11 Bids received after the last time and date for depositing Bid shall not be considered. Bids sent by FAX, post or e-mail will not be considered.

Cost of bid document and Bid Security/EMD 2.2

The cost of bid document which is Rs. 5,900/- (includes 18 %GST) and EMD/bid security (i.e. 2% of the Estimated Cost) shall be paid in the form of Demand Draft /Banker Cheque of a scheduled Commercial bank drawn in favour of 'Jaipur Metro Rail Corporation Ltd.', payable at Jaipur and shall form part of the Bid.





- 2.2.2 The EMD/ Bid Security of successful Bidder may be adjusted on request against Performance Security Deposit or discharged/ returned after deposition of the Security Deposit, as the case may be.
- 2.2.3 The Bid Security / Earnest Money (if applicable/deposited) of unsuccessful bidders shall be returned after final acceptance of successful bid and signing of agreement submitting performance security or the earliest of the following events, namely:-
 - The expiry of validity of Bid;
 - b) The cancellation of the procurement process
- 2.2.4 The Bid Security is liable to be paid by a bidder as per terms and conditions of a bid, if any, in the following cases, namely:
 - a) When we withdraw or modify our bid after opening of bids;
 - b) When we do not execute the agreement, if any, after placement of supply/work order within the Specified period;
 - When we fail to commence the supply of the goods or service or execute work as per supply/work Order within the time specified;
 - d) When we do not deposit the performance security within specified period after the supply/work order is placed; and
 - e) If we breach any provision of code of integrity prescribed for bidding specified in the bidding documents.
- 2.2.5 Notice will be given to the Bidder with reasonable time before Bid Security (EMD) deposited is forfeited, if any.
- 2.2.6 No interest shall be payable on the Bid Security (EMD), if any.
- 2.2.7 The procuring entity shall promptly return the Bid Security, if any of the successful Bidder after the earliest of the following events, namely:
 - The expiry of validity of Bid;
 - lssue of LOA for procurement, signing of agreement and performance security is furnished by the successful Bidder;
 - c) The cancellation of the procurement process; or
 - d) The withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

2.3 Changes in the Bidding Document

- 2.3.1 At any time, prior to the deadline for submission of Bids, the procuring entity may for any reason, whether on its own initiative or as a result of a request for clarification by a Bidder, modify the bidding documents by issuing an addendum in accordance with the provisions below.
- 2.3.2 In case, any modification is made to the bidding document or any clarification is issued which materially affects the terms contained in the bidding document, the procuring entity shall publish such modification or clarification.
- 2.3.3 In case, a clarification or modification is issued to the bidding document, the procuring entity may, prior to the last date for submission of Bids, extend such time limit in order to allow the bidders sufficient time to take into account the clarification or modification, as the case may be, while submitting their Bids.





2.3.4 Such modification shall form integral part of the Bid document.

2.4 Period of Validity of Bids

- 2.4.1 Bids submitted by the Bidders shall remain valid during the period specified in the NIB/ bidding document. A Bid valid for a shorter period may be rejected by the procuring entity as non-responsive Bid.
- 2.4.2 Prior to the expiry of the period of validity of Bids, the procuring entity, in exceptional circumstances, may request the Bidders to extend the bid validity period for an additional specified period of time. A Bidder may refuse the request and such refusal shall be treated as withdrawal of Bid and in such circumstances Bid Security shall not be forfeited.

2.5 Eligibility Criteria

- 2.5.1 The minimum Eligibility criteria to qualify in Bid are mentioned in sub clause 20 Minimum Eligibility Criteria of clause 1.4 KEY DETAILS of Section 1 NOTICE INVITING BIDS of this bid document.
- 2.5.2 Bidder shall submit documents supporting the fulfillment of eligibility criteria.

2.6 Format and Signing of Bids

- 2.6.1 The Bidder shall prepare one original set of the bidding documents called Bid in the manner as specified in the bidding document.
- 2.6.2 All pages of the bid shall be signed by the Bidder or a person duly authorized to sign on behalf of the Bidder in token of acceptance of all the terms and conditions of the bidding documents.
- 2.6.3 Any corrections in the bid such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialled by the person signing the bid.

2.7 Submission of Bids

- 2.7.1 The Bidder shall, on or before the date and time given in the table under notice Inviting Bid of this BID submits his Bid online on e-tendering website https://eproc.rajasthan.gov.in. Bids sent by Post, FAX or e-mail or presented in person will not be considered.
- 2.7.2 <u>Financial Instrument</u> i.e. 'Cost of Bid Document', 'Bid Security', 'e- Bid Processing Fee', work experience (form-K) and Form-O shall be submitted in original in one separate sealed envelope (in physical form- financial instrument) mentioned following along with his Name and address mentioned on above envelopes respectively:

 Bid Reference No. JMRC/O&S/EL/2023-24/NIB/O...... Name of the Work "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC."





The above envelope to be submitted before date and time as per schedule mentioned in the table under Notice Inviting Bid of this BID at the address mentioned below:

To,
DGM (Traction / E&M)
3rd Floor, Admin Building,
Metro Train Depot, Bhrigu path,
Mansarovar, Jaipur – 302020.

- 2.7.3 Bid Security, e- Bid Processing Fee and cost of Bid document submitted after due date and time shall not be accepted and online Bids of such Bidders shall liable to be summarily rejected.
- 2.7.4 JMRC will not be responsible for Bid Security, e- Bid Processing Fee and Cost of Bid Document delivered to any other place/person in JMRC other than the designated officer and does not reach the designated officer before the deadline for submission.
- 2.7.5 Any Bid not accompanied by valid Bid Security, e- Bid Processing Fee and Cost of Bid Document in acceptable form will be liable to be treated as being non- responsive & shall be rejected.
- 2.7.6 JMRC will not be responsible for delay in online submission due to any reason. For this, Bidders are requested to upload the complete Bid well advance in time so as to avoid last minute issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 2.7.7 Utmost care to be taken to name the files /documents to be uploaded on portal. There should not be any special character or space in the name of file, only underscores are permissible.

A Single-stage two envelope selection procedure shall be adopted. The Bid shall contain:

a) Part-A: Technical Bid

This Part should contain the Technical Bid consisting of a pdf copy of this Bid Document with each page digitally signed by the Bidder in acceptance of the terms and conditions therein, along with scanned copy of all Annexures/Forms duly filled. DD/BC and the entire required documents in support of eligibility, Bid fee and e-Bid processing fee, bid security and 'Form-: O' and other documents as per this bid document.

All the applicable Annexure/Forms shall be duly filled, physically signed & scanned (in pdf format) and digitally signed on each page and to be submitted online as part of technical Bid.

Financial proposal should not be indicated at any place in the Technical Bid, otherwise the Bid shall be summarily rejected.

b) Part-B: Financial Bid (BOQ)

This Part shall contain the Financial Bid in the prescribed Format as per clause 7 (BOQ). Rate quoted should be all inclusive for carrying out all activities as detailed in the scope of work and will be deemed to include all incidental charges, remittance, supervision, transport, contractor's profit and establishment/overheads, all risks and other obligations set out or implied in the contract, complete as required excluding GST which is being considered in BOQ separately. The effective rate of GST shall be as applicable on the date of billing. Utmost care should be taken to upload the Financial Bid. Any change in the format of





Financial Bid file shall render it unfit for Bidding. Following Steps may be followed in submission of Financial Bid:

- i. Download format of Financial Bid in XLS/ XLSX format (Password protected file).
- ii. This XLS/ XLSX file is password protected file. Don't unprotect the file. Price has to be filled in this file.
- iii. Fill Bidder's Name and relevant prices, Unit Rate, GST% and other details as asked in downloaded Protected Financial Bid format (BOQ) as specified (in XLS/ XLSX format only or Modify accordingly). Don't fill in any other back ground cells.
- iv. Validate the sheet and Save filled copy of downloaded financial Bid file in your computer and remember its name & location and upload correct file (duly filled in).
- 2.7.8 The Bidder shall ensure that a receipt/acknowledgement is obtained for the submission of his online Bid, such receipt being issued free of charge.
 2.7.9 The JMRC may at his discretion.
- 2.7.9 The JMRC may, at his discretion, extend the deadline for submission of Bids by issuing an amendment, in which case all rights and obligations of the JMRC and the Bidder previously subject to the original deadline will thereafter be subject to the deadline as extended.

2.8 Cost & Language of Bidding

- The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the procuring entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
 The Bid, as well as all correct.
- 2.8.2 The Bid, as well as all correspondence and documents relating to the Bid exchanged by the bidders and the procuring entity, shall be written only in English/ Hindi Language. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in English/ Hindi language, in which case, for purposes of interpretation of the Bid, such translation shall govern.

2.9 Alternative/ Multiple Bids

- 2.9.1 Alternative/ Multiple Bids shall not be considered at all.
- 2.10 Deadline for the submission of Bids
- 2.10.1 Bids shall be submitted online till the time and date specified in the NIB.

2.11 Receipt and Custody of Bids

2.11.1 The bids shall be submitted online as per the schedule mentioned in the table under Notice inviting Bid of this BID along with the physical deposition of sealed envelope comprising of Cost of Bid document, e-tender processing fee, Bid Security and "Form O" in the originals in office of DGM (Traction and E&M), Room No- 320, Third Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020 in a manner as specified in this BID.



2.12 Withdrawal, Substitution, and Modification of Bids

- 2.12.1 Except where expressly permitted by these instructions, the Bidder shall not make or cause to be made any alteration, erasure or obliteration to the text of the documents prepared by the JMRC and submitted by the Bidder with or as part of his Bid
- 2.12.2 The Bid submitted online will be taken as a final Bid.
- 2.12.3 No Bid shall be allowed to be modified by the Bidder after the deadline for submission of Bids.

2.13 Opening of Bids

- 2.13.1 The Bids will be opened online on website at the time, date and place as specified in the Notice Inviting Bids of this BID in the presence of Bidders or their authorized representatives who choose to attend the opening of Bid. The Bidders or their authorized representatives who are present to witness the Bid opening shall sign an attendance sheet / register evidencing their attendance as a witness to the Bids opening process. In the event of the specified date of Bid opening being declared a holiday, the Bids will be opened on the next working day at the same time and place or on any other day/time, as intimated by the JMRC.
- 2.13.2 Only Technical Bids will be opened first and Jaipur Metro Rail Corporation(JMRC) will evaluate technical Bids as per criteria set forth in this BID document.
- 2.13.3 Bidders can also see the Technical Sheets (check-list) of other Bidders after completion of opening process by logging into the web-site.
- 2.13.4 Financial Bids will remain unopened until the time of opening of the Financial Bids.
- 2.13.5 The Financial Bids of only those Bidders who clear Technical evaluation stage will be opened & evaluated. The time and date of opening of Financial Bid shall be communicated to technically qualified Bidders through state e-procurement website. The technically qualified Bidders may attend the opening of the Financial Bid, if they so desire.
- 2.13.6 The Financial Bids of only those Bidders who clear the Technical evaluation stage will be evaluated. The Bidders or their authorized representatives who are present to witness the Financial Bid opening shall sign an attendance sheet / register evidencing their attendance as a witness to the Financial Bid opening process. In the event of the specified date of Financial Bid opening being declared a holiday, the Financial Bids will be opened on the next working day at the same time and place or on any other day/time, as intimated by the JMRC.

2.14 Selection Method

- 2.14.1 The selection method is Least Cost Based Selection (LCBS) as detailed below:
- 2.14.2 The bid will be opened on scheduled time and date as per NIB.





- 2.14.3 The ranking of L1, L2, L3 etc. will be done on basis of Total Cost, with L1 being the Bidder whose Total Cost is the lowest, L2 being the second lowest and so on.
- 2.14.4 The contract shall be award to most advantageous responsive bidder quoting least value of Total Cost (TOTAL AMOUNT With Taxes) in financial bid BOQ (L1) subject to fulfilment of eligibility criteria as per clause 2.5 of bid document.

2.15 Clarification of Bids

- 2.15.1 To assist in the examination, evaluation, comparison and qualification of the Bids, the bid evaluation committee may, at its discretion, ask any Bidder for a clarification regarding its Bid. The committee's request for clarification and the response of the Bidder shall be in writing.
- 2.15.2 Any clarification submitted by a Bidder with regard to its Bid that is not in response to a request by the committee shall not be considered.
- 2.15.3 No substantive change to qualification information or to a submission, including changes aimed at making an unqualified Bidder, qualified or an unresponsive submission, responsive shall be sought, offered or permitted.
- 2.15.4 No change in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the committee in the evaluation of the financial Bids.
- 2.15.5 All communications generated under this rule shall be included in the record of the procurement proceedings.

2.16 Evaluation of Bids

2.16.1 Preliminary Examination of Bids

- 2.16.1.1 Financial Instrument Envelopes containing Bid Security, Cost of Bid documents, e-Bid Processing fee will be opened first. Bids of those Bidders who have not submitted Bid Security, valid e-Bid Processing fee, cost of Bid documents shall be considered as non-responsive and liable to be rejected summarily.
- 2.16.1.2 On opening of the Bids, JMRC will first check the Bid Security, e-Bid Processing Fee, cost of Bid documents through online mode by cross verifying with the hardcopy submitted. If the documents do not meet the requirements of Bid, a note will be recorded accordingly by the Bid Opening Authority and if any deviation found then Bid will be summarily rejected.
- 2.16.1.3 Further the bid evaluation committee constituted by the procuring entity shall conduct a preliminary scrutiny of the opened bids to assess the prima-facie responsiveness and ensure that the:
 - a. bid is submitted, sealed and signed, as per the requirements listed in the bidding document;
 - b. bid is valid for the period, specified in the bidding document;
 - bid is unconditional and the Bidder has agreed to give the required performance security and;
 - d. other conditions, as specified in the bidding document are fulfilled.

2.16.2 Determination of Responsiveness

K



- 2.16.2.1 The bid evaluation committee shall determine the responsiveness of a Bid on the basis of bidding document and the provisions of pre-qualification/ eligibility criteria of the bidding document.
- 2.16.2.2 A responsive Bid is one that meets the requirements of the bidding document without any material deviation, reservation, or omission where:
 - a. "deviation" is a departure from the requirements specified in the bidding document;
 - b. "reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the bidding document; and
 - c. "Omission" is the failure to submit part or all of the information or documentation required in the bidding document.
- 2.16.2.3 A material deviation, reservation, or omission is one that,
 - a. if accepted, shall:-
 - affect in any substantial way the scope, quality, or performance of the subject matter of procurement specified in the bidding documents; or
 - limits in any substantial way, inconsistent with the bidding documents, the procuring entity's rights or the Bidder's obligations under the proposed contract; or
 - If rectified, shall unfairly affect the competitive position of other Bidders presenting responsive Bids.
- 2.16.2.4 The bid evaluation committee shall examine the technical aspects of the Bid in particular, to confirm that all requirements of bidding document have been met without any material deviation, reservation or omission.
- 2.16.2.5 The procuring entity shall regard a Bid as responsive if it conforms to all requirements set out in the bidding document, or it contains minor deviations that do not materially alter or depart from the characteristics, terms, conditions and other requirements set out in the bidding document, or if it contains errors or oversights that can be corrected without touching on the substance of the Bid.

2.16.3 Non-material Non-conformities in Bids

- 2.16.3.1 The bid evaluation committee may waive any non-conformity in the Bid that does not constitute a material deviation, reservation or omission, the Bid shall be deemed to be substantially responsive.
- 2.16.3.2 The bid evaluation committee may request the Bidder to submit the necessary information or document like GST certificate, PAN certificate etc. within a reasonable period of time. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 2.16.3.3 The bid evaluation committee may rectify non-material nonconformities or omissions on the basis of the information or documentation received from the Bidder under above.



- 2.16.3.4 Bids shall be evaluated based on the documents submitted as a part of bid. Bidders are expected to quote for all the items. Similarly, in case the proposal of a Bidder is non-responsive for any item, the Bidder shall be summarily rejected.
- 2.16.3.5 The evaluation shall include all costs and all taxes and duties applicable to the Bidder as per law of the Central/ State Government/ Local Authorities, and the evaluation criteria specified in the bidding documents shall only be applied;
- 2.16.3.6 The offers shall be evaluated and marked L1, L2, L3 etc. L1 being the lowest offer quoting least value of Total Cost (TOTAL AMOUNT With Taxes) in financial bid (BOQ). A list of L1, L2....will be prepared accordingly.
- 2.16.3.7 The contract will be award to only one bidder i.e. most advantageous responsive bidder of financial bid (L1).

2.17 Negotiations

- 2.17.1 Negotiations may, however, be undertaken with the lowest Bidder or most advantageous bidder, when the rates have been quoted by the bidders for the subject matter of procurement; or when the rates quoted vary considerably and considered much higher than the prevailing market rates.
- 2.17.2 The bid evaluation committee shall have full powers to undertake negotiations. Detailed reasons and results of negotiations shall be recorded in the proceedings.
- 2.17.3 The lowest Bidder shall be informed in writing either through messenger or by registered letter and e-mail (if available).
- 2.17.4 A minimum time shall be given for calling negotiations. In case of urgency the bid evaluation committee, after recording reasons, may reduce the time, provided the lowest or most advantageous Bidder has received the intimation and consented to regarding holding of negotiations.
- 2.17.5 Negotiations shall not make the original offer made by the Bidder inoperative. The bid evaluation committee shall have option to consider the original offer in case the Bidder decides to increase rates originally quoted or imposes any new terms or conditions.
- 2.17.6 In case of non-satisfactory achievement of rates from lowest Bidder, the bid evaluation committee may choose to make a written counter offer to the lowest Bidder and if this is not accepted by him, the committee may decide to reject and re-invite Bids or to make the same counter-offer first to the second lowest or most advantageous Bidder, then to the third lowest or most advantageous Bidder and so on in the order of their initial standing and work/ supply order be awarded to the Bidder who accepts the counter-offer. This procedure would be used in exceptional cases only.
- 2.17.7 In case the rates even after the negotiations are considered very high, fresh Bids shall be invited.



2.18 Acceptance of the successful Bid and Issuance of LOA

- 2.18.1 Prior to the expiry of the period of validity of the bid, the successful bidder shall be notified through a Letter of Acceptance (LoA) sent through email to be confirmed in writing by Registered / Speed Post / By hand that its Bid has been accepted.
- 2.18.2 Upon receipt of the 'LOA', the successful bidder(s) shall return one copy of the LOA duly signed and accepted and stamped by its authorized signatory submit the performance security as specified in the NIB.
- 2.18.3 Contract Agreement on a non-judicial stamp paper of appropriate value as per stamp act, as per format at Form-M (Draft Template)shall be executed between the successful bidder and JMRC after issue of LOA and shall be subsequent to the successful reception of the performance security deposit by JMRC. The original copy of the agreement shall be retained by JMRC and the copy shall remain with agency.
- 2.18.4 The selected bidder shall not be entitled to seek any deviation, modification or amendment in the Contract Agreement.
- 2.18.5 Till the signing of the Contract Agreement, the LoA shall form a binding contractual agreement between JMRC and the successful bidder as per terms of this BID .
- 2.18.6 The cost of stamp duty for execution of Contract agreement and any other related legal documentation charges / incidental charges shall be borne by the successful bidder only.
- 2.18.7 JMRC shall retain the right to withdraw the LoA in the event of the successful bidder's failure to accept the LoA within the limit specified in the above clause. In that event, JMRC shall forfeit the Bid Security, if any, of the successful bidder. The bidder shall not seek any claim, compensation, damages or any other consideration whatsoever on this account.
- 2.18.8 If the bidder fails to execute the agreement within the specified period without any intimation to JMRC, such failure will be treated as a breach of the terms and conditions of the tender and may result in forfeiture of the Earnest Money Deposit (Bid Security), if any, in part, or in full at the discretion of JMRC.

2.19 Procuring entity's right to accept or reject any or all Bids

2.19.1 The Procuring entity reserves the right to accept or reject any Bid, and to annul (cancel) the bidding process and reject all Bids at any time prior to award of contract, without thereby incurring any liability to the Bidders as per RTPP Act and Rules.

2.20 Performance Security Deposit

2.20.1 Prior to execution of work order, Performance security shall be solicited from successful Bidder except the departments of the State Government and undertakings, corporations, autonomous bodies, registered societies, co-operative societies which are owned or controlled or managed by the State Government and undertakings of the Central Government. However, a performance security declaration shall be taken from them. The



State Government may relax the provision of performance security in particular procurement or any class of procurement.

- 2.20.2 The successful bidder shall be required to deposit an amount equal to 5% of the amount of Contract value and required to be submitted within the time period governed with RTPPR, 2013 respective clause.
- 2.20.3 Performance security shall be furnished in any one of the following forms: -
 - I. Bank Draft or Banker's Cheque of a scheduled bank;
 - II. Bank guarantee/s or electronic bank guarantee (e-BG) of a scheduled bank. It shall be got verified from the issuing bank. Other conditions regarding bank guarantee shall be same as mentioned in the bidding document for Bid Security. Government of Rajasthan amended the Rajasthan Stamp Act 1998 vide Finance Bill 2015 and inserted Article 13-A which provides that bank guarantee executed by a bank as a surety to secure the due performance of a contract or due discharge of a liability for this stamp duty is payable @0.25 percent of the amount secured subject to maximum of Rupees 25000/-.
 - III. Fixed Deposit Receipt (FDR) of a scheduled bank. It shall be in the name of procuring entity on account of Bidder and discharged by the Bidder in advance. The procuring entity shall ensure before accepting the FDR that the Bidder furnishes an undertaking from the bank to make payment/ premature payment of the FDR on demand to the procuring entity without requirement of consent of the Bidder concerned. In the event of forfeiture of the performance security, the Fixed Deposit shall be forfeited along with interest earned on such Fixed Deposit.
- 2.20.4 Performance security furnished in the form specified in clause 2.20.3 above shall remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the Bidder, including warranty obligations and maintenance and defect liability period, if any. In case, the time of completion of work gets enlarged / extended, JMRC has full right to get the validity of performance security extended to cover such enlarges / extended time.
- 2.20.5 Forfeiture of Performance Security: Security amount in full or part may be forfeited, including interest, if any, in the following cases:
 - a) When any terms and condition of the contract is breached.
 - b) When the Bidder fails to make complete supply satisfactorily.
 - c) If the Bidder breaches any provision of code of integrity, prescribed for Bidders, specified in the bidding document.
- 2.20.6 Notice will be given to the Bidder with reasonable time before Performance Security deposited is forfeited.
- 2.20.7 No interest shall be payable on the Performance Security Deposit.





- 2.20.8 Performance Security will be discharged after completion of bidder's performance obligations including warranty obligations under the contract.
- 2.20.9 In addition to performance security, an Additional Performance Security in rule 75, (1) an Additional Performance Security shall also be taken from the successful bidder in case of unbalanced bid. The Additional Performance Security shall be equal to fifty percent of Unbalanced Bid Amount. The Additional Performance Security shall be deposited in lump sum by the successful bidder before execution of Agreement. The Additional Performance Security shall be deposited through e-Grass, Demand Daft, Banker's Cheque, Government Securities or Bank Guarantee or electronic bank guarantee (e-BG).

Explanation: For the purpose of this rule,-

- (i) Unbalanced Bid means any bid below more than fifteen percent of Estimated Bid Value.
- (ii) Estimated Bid Value means value of subject matter of procurement mention in bidding documents by the Procuring Entity.
- (iii) Unbalanced Bid Amount means positive difference of eighty five percent of Estimated Bid Value Minus Bid Amount Quoted by the bidder.
- (2)The Additional Performance Security shall be refunded to the contractor after satisfactory Completion of the entire work. The Additional Performance Security shall be forfeited by the Procuring Entity when work is not completed within stipulated period by the contractor. Provision for 'Unbalanced Bid' and 'Additional Performance Security' shall be mentioned in the Bidding Documents by the Procuring Entity.]

3. **General Conditions of Contract**

3.1 Terms & Conditions

3.1.1 Contract Documents:

Subject to the order of precedence set forth in the Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory.

3.1.2 Scope of Supply

Subject to the provisions in the bidding document and contract, the execution of complete scope of work shall be executed as per Letter Of Acceptance (LOA)/Purchase Order.

3.1.3 Delivery

Subject to the conditions of the contract, the supply and services shall be executed within the time period mentioned in Letter Of Acceptance (LOA)/Purchase Order or earlier as specified in the purchase order/LOA which will be issued by JMRC to the successful bidder.



3.1.4 Recoveries from Supplier/ Contractor

Recovery of liquidated damages, short supply, defects in, rejected shall be made ordinarily from bills or Performance Security Deposit (as the case may be).

The Purchase Officer shall withhold amount to the extent of short supply, broken/ damaged or for rejected and in case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall be recovered from his dues and Bid Security available with the department.

The balance, if any, shall be demanded from the Supplier/ Contractor and when recovery is not possible, the Purchase Officer shall take recourse to law in force.

3.1.5 Inspection

The Purchase Officer or his duly authorized representative shall at all reasonable time have access to the supplier's/ Contractor's premises and shall have the power at all reasonable time to inspect and examine the materials and workmanship of the goods/ equipment/ machineries during manufacturing process or afterwards as may be decided.

The material supplied and Work executed shall be inspected by nominated JMRC staff. The documentary reports, work completion reports for the same is to be submitted to JMRC.

3.1.6 Rejection

Articles not approved during inspection or testing shall be rejected and will have to be replaced by the Contractor at his own cost within the time fixed by the Procuring entity.

The rejected articles shall be removed by the supplier/ Bidder/ Contractor within 15 days of intimation of rejection, after which Purchase Officer shall not be responsible for any loss, shortage or damage and shall have the right to dispose of such articles as he thinks fit, at the Contractor's risk and on his account.

3.1.7 Payments

Advance Payment will not be made. Payment of the work executed shall be made only when the work completed/materials delivered as specified in this bid, and the work is found to be satisfactory and accepted by the inspecting authority of JMRC.

3.1.8 Liquidated Damages (LD)

- 3.1.8.1 In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentages of value of Purchase order with the Bidder has failed to supply/ install/ complete/service (whichever is application):-
 - (a) delay up to one fourth period of the prescribed delivery period: 2.5%
 - (b) delay exceeding one fourth but not exceeding half of the prescribed period: 5.0%



- (c) delay exceeding half but not exceeding three fourth of the prescribed period: 7.5%
- (d) delay exceeding three fourth of the prescribed period: 10%
- 3.1.8.2 Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- 3.1.8.3 The maximum amount of liquidated damages shall be 10% of the contract value.
- 3.1.8.4 If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- 3.1.8.5 Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hindrances beyond the control of the Bidder.

3.1.9 Termination

Termination for Default

The Bid sanctioning authority of JMRC may, without prejudice to any other remedy for breach of contract, by a written notice of default of at least 30 days sent to the supplier/Contractor, terminate the contract in whole or in part: -

- If the supplier/ Contractor fails to deliver any or all quantities of the service within the time period specified in the contract, or any extension thereof granted by JMRC; or
- If the supplier/ Contractor fails to perform any other obligation under the contract within the specified period of delivery of service or any extension granted thereof; or
- 3) If the supplier/ Contractor, in the judgment of the Purchaser, is found to be engaged in corrupt, fraudulent, collusive, or coercive practices in competing for or in executing the contract.
- 4) If the supplier/ Contractor commits breach of any condition of the contract.

If JMRC terminates the contract in whole or in part, amount of Performance Security Deposit may be forfeited.

Before cancelling a contract and taking further action, advice of senior most finance person available in the office and of legal adviser or legal assistant posted in the office, if there is one, may be obtained.

Note: In addition to the conditions specified above, the approved GCC are applicable and available on the JMRC website. Amendments to regulations/acts from time to time shall be applicable thereof. The successful bidder shall submit a declaration for acceptance of the terms and conditions mentioned the GCC (clause 6.6 Form F (i)).



4. SPECIAL TERMS AND CONDITIONS OF BID & CONTRACT

4.1 Special Terms

- 4.1.1 <u>Definition of "Employer":</u> Term "Employer" shall mean "JAIPUR METRO RAIL CORPORATION LIMITED (JMRC)", its legal successors and assignees or otherwise any person/Engineer nominated or appointed from time to time by the JMRC.
- 4.1.2 Disputes shall be settled through two stages:
 - a. Conciliation procedures as established by "The Arbitration and Conciliation Act-1996" (as amended from time to time) and in accordance with this Clause. In the event this procedure fails to resolve the Dispute then;
 - b. Arbitration procedures undertaken as provided by "The Arbitration and Conciliation Act 1996" (as amended from time to time) and in accordance with this Clause.
- 4.1.3 Order of Precedence (Refer Bid Form 6.14 Form-: M, CONTRACT AGREEMENT): In the event of any ambiguity or conflict between the Contract Documents, the order of precedence shall be the order in which the Contract Documents are listed in Bid Form 6.14 Form-: M, CONTRACT AGREEMENT.
- 4.1.4 Bidders are advised to carry out extensive survey and site visit and analysis at their own cost, before submitting the bid as per JMRC extent procedures and permission.
- 4.1.5 PROTOTYPE APPROVAL: When contract is awarded to successful bidder, the contractor shall submit prototype/sample design of each type of LED lights used for SITC work and get it approved from JMRC after the issue of LOA and before supply within 20 days.
- 4.1.6 All Executing Works shall be done under the supervision of an authorized representative of JMRC.
- 4.1.7 Accidents It shall be the entire responsibility of the contractor to adopt all the safety measures in deploying personnel who are adequately trained in safety. If any accident occurs due to negligence on the part of the contractor's personnel, it shall be the full responsibility of the contractor. Safety helmet, maintenance lights, suitable ladders, safety shoes, hand gloves etc. shall be arranged by the contractor to their workers to avoid any accident. JMRC will not be responsible for any accident/casualty during the work execution and it will be solely the responsibility of the contractor. Contractor shall be responsible for insurance and safety of the labor involved in executing the scope of work of this BID.
- 4.1.8 Contractors employees and representatives shall wear Identification Badges (cards), uniforms, helmets, gum boots other safety/protection wear as directed and to be provided by the Contractor or his representative. Badges shall identify the Contractor and show the employees name and number and shall be worn at all times while at site.
- 4.1.9 The contractor shall make sure that no harm or damage is made to JMRC property and assets while executing the scope of work of this BID. The performance security/payment shall be forfeited or shall be refunded/ made only after making the adjustments for any such damage made by the contractor and his staff.
- 4.1.10 The work shall be as per the contract and as per the requirements and specifications mention herein document. The Successful Bidder shall commence all the installation work as required to complete the Scope of work as defined in Clause 5 of this BID after the





- approval to the Final Design by JMRC in accordance with sequence of work laid down at clause 5.2 and shall be completed within the period specified in this Bid.
- 4.1.11 Contractor shall submit the request for power block to nominated JMRC field supervisor/JE before dismantling or ITC of lights around OHE or near other equipments, if required. Contractor shall ensure all safety before commencement of work. Work may be carried out during night hours as per availability of power block and manpower & required T&P shall be arranged by contractor. Nothing shall be paid extra on this account.

4.2 Bidders to Bid for all Items

4.2.1 Bidder must quote for all the items mentioned in the BOQ (Bill of Quantities). In case, a Bidder does not quote for any item, the bid shall be summarily rejected.

4.3 Payment Terms and Penalty

- 4.3.1 Advance Payment will not be made.
- 4.3.2 Partial payments: Partial Delivery may be done. In this case, 10% payment will be withheld with JMRC in each delivery till the final delivery of all goods mentioned in the PO/LOA; it is subject to acceptance of material. However, whole material may be supplied in maximum 3 parts (deliveries). At the time of final delivery and acceptance of material, Balance payment will be made after submission of requisite documents.
- 4.3.3 Payment schedule: Payments to the Contractor would be made as under: Contractor shall submit the prototype of LED lights for approval as per schedule Section 5. The supplied Prototype LED lights shall be inspected by nominated JMRC staff. After taking prototype approval, contractor shall complete the work as per PO/LOA (Letter of Acceptance). After successful completion of the specified work as per PO/LOA and Satisfactory inspection report of SITC work of LED lights by nominated JMRC staff and after submission of Tax Invoice, Payment will be processed.
- 4.3.4 The currency or currencies in which payments shall be made to the supplier/ Contractor under this Contract shall be Indian Rupees (INR) only.
- 4.3.5 All remittance charges will be borne by the supplier/ Contractor.
- 4.3.6 If bidder fails to submit performance security, execution of contract within specified time, no payment shall be made for the work, if any done after issuance of LOA/PO.
- 4.3.7 GST shall be paid extra on prevailing rates at the time of billing.
- 4.3.8 No other taxes, duties, levies or transportation charges shall be paid by JMRC other than stated in BOQ.
- 4.3.9 The rate must be stated separately both in words and in figures. In case of discrepancy between the price quoted in word and figures, the rates quoted in words would be treated as final.
- 4.3.10 If any work/ item not carried out as per the specification of the work as mentioned in BoQ and Scope of Work, the balance amount will be deducted from the bill. If the work carried out through other agency under the intimation to contractor and the charges incurred on it, will be deducted from the contractor's bill.
- 4.3.11 No price variation shall be there during the agreement period/ extended period of agreement.



Penalty Terms:

- 4.3.12 If the contractor fails to complete the work within the time mentioned in work order then a penalty shall be imposed as per clause 3.1.8 (Liquidated Damages). This penalty amount shall be deducted from the bill of contractor.
- 4.3.13 In case of any errors/ inaccuracies remain in supply and services even after the final approval of design from the purchaser then (including all related expenditure on any such Bidders has to take corrective actions on Bidders part measures), due to delay in delivery schedule, the LD as per clause "liquidated damage" would be applicable.
- 4.3.14 JMRC shall evaluate performance of bidder firm after completion of Warranty period and may decide to deduct/fortify PBG amount, for every loss in JMRC, due to failure on part of bidder firm to provide effective warranty at site.
- 4.3.15 The total penalty amount shall not exceed 10% of Total contract amount.
- 4.3.16 In case of extraordinary circumstances or situations beyond control of the contractor, if the contractor requires an extension of time due to occurrence of any hindrance, he shall apply in writing to the competent authority for the same immediately but not after the stipulated date of completion of supply. Time period may be extended with or without penalty on request in writing to competent authority.

4.4 Warranty

- 4.3.1 Supplied LED lights shall have warranty against all types of defects for a period of Two Years (24 Months) from the date of commissioning of LED Lights. if any Light is found defective/not working within the Warranty period then the faulty LED light will be replaced by the contractor and all cost i.e. material, man power, tools and plants, transportation etc., will be borne by contractor only. JMRC will not be liable to pay extra for it.
- 4.3.2 A Warranty Certificate shall be submitted by contractor on their letterhead after the completion of work.
- 4.3.3 JMRC shall evaluate performance of bidder firm after completion of Warranty period and may decide to deduct/fortify PBG amount, for every loss in JMRC, due to failure on part of bidder firm to provide effective warranty at site.

4.5 Procuring Entity's Right to Accept Or Reject Any Or All Bids

- 4.4.1 The Procuring entity reserves the right to accept or reject any Bid, and to annul (cancel) the bidding process and reject all Bids at any time prior to award of contract, without thereby incurring any liability to the Bidders as per RTPP Act and Rules.
- 4.6 Variation
- 4.5.1 Right to vary Quantity will be governed as per Rule 73 of RTPPR, 2013.
- 4.5.2 If the procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding documents due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the bidding documents.
- 4.5.3 Orders for extra items may be placed upto 5% of the value of the original contract. The fair market value of such extra items payable by the JMRC to the contractor shall be determined



by the JMRC in accordance with guidelines prescribed by the administrative department concerned.

- 4.5.4 Orders for additional quantities may be placed, on the rates and conditions given in the contract and Delivery or completion period may also be proportionately increased. The limits of orders for additional quantities shall be as under:-
 - (a) 50% of the quantity of the individual items and 50% of the value of original contract in case of works; and
 - (b) 50% of the value of goods or services of the original contract.
 - Provided that in exceptional circumstances and without changing the scope of work envisaged under the contract, a procuring entity may procure additional quantities beyond 50% of the quantity of the individual items as provided in the original work order with prior approval of the Administrative Department concerned as follows:
 - (i) the procuring entity shall obtain prior approval for revised requirements from the competent authority for reasons to be recorded in writing. Wherever necessary, due to the quantum of orders for additional quantities, the procuring entity shall obtain prior and revised technical, financial and administrative sanctions from the competent authorities;
 - (ii) that the additional quantities so procured shall be part and parcel of the work being executed;



5. SCOPE OF WORK:

5.1 JMRC intends to "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC."

5.2 The SCOPE OF WORK will include the following sequence of Works as tabulated:

S. No.	Work	Description of Work
1.	SUPPLY of new LED Lights	 Prototype Approval: The contractor shall submit prototype/sample design of each type of LED lights used for SITC work and get it approved from JMRC after the issue of PO/LOA and before supply within 20 days. Supply of new LED lights as per specifications and Quantity mentioned in PO/LOA. Handing over the lights at respective
2.	Dismantling of faulty Old Conventional lights	locations to concern field J.E./ Supervisor as nominated by JMRC. Dismantling faulty Old Conventional lights from Mansarovar Depot of JMRC and handover to JMRC authority.
3.	Installation, Testing, Commissioning (ITC) of LED Lights.	It includes complete Installation, Testing, Commissioning (ITC) work of LED Lights at Mansarovar Depot of JMRC.

- 5.3 The detailed specification and quantity of LED lights are mentioned in Section 7: BILL OF QUANTITIES (BOQ) i.e. financial bid form.
- 5.4 Proof the LED lights Purchase: The contractor shall procure the particular MAKE of LED lights from any of the Authorized dealer/OEM of that MAKE and produce documentary evidence in support of such LED lights at the time of bid submission or at the time of supply.
- 5.5 All standard accessories, Special tools and fittings need for installation, shall be in scope of bidder.



6. BID FORMS

6.1 Form A: Form of Bid

Note:

t of the	Bid
l	rt of the

b.	Bidders are required to fill	un all the blank
2.00	The second second	up all the blank spaces in this Form of Bid and Appendix.
N:	ame of Work.	

	. The state and Appen	IC
Name of Work:		
		10

То

Executive Director (Traction and E&M), Jaipur Metro Rail Corporation Limited, 4th Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020

1. Having visited the site and examined the General Conditions of Contract as well as Special Conditions of Contract, Specifications, Instructions to Bidders, for the execution of above named works, we the undersigned, offer to execute and complete such works and remedy defects therein in conformity with the said Conditions of Contract, Specifications, and Addenda NIB No.: JMRC/O&S/EL/2023-24/NIB/O

1	Name of the Bidder		
2	Name and Designation of Authorized signatory		
3	Registered Office Address of Bidder		70
4	Address, Phone numbers, Fax No. and e-mail of Authorized signatory		
5	Checklist	Yes	NO

- 2. We acknowledge that the Appendix forms an integral part of the Bid.
- We undertake, if our Bid is accepted, to commence the works within the time period mentioned in LOA/ the purchase order.
- 4. If our Bid is accepted, we will furnish at our option a Bank Guarantee for Performance as security for the due performance of the Contract. The amount and form of such guarantee or bond will be in accordance with clause 2.20 of this bid document.



- 5. We have independently considered the amount as per the as per Bid liquidated damages and agree that they represent a fair estimate of the damages likely to be suffered by you in the event of the work not being completed in time.
- We agree to abide by this Bid for a minimum period of 90 days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time
 Unless and until a formal f
- Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
- 8. We declare that the submission of this Bid confirms that no agent, middleman or any intermediary has been, or will be engaged to provide any services, or any other item of work agency commission or any payment, which may be construed as an agency commission has been, or will be, paid and that the Bid price does not include any such amount.
- We acknowledge the right of the Employer, if he finds to the contrary, to declare our Bid to be non-compliant and if the Contract has been awarded to declare the Contract null and void.
- We understand that you are not bound to accept the lowest or any Bid you may receive.
 If our Bid is accepted we will desire the Contract null and voi
- If our Bid is accepted we understand that we are to be held solely responsible for the due performance of the Contract.

Dated thisday of 2023	
Signature	
Name in the capacity of	
Duly authorized to sign Bids for and on behalf of	
Address	
Witness – Signature	
Name	
Address	
Occupation	



6.2 Form: B Bidder's Profile

1.	Name & Address of The Bidder	
2.	Location of Corporate Head Quarters	
3.	Details of Contact person (Name, designation, address etc.) Telephone Number, Fax Number, e-mail	
4.	Is the firm a registered company? If yes, submit documentary proof. Year and Place of the establishment of the Company	
5.	Is the firm registered with sales tax department? If Yes, submit valid sales tax registration certificate.	
6.	Number of offices in Rajasthan and in India	
7.	Authorized Signatory	
8.	GSTIN Number with enclosed certificate	
9.	PAN Details with copy of PAN Card	
10.	Details of court litigations, including (but not limited to) — Have you filed any claim against any Company / Institutions /PSU/JMRC for such type of project? If so, give details like case no., court dispute involved and present status. Has any Company/ Institution / PSU/JMRC filed any claim/case against you, if so, furnish full details. Has any of your customer or clients filed any case against you in a court? If so, furnish details.	



6.3 Form: C Format of Bank Guarantee for Performance Security

	(Full name of Bank), hereby declare that the said Bank will int of Rs (Amount in figures
annipeling rully authorized to sign a	ind to incur obligations for and on behalf of and in the
Now we the Undersigned	*
in figures and words).	ount of Rs(Amount
AND WHEREAS the Contractor is	bound by the said Contract to
Whereas Jaipur Metro Ra Installation, Testing & Commissioni lights at Mansarovar Metro Depot of (here in after called "the contract") to	of JMRC" Bid No. JMRC/O&S/EL/2023-24/NIB/033 dated
(hereinafter called the "Bank") of (hereinafter called "the Employer") o	the one part and lainur Master D !! a
This deed of Guarantee made	this day of between Bank of
This dood of a	

After the Contractor has signed the aforementioned Contract with the Employer, the Bank is engaged to pay the Employer, any amount up to and inclusive of the aforementioned full amount upon written order from the Employer to indemnify the Employer for any liability of damage resulting from any defects or shortcomings of the Contractor or the debts he may have incurred to any parties involved in the Works under the Contract mentioned above, whether these defects or shortcomings or debts are actual or estimated or expected. The Bank will deliver the money required by the Employer immediately on demand without delay without reference to the Contractor and without the necessity of a previous notice or of judicial or administrative procedures and without it being necessary to prove to the Bank the liability or damages resulting from any defects or shortcomings or debts of the Contractor. The Bank shall pay to the Employer any money so demanded notwithstanding any dispute/disputes raised by the Contractor in any suit or proceedings pending before any Court, Tribunal or Arbitrator/s relating thereto and the liability under this guarantee shall be absolute and unequivocal.

This Guarantee is valid for a period of ______days from the date of signing. (The initial period for which this Guarantee will be valid must be for at least 60 days beyond the date of completion of all contractual obligations of the Bidder, including warranty obligations and maintenance and defect liability period.).

At any time during the period in which this Guarantee is still valid, if the Employer agrees to grant a time extension to the Contractor or if the Contractor fails to complete the Works within the time of completion as stated in the Contract, or fails to discharge himself of the liability or damages or debts as stated under above para, it is understood that the Bank will extend this Guarantee under the same conditions for the required time on demand by the Employer and at the cost of the Contractor



The Guarantee hereinbefore contained shall not be affected by any change in the Constitution of the

The neglect or forbearance of the Employer in enforcement of payment of any moneys, the payment whereof is intended to be hereby secured or the giving of time by the Employer for the payment hereof shall in no way relieve the bank of their liability under this deed.

The expressions "the Employer", "the Bank" and "the Contractor" hereinbefore used shall include

their respective successors and assigns. In witness whereof I/We of the last the contractor respective successors and assigns.				
In witness whereof I/We of the bank have signed and sead	aled this	guarantee	on	the
2025 Being Herewith duly auth	orized.			
For and on behalf of				
the				
	Bank.			
Ciana				
Signature of authorized Bank official				
Name:				
Designation:				
I.D. No. :				
Stamp/Seal of the Bank:				
Signed, sealed and delivered for and on behalf and a				
Signed, sealed and delivered for and on behalf of the Bank by the above	e named			
In the presence of:	4			
Witness 1.				
Signature			050	
Name				
Address				
# The state of the				
Witness 2.				
Signature			(V) (X)	3.0
Name				
Address			127	



Form D: Bidder's Authorization Certificate (to be filled by the BIDDERS)

To, Executive Director (Traction and E&M), Jaipur Metro Rail Corporation Limited, 4th Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020 I/ We {Name/ Designation} hereby declare/ certify that {Name/ Designation} is hereby authorized to sign relevant documents on behalf of the company/ firm in dealing with NIB reference No. dated _____. He/ She is also authorized to attend meetings & submit technical & commercial information/ clarifications as may be required by you in the course of processing the Bid. For the purpose of validation, his/ her verified signatures are as under. Thanking you, Name of the Bidder: -Verified Signature: Authorized Signatory: -Seal of the Organization: -Date: Place:



6.5 Form E: FORMAT	OF POWER O	FATTORNEY			
Know all men by these	e presents, w	e,			(Name of
the Bidder	firm),	having	our	registered	office
at				do hereby	irrevocably
constitute, nominate, a	ppoint and au	uthorize Mr./	Ms		
son	197	/daughte	er ·		of
Shri				and present	the racidina
dt			, who is p	resently employ	ed with us
and noiding the position	n of		******************		20
our true and lawful atto	orney (hereina	ifter referred	to as the "At	torney") to do in	Our name
and on our behalf, all su	ch acts, deeds	and things a	s are necessar	ry or required in	connection
with or incidental to sul	omission of ou	ur Bid for "Su	pply, Installati	on, Testing & Cor	nmissioning
(SITC) of LED lights with	replacement o	f old convent	ional lights at	Mansarovar Met	ro Depot of
JMRC" (JMRC/O&S/EL/2 submission of all applica	tions Rids and	d other desur	cluding but n	ot limited to s	igning and
and other conferences a	nd providing i	nformation /	rosponsos to	tings, participate	in Bidders
us in all matters before	the Authority	. signing and	execution of	the Authority, re	presenting
Contract Agreement and	undertaking	s consequent	to acceptance	e of our Bid and	d gonerally
dealing with the Author	ity in all matte	ers in connec	tion with or r	elating to or ari	sing out of
our Bid for the said Proje	ect and/or upo	on award the	reof to us and	I/or till the enter	ring into of
the Contract Agreement	with the Auth	ority.		, as an erro critici	ing into or
AND we hereby agree to	ratify and co	nfirm and do	hereby ratify	and confirm all	···
and things done or caus	ed to be done	by our said	Attorney pur	suant to and in	eversise of
the powers conferred by	this Power of	f Attorney an	d that all acts	deeds and thin	gs done by
our said Attorney in ex	ercise of the	powers here	by conferred	shall and shall	always he
deemed to have been do	ne by us.		- # · · · · · · · · · · · · · · · · · ·		
N WITNESS WHEREOF	WE			THE ARON	T NAMED
PRINCIPAL HAVE EXECUT	ED THIS POW	FR OF ATTOR	NEV ON THIS	, THE ABOV	E NAMED
OF 2023.		en of Affon	INCT ON THIS	*****************	DAY
or	·····				
Signature, Name, Design	ation and Add	ress)			
Accepted					
9					
3		100			
Signature, Name, Design	ation and Add	ress of Attorr	ney)		



Witnesses:

1. XXX

2. ABC

Note:

- The mode of execution of the Power of Attorney should be in accordance with the
 procedure, if any, lay down by the applicable law and the charter documents of the
 executants(s) and when it is so required the same should be under common seal
 affixed in accordance with the required procedure.
- 2. This should be executed on non-judicial stamped paper, stamped in accordance with the stamp act.



6.6	Form F: Self-Declaration (to be filled by t	the Bidder}				
To,						
Exe	ecutive Director (Traction and E&M),					
	pur Metro Rail Corporation Limited,					
100	Floor, Admin Building,					
	insarovar Metro Train Depot,					
	rigu path, Mansarovar, Jaipur-302020					
DIII	ingu patri, Marisarovar, Jarpur-302020					
ln r	response to the NIB Ref. No.	dated	for /Project Titlel as an			
Ow	response to the NIB Ref. No	uateu	IOI (Project Title), as all			
dec	clare that presently our Company/ firm	, at t	he time of bidding.: -			
a)	possess the necessary professional, techn	ical, financial	and managerial resources and			
j.	competence required by the Bidding Documen					
b)	have fulfilled my/ our obligation to pay such	of the taxes pay	vable to the Union and the State			
	Government or any local authority as specified					
c)-	is having unblemished record and is not declar	and the second of the second o				
	either indefinitely or for a particular period of					
d)	does not have any previous transgressions wit					
	the last three years	×5 ×35× =				
e)	does not have any debarment by any other pro	ocuring entity				
f)	is not insolvent in receivership, bankrupt or b		not have its affairs administered			
9	by a court or a judicial officer, not have its business activities suspended and is not the subject					
	of legal proceedings for any of the foregoing re					
g)	does not have, and our directors and officers		convicted of any criminal offence			
73.X	related to their professional conduct or the making of false statements or misrepresentations					
- 20	as to their qualifications to enter into a proc	2004				
	preceding the commencement of the procurement process, or not have been otherwise					
	disqualified pursuant to debarment proceeding					
h)		- mar.	ding document which materially			
50.f	affects the fair competition.		,			
i)	will comply with the code of integrity as specif	ied in the biddin	g document.			
j)	Agree to all terms and conditions of the Gener					
58	his declaration is found to be incorrect then wi					
	en as per the provisions of the applicable Act					
	curity may be forfeited in full and our bid, to the					
Tha	anking you,					
Mar	me of the Bidder: -					
INCI	ine of the bluder.					
Aut	thorized Signatory: - Seal of the Organization: -					
Dat	te:		Place:			



6.7 Form G: Certificate Of Conformity/No Deviation (to be filled by the Bidder)

To,

Executive Director (Traction and E&M), Jaipur Metro Rail Corporation Limited, 4th Floor, Admin Building, Mansarovar Metro Train Depot, Bhrigu path, Mansarovar, Jaipur-302020

CERTIFICATE

This is to certify that, the specifications of Services / Items which I/ We have mentioned in the Technical bid, and which I/ We shall supply if I/ We am/ are awarded with the work, are in conformity with the minimum specifications of the bidding document and that there are no deviations of any kind from the requirement specifications.

Also, I/ we have thoroughly read the bidding document and by signing this certificate, we hereby submit our token of unconditional acceptance to all the terms & conditions of the bidding document without any deviations.

I/ We also certify that the price I/ we have quoted is inclusive of all the cost factors involved in the end-to-end implementation and execution of the project, to meet the desired Standards set out in the bidding Document.

manking you,
Name of the Bidder: -
Authorized Signatory: -
Seal of the Organization: -
Date:
Place:



6.8 Form- H, Annexure A Compliance with the Code of Integrity and No Conflict of Interest

ANNEXURE A TO ANNEXURE C AS PER INSTRUCTIONS OF CIRCULAR NO. 3/2013 DATED 04-02-2013 FINANCE (G&T) DEPARTMENT, GOVT. OF RAJASTHAN

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not include in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in abiding process if, including but not limited to:
- a. have controlling partners/ shareholders in common; or
- b. receive or have received any direct or indirect subsidy from any of them; or
- c. have the same legal representative for purposes of the Bid; or
- d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or

Bid for "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"

JMRC/0&S/EL/2023-24/NIB/033



g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/consultant for the contract.

	Sontiact.
6.9 Form-:H, Annexure-:B Declaration by the Bi	dder regarding Qualifications
Declaration by the Bidder in relation to my/our Bid sub For procurement of	mitted to
Inviting Bids No	dateddated
I/we hereby declare under Section 7 of Rajasthan Tra	Insparency in Public Procurement Act 2012
that:	, as a solid Procurement Act, 2012,
I/we possess the necessary professional, techn Competence required but to Pilling	nical, financial and managerial resources and
competence required by the Bidding Document	issued by the Procuring Entity;
I/we have fulfilled my/our obligation to pay sur State Government or any local authority as spec	ch of the taxes payable to the Union and the cified in the Bidding Document:
3. I/we are not insolvent, in receivership, bankrup	t or being wound up, not have my/our affairs
administered by a court or a judicial officer, no	t have my/our business activities suspended
and not the subject of legal proceedings for any	of the foregoing reasons;
 I/we do not have, and our directors and office offence related to my/our professional cond 	ers not have, been convicted of any criminal
misrepresentations as to my/our qualifications to period of three years preceding the commence have been also as to my/our qualifications to my/our qualification to my/our qualification to my/our	o enter into a procurement contract within a
have been otherwise disqualified pursuant to de	barment proceedings.
5. I/we do not have a conflict of interest as sp	Decified in the Act. Rules and the Ridding
Document, which materially affects fair competi	tion;
	*
Date:	Signature of bidder
Place:	Name
	Designation:
*	Address:



6.10 Form-:H, Annexure-:C Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is), ED (Traction and E&M), JMRC. The designation and address of the Second Appellate Authority is Director(O&S), JMRC.

1. Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- The officer to whom an appeal is filed under Para(1) shall deal with the appeal as 2. expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- If the officer designated under para (1) fails to dispose of the appeal filed within the period 3. specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

4. Appeal not to be in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) determination of need of procurement;
- provisions limiting participation of Bidders in the Bid process; (b)
- (c) the decision of whether or not to enter into negotiations;
- cancellation of a procurement process; (d)
- Applicability of the provisions of confidentiality. (e)

5. Form of Appeal



(a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.

(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit

verifying the facts stated in the appeal and proof of payment of fee.

(c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

6. Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,
 - i. Hear all the parties to appeal present before him; and
 - ii. Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Bid for "Supply, Installation, Testing & Commissioning (SITC) of JMRC/O&S/EL/2023-24/NIB/033 LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"



6.11	Form: I				
Memo	orandum of Appeal under the Raja	asthan Transp	arency in Public P	rocurement Ac	t, 2012
Before	e the (First /	Second Appe	llate Authority)		
1.			and the state of t		
i. ii. iii.	Name of the appellant Official address, if any: Residential address:				
2.	Name and address of the respon	dent(s):			
	i. ii. iii.				
3.	Number and date of the order a authority who passed the order omission of the Procuring Entity appellant is aggrieved:	(enclose cor	y), or a stateme	nt of a decision	action or
4.	If the Appellant proposes to be address of the representative:	represented	by a representat	tive, the name	and postal
5.	Number of affidavits and docume	ents enclosed	with the appeal:		
6.	Grounds of appeal:				
7.	Prayer:	••••••	(Supported	by an affidavit)	
		•••••			***************************************
					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Place					
Date			.20		
Annella	nt's Signature				
ppend	s signature				



6.12 Form-: K, Work Experience

S. No.	Period (From- To)	Detail of work handled	Total cost of work in Rs.	Reference No. of work order/LOA	Reference No. of completion certificate	Placed on Page
(1)	(2)	(3)	(4)	(5)	(6)	(7)
					,	
		- ×				
			14			
	= =					

Note:

- Bidder must submit the copy of work order/ Letter of acceptance (LOA) and the latest completion certificate issued by the client for all the work mentioned in the Performa.
- Self-attested copies of work order/Purchase Order/Letter of Acceptance(LOA), BOQ along
 with completion certificate (indicating the name of work, final amount, quantity of work,
 completion date etc.) issued by the client preferably on their letter head for completed work
 should be submitted by the bidder along with the submission of bid.
- 3. Additional pages may be attached if required.
- 4. All the pages must be signed by the authorized signatory by the bidder.

Bid for "Supply, Installation, Testing & Commissioning (SITC) of JMRC/O&S/EL/2023-24/NIB/033 LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"



6.13 Form-: L (BANK DETAILS)	
Beneficiary Name:	
Beneficiary Address:	
Line 1	
Line 2	
District/ City	State UT
Pin Code	Tele/Fax
Mobile Alert	
1	
2	
ank Details:	
ank Name	
ranch Address	
eneficiary A/C No:	
eneficiary A/C Type:	Saving/ Current
eneficiary A/C Name:	
Digit Branch MICR Code:	
SC Code of Branch:	

Stamp & Signature of Bidder.

Note:- Bank details should be attached with bid document by bidder on their letterhead, duly signed and stamped or should be supported with one copy of cancelled cheque.



2000	4 Form-: M, CONTRACT AGREEMENT
	FORM OF AGREEMENT
Man	Corporation Limited, Admin. Building, Mansarovar Metro Train Depot, Bhrigu Path, asarovar, Jaipur, Rajasthan- 302020 hereinafter called "the Employer" of the one part (Name and Address of Contractor) hereinafter called "the Contractor" of the
Whe	ereas the Employer is desirous that portain M. J.
Man "the	ing & Commissioning (SITC) of LED lights with replacement of old conventional lights at sarovar Metro Depot of JMRC" of Jaipur Metro Rail corporation Limited hereinafter called Works" and has accepted a Bid by the Contractor for the execution and completion of works (as well as guarantee of such works) and the remedying of defects therein.
Now	THIS AGREEMENT WITNESSETH as follows:
1.	In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2.	The following documents shall be deemed to form and be read and construed as part of this Agreement, in order of preference:-
	(a) Letter of acceptance
	(b) Special Conditions of Contract
	(c) General Conditions of Contract
	https://transport.rajasthan.gov.in/content/transportportal/en/metro/BussinessWithUs/GeneralConditionofcontract-GCC.html
	(d) Addendums to bid document, if any
	(e) Notice Inviting Bid
	(f) Bill of Quantities
	(g) Specifications
	(h) Forms of Bid with Appendix
	(i) Other conditions agreed to and documented as listed below:
	(i) Statement of deviations (if applicable)
	(ii) Any other item as applicable
3.	In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the works by ** and remedy any defects therein in conformity in all respects with the provisions of the Contract.
1.	The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying of defects therein, the Contract Price of **Rs being the sum stated in the letter of acceptance subject to such additions thereto or deductions there from as may be made under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Bid for "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"

JMRC/0&S/EL/2023-24/NIB/033



OBLIGATION OF THE CONTRACTOR

The contractor shall ensure full compliance with tax laws of India with regard to this contract and shall be solely responsible for the same. The contractor shall submit copies of acknowledgements evidencing filing of returns every year and shall keep the Employer fully indemnified against liability of tax, interest, penalty etc. of the contractor in respect thereof, which may arise.

6. JURISDICTION OF COURT

The Courts at JAIPUR shall have the exclusive jurisdiction to try all disputes arising out of this agreement between the parties.

IN WITNESS WHEREOF the parties hereto have caused their respective Common Seals to be hereunto affixed / (or have hereunto set their respective hands and seals) the day and year first above written.

For and on behalf of the Contractor	For and on behalf of the Employer
Signature of the authorized official	Signature of the authorized official
Name of the official	Name of the official
Stamp/Seal of the Contractor	Stamp/Seal of the Contractor
SIGNED, SEALED AND DELIVERED	By the said
By the said	Name
Name	
on behalf of the Contractor in the presence of Witness	on behalf of the Employer in the presence of Witness
Name	A Facilities
Address	NameAddress
* * * * * * * * * * * * * * * * * * *	, , , , , , , , , , , , , , , , , , , ,

Note:

- * To be made out by the Employer at the time of finalization of the Form of Agreement.
- ** Blanks to be filled by the Employer at the time of finalization of the Form of Agreement.



6.15 Form-: N, Black list certificate

We hereby certify that our organization has neither been black listed/ debarred for participation in tenders nor our contracts have been terminated /foreclosed by any company/ Government Department / Public Sector organization during last 3 financial years and during current financial year till the last date of bid submission, due to non-fulfillment of contractual obligations or any other reason.

Date:

Signature of bidder

Place:

Name

Designation:

Address:

Note: Additional pages, duly signed may be attached wherever necessary.



6.16 Form-O

ELECTRICAL CONTRACTOR LICENSE

To be enclosed else, If the bidder does not have electrical license then it will have to submit the undertaking that the same will be submitted after the award of contract.

(Signature of the BIDDERS)

(With Seal)



BILL OF QUANTITIES (BOQ)

FINANCIAL BID FORM

Validate

Print

Help

Item Rate BoQ

Name of Work: "Supply, Installation, Testing & Commissioning (SITC) of LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"

Contract No: JMRC/O&S/EL/2023-24/NIB/0 33

Name of the Bidder/ Bidding Firm / Company

PRICE SCHEDULE

(This BOQ template must not be modified/ replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values

MBE R#	TEXT#	NUMB ER#	TEXT#	NUMBER #	NUM BER	NUMBE R	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Qty.	Units	UNIT RATE In Figures To be entered by the Bidder Rs.	ĞST %	GST Amount	TOTAL AMOUNT Without Taxes in Rs.	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	2	4	5	13	14	15	53	54	55
	Supply of 36W 2x2 LED Recessed Luminaires with Input Voltage AC 240V, 50Hz Operating Voltage 140V-270V, Surge Protection 4KV with Color temperature 6500K ANSI BIN, Lumens >125 Lm/W, System Efficacy: Min 4000 Lumens, (Supported by LM79 Report) suitable for armstrong/grid ceiling including electronic driver with Diffused Optics PMMA Diffuser (600x600x60mm) which provided soft-light, Housing: CRCA white Powder Coated, Power Factor >0.95, CRI>80, THD<10% Luminaries and Driver make should be same, Fitting and driver both having separate BIS certificate required. Manufactures Work					0.00	0.00	0.00	INR Zero Only
	Mark/Name Engraved/Embossing /Screen Printing on housing. OEM must have its own in house NABL lab	465	Nos.	14					į



	setup for all testing facilities for LED fixtures. (LM79 & LM80) certificates/Report from OEM shall be submitted.							
2.	Providing of perforated Metal Tile Ceiling System comprising of Tile of 600mm wide and 600mm long manufactured out of 0.5mm thick Galvanized Iron with beveled edge of 4.15mm width height of 32mm. The tiles shall be perforated to 1.5mm dia with open area of 23%. The tile will be manufactured on advanced equipment that includes several leveling stages in the manufacturing process by approved manufacturing process by approved manufacturers. Tile ends will be raised with pips and slops to ensue positive engagement into the spring to enable for demounting of individual panels. The tile sides will be sufficiently high to ensure a minimum deflection across the length of tile.	465	Nos.		0.00	0.00	0.00	INR Zero Only
3.	Supply of 18W LED Recessed Downlight with Input Voltage AC 240V, 50Hz Operating Voltage 140V-270V, Surge Protection 2.5KV with Color temperature 6500K ANSI BIN, System Efficacy: Min 1800 Lumens, (Supported by LM79 Report) suitable for armstrong/grid ceiling including electronic driver with Diffused Optics PMMA/PC Diffuser which provided soft-light, Housing: Pressure Die Cast Aluminium, Power Factor >0.95, CRI>80,THD <15% Luminaries and Driver make should be same Make, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have	295	Nos.		0.00	0.00	0.00	INR Zero Only




	its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.		3.					
	Supply of 18W-24W LED Surface Downlight suitable of 300mmx300mm cutout with Input Voltage AC 240V, 50Hz Operating Voltage 140V-270V, Surge Protection 2.5KV with Color temperature 6500K ANSI BIN, System Efficacy: Min 1800 Lumens, (Supported by LM79 Report) suitable for armstrong/grid ceiling including electronic driver with							
4.	Diffused Optics PMMA/PC Diffuser which provided soft-light, Housing: CRCA, Power Factor >0.95, CRI>80, Luminaries and Driver make, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.	45	Nos.		0.00	0.00	0.00	INR Zero Only
5.	Supply of 36-40W 1x4 LED Surface Luminaires in CRCA Housing with Diffuser: PMMA/PC Type with Input Voltage AC 240V, 50Hz Operating Voltage 140V-270V, Surge Protection 4KV with Color temperature 6500K ANSI BIN, System Lumens: min 4000, (Supported by LM79 Report) suitable for armstrong/grid ceiling including electronic driver with Diffused Optics PMMA Diffuser, Power Factor >0.95, CRI>80, THD<10%, Fitting and driver both having separate BIS certificate				0.00	0.00	0.00	INR Zero Only
*	required. Manufactures Word Mark/ Name Engraved/ Embossing/ Screen	100	Nos.				77	3

Signature of Authorized Signatory along with seal



7	40	= 0							
	printing on housing. OEM must have			1					1
	its own in house NABL lab setup for								
	all testing facilities for LED fixtures.								
	(LM79 & LM80) certificate / Report			1300					
	from OEM shall be submitted.				i na				
	Supply of 18-20 Watt Weather Proof								
	Box Type Fixture in High Grade								
9	Polycarbonate Housing and PC								
	Diffuser, Toggles : SS Type, LED Tube:				B. 3				
	Voltage AC 240V, 50 Hz Operating					E nem			
	Voltage Range 160V-270V,IP65 Surge								
	Protection >2.5KV, with colour		-						
	Temperature of 6500K ANSI BIN								
	more than 2100 Lumens, High							1 '	
	Translucent serrated milky white							1	-
6.	diffuser, Power Factor >0.95,								INR
6.	CRI>80,THD<10% Luminaries and					000	0.00	0.00	
- T	Driver make should be same make,					0.00	0.00	0.00	2620
	Fitting and driver both having							0.00	Zero
	separate BIS certificate required.								
	Manufactures Word Mark/ Name								
	Engraved/ Embossing/ Screen								
	printing on housing. OEM must have								
	its own in house NABL lab setup for								
	all testing facilities for LED fixtures.								
	(LM79 & LM80) certificate / Report	0.1							
-	from OEM shall be submitted.	84	Nos.					-	
	Supply of 36-40 watt Weather Proof		-						
	Box Type Fixture in High Grade								
	Polycarbonate Housing and PC							1	
	Diffuser, Toggles : SS Type, LED Tube:							0 1	
	Voltage AC 240V, 50 Hz Operating								
21	Voltage Range 160V-270V, IP65,					150			
	Surge Protection >2.5KV, with colour								
7.	Temprature of 6500K ANSI BIN more								IND
3,025	than 2100 Lumens, High Translucent				£*		1 125 12000		INR
	serrated milky white diffuser, Power					0.00	0.00	0.00	Zero
	Factor >0.95, CRI>80,THD<10%			-150	Name of the	Maria			Only
	Luminaries and Driver make should		1 5 7						U
	be same Make, Fitting and driver								
	both having separate BIS certificate								
	required. Manufactures Word Mark/	20	Nos.	a stombur a				00	
	The state of the s							*:	





	Name Engraved/ Embossing/ Screen	1		·			1	1	Ï
	printing on housing. OEM must have	1			-				
	its own in house NABL lab setup for		IBS						
	all testing facilities for LED fixtures.								
	(LM79 & LM80) certificate / Report								
	from OEM shall be submitted.								
	Supply of 20W LED Tunnel Light							-	ļ
	comprises of Die Cast Aluminium					1			1 .
	with PC Cover, CCT: 5700L ANSI BIN,	19							h 1
	Surge Arrestor: 5KV, Operating								la e
	Voltage: 140-270V, System Efficacy:	-1							
	Min 2100 Lumens, Protection: IP67				- 400				
	with IK10 Mechanical Protection,								
	Power Factor >0.95, THD<10%,					Te last			
	Mounting System: Cradle (360								
0	Degree Rotation) with vibration		100						
8.	Damping Mechanism, Maintenance:								0
	Top Cover, Fitting and driver both					0.00	0.00	0.00	INK
	having separate BIS certificate					0100	0.00	0.00	Zero
	required. Manufactures Word Mark/								INR Zero Only
	Name Engraved/ Embossing/ Screen								Onig
	printing on housing. OEM must have								380
	its own in house NABL lab setup for								
	all testing facilities for LED fixtures.								
+-	(LM79 & LM80) certificate / Report	74						11 9	
	from OEM shall be submitted.	74	Nos.						
	Supply of Box Type Fixture Suitable								
	for Single LED Tubes in CRCA								
	Housing, LED Tube: Max 18W/20W								
	LED Tube, Double Side Connection,	-					2/		
	Voltage AC 240V, 50 Hz Operating								
	Voltage Range 160V-270V, Surge								
	Protection >2.5KV, with colour								
	Temperature of 6500K ANSI BIN, min								
9.	2100 Lumens per LED Tube of IP20,								INR
	Min ITHD <10% and VTHD <5%, , High	5				0.00	0,00	0.00	INR Zexo Only
	Translucent serrated milky white		0			0.00	0.00	0.00	0
	diffuser, Power Factor >0.95,			- F - 1907				7	Only
	CRI>80,THD<10% Luminaries and	()							
	Driver make should be same make,		*						20
	Fitting and driver both having					1 1 1 1			
	separate BIS certificate required.	648	Nos.						A,



	Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.							
1	Supply of Box Type Fixture Suitable for two LED Tubes in CRCA Housing, LED Tube: Max 18W/20 W LED Tube, Double Side Connection, Voltage AC 240V, 50 Hz Operating Voltage Range 160V-270V, Surge Protection >2.5KV, with colour Temperature of 6500K ANSI BIN, min 2100 Lumens per LED Tube of IP20, Min ITHD <10% and VTHD <5%, Burning Hrs 50000 Hrs, High Translucent serrated milky white diffuser, Power Factor >0.95, CRI>80,THD<10% Luminaries and Driver make should be same Make, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.		Nos.		0.00	0.00	0.00	INR Zero Only
11	Supply of 120W LED High Bay with IP Lens Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: min150 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided	10	Nos.		0.00	0.00	0.00	INR Zero Only



for all Luminaries The potting material should have at least thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10% with power factor min 0.95. The driver shall have an efficiency >88%. It should give consistent performance in the input voltage range of 120V-INR 0.00 0.00 0,00 270V at 50 Hz . The driver shall be Zero able to withstand for Indoor and 440 Only V for 8 hrs The driver should have facility and cut off voltage. Input over voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, It shall have an SDCM (standard deviation in colour maintenance) <5, The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, All Screw of the luminaries should be SS304 Grade, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have




	its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.	24 11		3/				
12	Supply of 80W LED High Bay with Toughened Glass Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: >110 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all Luminaries The potting material should have at least thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10% with power factor min 0.95. The driver shall have an efficiency >85%. It should give consistent performance in the input voltage range of 120V-270V at 50 Hz. The driver shall be able to withstand for Indoor and 440		Nos.		0.00	0.00	0.00	INR Zero Only



	V for 8 hrs The driver should have facility and cut off voltage. Input over voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, It shall have an SDCM (standard deviation in colour maintenance) <5, The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, All Screw of the luminaires should be SS304 Grade, Luminaire shall be embossed or screen printed manufacturer Name/logo, Fitting and driver both having separate BIS certificate required.							
13	Supply of 35-40W LED Post Top nin a single piece construction with PC Clear Frosted Diffuser & Spun Aluminium Reflector, Housing: Aluminium Alloy powder coated in graphite grey, System Efficacy: Min 4000 Lumens, Reflector: Al Bright anodised with sand blast, Surge Protection: 5KV, IP 65 Protection, CCT: 6500K ANSI BIN, Power Factor >0.95, THD<10%, 360 Degree Illumination, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted.	4	Nos.		0.00	0.00	0.00	INR Zero Only
14	Supply of 30W LED Well Glass with IP Lens, System Efficacy of the Luminaries: >120 Lm/W, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in separate	84	Nos.		0.00	0.00	0,00	INR Zero Only



compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all Luminaries The potting material should have atleast thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV with a rise time of 20 Microseconds. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10% with power factor min 0.95. The driver shall have an efficiency >85%. It should give consistent performance in the input voltage range of 120V-270V at 50 Hz. The driver shall be able to withstand for Indoor and 440 V for 8 hrs The driver should have facility and cut off voltage. Input over voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, It shall have an SDCM (standard deviation in colour maintenance) <5, The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, All Screw of the luminaries should be SS304 Grade, Luminaire shall be embossed or screen printed manufacturer Name/logo, Fitting and driver both







	having separate BIS certificate required.							
	Supply of 150W LED High Bay with IP Lens Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: min 150 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all Luminaries The potting material should have at least thermal conductivity of 0.8W/mK. It should be moisture resistance and should be							
15	fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum	*			0.00	0.00	0.00	INR Zero Only
	10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10%							
	with power factor min 0.95. The driver shall have an efficiency >88%. It should give consistent performance in the input voltage range of 120V-270V at 50 Hz. The driver shall be able to withstand for Indoor and 440 V for 8 hrs The driver should have							
	facility and cut off voltage. Input over	58	Nos.					



	voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, It shall have an SDCM (standard deviation in colour maintenance) <5, The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, All Screw of the luminaries should be SS304 Grade, Luminaire shall be embossed or screen printed manufacturer Name/logo, Fitting and driver both having separate BIS certificate required.		20					
16	Supply of 150W LED High Bay with IP Lens Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: m in150 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all Luminaries The potting material should have at least thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode.	44	Nos.		0.00	0.00	0.00	INR Zero Only




	Output Ripple Current content shall		1							1
	be <10% on load. Output voltage									
	ripple shall be within 3%. Total		- 00	1						
	harmonic distortion shall be <10%			1						
	with power factor min 0.95. The	3				PS.				
	driver shall have an efficiency >88%.									
	It should give consistent performance									
	in the input voltage range of 120V-								*	
	270V at 50 Hz. The driver shall be									
	able to withstand for Indoor and 440									
	V for 8 hrs The driver should have							9-		
	facility and cut off voltage. Input over									
	voltage protection will be >300Vac						10			
	and for lower cutoff the Luminaires									
	should withstand for 48 Hrs at 100		*							
	Vac, It shall have an SDCM (standard									į.
	deviation in colour maintenance) <5,									
	The LED efficacy shall be more than						THE PARTY			
	85% at a junction temperature of		1		1					1
	85°C, IP66 & IK08, Luminaire shall be									
	embossed or screen printed								1 3	
	manufacturer Name/logo, Fitting and				1					
	driver both having separate BIS			1	1				1	
	certificate required.		1		1					
	Supply of LED Street Light Max 60W				1				-	
	with Toughened Clear Glass Pressure									13
	Die Cast Aluminium Housing with									
	Mandatory Secondary optics, System									
	Efficacy of the Luminaries: >120									
	Lm/W, CCT: 6500K ANSI BIN, CRI>70,									
	LED Source: 1-5W High Power Type,	1								
	Driver of luminaire shall be								-	
	preferably in separate compartment									-
17	other optical compartment and			43		1				
	Driver Compartment should be top							0	n 00	INR Zero Only
	opening. The LED driver shall be						0.00	0.00	0.00	200
	constant current type potted Driver									2000
	will asphalt/silicon based compound			1 1 1 6						Only
	shall be provided for all Luminaries It							74		
	should be moisture resistance and									
	should be fire retardant At least									
	industrial grade or higher-grade	46	Nos.	V CHANG						
	Brade, or migner-grade		t vi							27



	components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Total harmonic distortion shall be <10% with power factor min 0.95. It should give consistent performance in the input voltage range of 120V-270V at 50 Hz. The driver shall be able to withstand for Indoor and 440 V for 8 hrs The driver should have facility and cut off voltage. Input over voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, I The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, Fitting and driver both having separate BIS certificate required. Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing	er e n e v e r n I						
	housing. OEM must have its own in						-	
18	Supply of 100W/120 W LED Flood Light with Toughened Clear Glass Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: >110 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source: 1-5W High Power Type, Driver of luminaire shall be placed in	6	Nos.		0.00	0,00	0.00	INR Zero



separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all Luminaries The potting material should have atleast thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire retardant At least industrial grade or higher-grade components should be used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10% with power factor min 0.95. The driver shall have an efficiency >85%. It should give consistent performance in the input voltage range of 120V-270V at 50 Hz . The driver shall be able to withstand for Indoor and 440 V for 8 hrs The driver should have facility and cut off voltage. Input over voltage protection will be >300Vac and for lower cutoff the Luminaires should withstand for 48 Hrs at 100 Vac, It shall have an SDCM (standard deviation in colour maintenance) <5, The LED efficacy shall be more than 85% at a junction temperature of 85°C, IP66 & IK08, All Screw of the luminaries should be SS304 Grade, Luminaire shall be embossed or






	screen printed manufacturer Name/logo, Fitting and driver both having separate BIS certificate required.							
	Supply of 180W LED Flood Light with Toughened Clear Glass Pressure Die Cast Aluminium Housing with Mandatory Secondary optics, System Efficacy of the Luminaries: >110 Lm/W, Beam Angle 60 Degree, CCT: 6500K ANSI BIN, CRI>70, LED Source:							71
	1-5W High Power LED Type, Driver of luminaire shall be placed in separate compartment other than optical compartment. The LED driver shall be constant current type potted Driver shall be provided for all luminations.							
	shall be provided for all Luminaries The potting material should have atleast thermal conductivity of 0.8W/mK. It should be moisture resistance and should be fire							
19	used for manufacturing of Driver. The driver shall be able to withstand surge (EFT+ESD interference) of	8			0.00	0.00	0.00	INR
	minimum 4KV with a rise time of 20 Microseconds. Luminaire shall have surge protection devices of minimum 10KV inside the Driver compartment. The driver shall have under voltage, over voltage and short circuit							INR Zero Only
	protection and auto recovery mode. Output Ripple Current content shall be <10% on load. Output voltage ripple shall be within 3%. Total harmonic distortion shall be <10%							
	with power factor min 0.95. The LED driver should comply to CISPR 15 for limits and method of measurement						40	
	of Radio Interference Characteristics. The driver shall have an efficiency	20	Nos.					



1									
-	>85%. It should give consister	nt	1	1 30	1			1	1
	performance in the input voltage	76		and a	Silvi				
	range of 120V-270V at 50 Hz. Th	e							
	driver shall be able to withstand for	or							
	Indoor and 440 V for 8 hrs The drive	er							
	should have facility and cut of	Ff							
	voltage. Input over voltage	e							
	protection will be >300Vac and fo	r			The state of				9
	lower cutoff the Luminaires should	Ł						-	
	withstand for 48 Hrs at 100 Vac, It	t						- 6	1
	shall have an SDCM (standard	1						5 8	-
	deviation in colour maintenance) <5,	,			Selle				
	The LED efficacy shall be more than				9				
	85% at a junction temperature of 85°C, IP66 & IK08, Fitting and driver								
	both having separate BIS certificate							-	
	required. Manufactures Word Mark/		1	1					
	Name Engraved/ Embossing/ Screen								
	printing on housing. OEM must have		-						
	its own in house NABL lab setup for								
	all testing facilities for LED fixtures.								1 "
	(LM79 & LM80) certificate / Report								
	from OEM shall be submitted.	-							
	Providing & Fixing of energy efficient			63	-				
	direct fit (Retrofit) AL housing SMD								-
	Mid Power LED tube rod (with							*	
	integral driver & alumn. heat sink),				1			, 1	100
	on existing fixture. system lumen			1 5	1				
	efficacy ≥ 100 lm/Watt output,								4-
	internal surge protection of 2.5 KV								
	,THD < 20% ,p.f.≥0.95,CRI >80 ,			7	1				
20	6500°K (As per ANSI Bin) , maximum		-						
	power consumption should not more							- C	
	than the specified rating and Fixture shall be of BIS standard and trade								
	mark certificate (T.C.). Manufactures								
	\A/= W # 1 #								
	Embossing/ Same Eligraved/					0.0-	2.0		1010
	housing. OEM must have its own in		HE U			0.00	0.00	0.00	INR
	house NABL lab setup for all testing						2		Zero
	facilities for LED fixtures. (LM79 &								Unly
1	LM80) certificate / Report from OEM	800	Nos.						





The above image is for reverence purposes. Original BOQ may be downloaded from http:/eproc.rajasthan.gov.in.

NOTE:

- 1. The Bidders shall quote the rates including the cost of material, man power, tools and plants etc., including all Statutory Charges, Taxes, duties, profit margin etc. Amount quoted above is inclusive of all technical support charges, levies, charges except GST which are to be quoted separately in rupees in the relevant column of the financial bid. The quoted amount also includes any other legal liabilities which may be in force at present or may arise in future etc.. Nothing will be paid extra by JMRC in addition to the above quoted bid amount.
- 2. This cost is inclusive of all taxes, duties, transportation and handing other than GST which have already taken into account in BOQ. However, Payment shall be made as per GST Rates applicable at the time of SITC.
- 3. Bidder(s) are advised to visit the actual site of JMRC and nature of work before quoting the rates.
- 4. The minimum warranty period is 24 MONTHS from the date of commissioning of LED Lights banks.
- 5. For detailed Scope of work and specification shall be referred from Section 5 Scope of Work of the bid document.
- 6. The contract shall be award to most advantageous responsive bidder quoting least value of Total Cost (TOTAL AMOUNT Without Taxes) in financial bid (L1) of BOQ subject to fulfilment of eligibility criteria as per clause 2.5 of bid document.
- 7. Proof the LED lights Purchase: The contractor shall procure the particular MAKE of LED lights from any of the Authorized dealer/OEM of that MAKE and produce documentary evidence in support of such LED lights at the time of bid submission or at the time of supply.
- 8. The contractor shall supply the LED lights supplied in accordance to the specifications as mentioned in bid and shall also be compatible with the existing system on site. Decision of JMRC authority shall be final binding.

Bid for "Supply, Installation, Testing & Commissioning (SITC) of JMRC/O&S/EL/2023-24/NIB/0 LED lights with replacement of old conventional lights at Mansarovar Metro Depot of JMRC"



9. Contractor shall submit the request for power block to nominated JMRC field supervisor/JE before dismantling or ITC of lights around OHE. Contractor shall ensure all safety measures before commencement of work. Work may be carried out during night hours as per availability of power block. Nothing shall be paid extra on this account.

> Signature of firm's representative (With seal of firm)



8	· CHECK LIST				
Sr. No	following documents :	Whether enclosed	To be submitted online through E-proc. website at time of Technical Bid (scanned copy in pdf format)	To be submitted in original in sealed envelope as physical instrument at time of Technical Bid	To be submitted online through I proc. website a time of Financia bid (in xlsx format)
1.	All pages of this BID along with all Annexures/Forms duly signed by the Authorized Signatory of the Bidder firm separately along with supporting documents to satisfy Eligibility criteria as mentioned in NIB (as asked in BID)	Yes/No	¥	X	X
2.	Form A: Form of Bid	Yes/No	✓	X	Х
3.	Form B: Bidder's Profile duly filled and signed	Yes/No	✓	X	X
4.	Form C: Performance Security.	Yes/No		X	Х
5.	Form D : Bidder's Authorization Certificate	Yes/No	· /	Х	Х
6.	Form E : Power of Attorney	Yes/No	1	X	X
7.	Form F: Self-Declaration	Yes/No	1	Х	X
8.	Form G: Certificate Of Conformity/No Deviation	Yes/No	✓	X	Х
9.	Form- H, Annexure A Compliance with the Code of Integrity and No Conflict of Interest	Yes/No	*	X	Х
10.	Form-:H, Annexure-:B Declaration by the Bidder regarding Qualifications	Yes/No	1	X	X
11.	Form-:H, Annexure-:C Grievance Redressal during Procurement Process	Yes/No	V	X	X
12.	Form: I [See rule S3]	Yes/No	√	X	X
13.	Form-:K, Work Experience	Yes/No	1	1	X
L4.	Form-:L, Bank Details	Yes/No	V	X	X
L5.	Form-: M, CONTRACT AGREEMENT	Yes/No	1	Х	Х
.6.	Form: N, Undertaking of not being blacklisted by Central Government, any State Government or any Government agency or Public	Yes/No	*	X	X



Sr. No.	ionowing documents :	Whether enclosed	To be submitted online through E-proc. website at time of Technical Bid (scanned copy in pdf format)	To be submitted in original in sealed envelope as physical instrument at time of Technical Bid	To be submitted online through E-proc. website at time of Financial bid (in xlsx format)
	sector undertaking (PSU).			Dig	
17.	Form: O	Yes/No	√	✓	X
18.	Cost of Bid document(DD/Banker Cheque)	Yes/No	√	V	Х
19.	e-Bid Processing fee (DD/Banker Cheque)	Yes/No	1	✓	X
20.	Bid Security/EMD	Yes/No	√	· /	X
21.	Financial Bid Form duly filled in and digitally signed	Yes/No	Х	Х	✓

