Price Rs. ₹ 2,360/-



JAIPUR METRO RAIL CORPORATION LTD.

Rate Contract

Open Competitive E-Bid Single Stage Two Envelope (Technical Bid & Financial Bid) BID DOCUMENT

NIB No.:117/JMRC/OS/Civil/Works/2025-26

"Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur"

DIRECTOR (O&S) JMRC, JAIPUI

Jaipur Metro Rail Corporation Ltd. Office of General Manager Civil Room No-404, 4th Floor, Admin Building,

Depot of Jaipur Metro, Bhrigu Path,

Mansarovar, Jaipur-302020

117/JMRC/OS/Civil/Works/2025-26

| Table Of Conte |
|-----------------------|
|-----------------------|

TABLE OF CONTENT

| SCHEDULE-A: NOTICE INVITING BID (NIB) |
|---|
| General: |
| 1.0 NOTICE INVITING BID (NIB) KEY DETAILS: |
| 2.0 CONTENTS OF BID DOCUMENT: |
| 3.0 SCOPE OF WORK |
| SCHEDULE-B: INSTRUCTIONS TO BIDDERS (ITB) |
| 1.1 GENERAL INFORMATION16 |
| 1.2 SUBMISSION OF BIDS |
| 1.3 AWARD OF CONTRACT |
| 1.4 SIGNING OF AGREEMENT |
| 1.5 PERFORMANCE SECURITY |
| 1.6 OTHER TERMS & CONDITIONS: |
| SCHEDULE-C: - SPECIAL CONDITIONS OF CONTRACT (SCC) |
| 1.0 SPECIAL ATTENTION |
| 2.0 RIGHT OF WAY |
| 3.0 COORDINATION WITH OTHER BIDDERS |
| 4.0 SUFFICIENCY OF BID |
| 5.0 NOTICES AND INSTRUCTIONS |
| 6.0 SUPPLY OF MATERIALS TOOLS, AND EQUIPMENT BY THE EMPLOYER 23 |
| 7.0 USE AND CARE OF SITE |
| 8.0 DUTIES, TAXES, OCTROI, ROYALTY ETC |
| 9.0 MANDATORY REGISTRATION OF BIDDER |
| 10.0 HOUSING FACILITIES: |
| 11.0 ACCESS ROADS AND HAUL ROADS |
| 12.0 DEDUCTIONS FROM BIDDER'S BILL |
| 13.0 PROGRAM OF WORKS |
| 14.0 SECURITY MEASURES |
| |

Table Of Content

117/JMRC/OS/Civil/Works/2025-26

| TABLE OF CONTENT |
|---|
| 4.0 Technical Specifications: |
| SCHEDULE-E: - ANNEXURES |
| Annexure A: Compliance with the Code of Integrity and No Conflict of Interest. 35 |
| Annexure B: Declaration by the Bidder regarding Qualifications |
| Annexure C: Grievance Redressal during Procurement Process |
| Annexure C1: Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012 |
| Annexure D: Additional Conditions of Contract |
| Annexure E: INITIAL FILTER CRITERIA OF APPLICANT |
| Annexure F: CASE OF CONSORTIUM |
| Annexure G: CERTIFICATE/UNDERTAKING |
| Annexure X: CERTIFICATE BY CONTRACTOR ON ACCOUNT OF WORK EXECUTED FOR BILL |
| CHEDULE-F: - FORMS |
| FORM A: FORM OF BID |
| FORM B: Certificate Of Conformity/No Deviation (to be filled by the Bidder) 50 |
| FORM C: FORM OF PERFORMANCE SECURITY (GUARANTEE) BY BANK |
| Form D: FORM OF AGREEMENT: |
| FORM E : GENERAL INFORMATION |
| FORM F: Bidder Details: (as per Section 5.0 of of SCHEDULE-C: SCC of Bid) 58 |
| FORM G: POWER OF ATTORNEY FOR SIGNING THE BID |
| Form-H: INDEMNITY |
| Form-I: Obligation/Compliance to be ensured by Bidder |
| CHEDULE G: - PRICE BID/FINANCIAL BID |
| CHEDULE-H: CHECKLIST FOR BID EVALUATION/BID SUBMISSION |
| CHEDULE-I: Appendices |
| |

I

Page 4 of 66



JAIPUR METRO RAIL CORPORATION LIMITED General Manager (Civil), (Directorate of Operations & Systems)

Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020

Tel. No. (+91) 9311047886 (General Manager (Civil)) (+91) 7728895364 (Manager (Civil)), Email: gmcivil@jaipurmetrorail.in, mgrcivil@jaipurmetrorail.in

SCHEDULE-A: NOTICE INVITING BID (NIB)

General:

- Jaipur Metro Rail Corporation invites online Open competitive bids from (i) interested and eligible agencies for "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" This bid is invited under RTPPR Act-2012, and Rules, 2013.
- (ii) The complete bid document can be downloaded from the state e-procurement website https://www.eproc.rajasthan.gov.in and interested bidders will have to submit their offer in electronic formats both for technical and financial proposal on this website with their digital signatures. The complete bid document can also be seen on the Corporation's website https://transport.rajasthan.gov.in/jmrc and state public procurement portal i.e., http://sppp.rajasthan.gov.in.
- (iii) Bidders who wish to participate in this bidding process must register at https://eproc.rajasthan.gov.in.To participate in online Bids, as per the Information Technology Act, 2000, Bidders will have to obtain a Digital Signature Certificate (DSC) from any agency-approved by Controller of Certifying Authorities (CCA). Bidders who already have a Valid Digital Signature Certificate need not obtain a new Digital Signature Certificate. This DSC will be used by the bidder to digitally sign the bids before its online submission on E-Proc Portal. However, each page of the bid must be stamped and signed by the authorized signatory of the bidder firm as token of acceptance of the Bid Conditions.
- (iv) This bid is invited under a Rate Contract in accordance with Section 36 of the RTPPA 2012 and Rule 29 of the RTPPR 2013, for works/services to be executed on a recurring or urgent basis during a specified period. The contract shall be at fixed rates, without any commitment on quantity, time, or location, and individual work/supply orders shall be issued as and when required. The Rate Contract may be awarded to the lowest or most advantageous bidder, and all terms and conditions shall be in accordance with open competitive bidding procedures. Bidders are advised to quote rates considering these provisions and the possibility of urgent or indefinite requirements.

1.0 NOTICE INVITING BID (NIB) KEY DETAILS:

| (a) | Name & Address of the Procuring Entry | Name: - Director, (O&S), Jaipur Metro Rail Corporation Ltd. |
|------|--|---|
| VIDT | etro, Bitrigu Bith, Mang B | Address: - Room No-404, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path,Mansarovar, Jaipur- |
| | 011047686 (-91) 77288953 | 302020. |

117/JMRC/OS/Civil/Works/2025-26

| | 20 11. (+21) 772885364 (Xunuu | Email: dos@jaipurmetrorail.in; gmcivil@jaipurmetrorail.in |
|------|---|--|
| (b) | Subject Matter of Procurement. (Name of Work) | "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" |
| (c) | Work Completion Period | 18 Months from the date of issue of the LOA. |
| (d) | Defect Liability Period | 6 Months from the date of work completion. |
| (e) | Bid Procedure | Single Stage Two Envelope (Technical Bid & Financial Bid) |
| (f) | Bid Evaluation Criteria | Technically Qualified and Lowest Rated Bidder (L-01) |
| (g) | Website for downloading Bidding Documents, Corrigendum, Addendums, etc. | <u>https://www.eproc.rajasthan.gov.in</u> <u>www.sppp.rajasthan.gov.in</u> <u>transport.rajasthan.gov.in/jmrc</u> |
| (h) | Cost of Bid Form (Non-Refundable) | To participate in the bid, the bidder has to pay the cost of the bid form as below: - Cost of Bid Form: - Rs. ₹ 2,360/- Rupees (Inclusive All Taxes). (DD/BC of scheduled bank payable in favour of Jaipur Metro Rail Corporation Limited) |
| (i) | Estimated Cost of INR ₹ 2,45,95,368 (Inclusive of all taxes and charges) Procurement charges) | |
| (j) | Bid Security Deposit (EMD) | Amount (INR): 2.00% (Rs. ₹ 4,91,907/-) of Estimated Procurement Cost. (DD/BC of scheduled bank payable in favour of Jaipur Metro Rail Corporation Limited or as per RTPPR-2013). |
| (k) | E-Bid Processing Fee (Non-Refundable) | Rs. ₹ 2,000 /- by Demand Draft / Bankers Cheque, payable in favour of Managing Director, RISL . Payable at Jaipur. |
| (1) | Venue of Physical Submission of Cost of Bid Form, Bid Security and E-Bid Processing Fee, etc. | Date: <u>06-08-2025</u>; Time: <u>14:00 Hyrs</u>, O/o General Manager (Civil), (O&S), Jaipur Metro Rail Corporation Ltd. Address: - Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020 |
| ahit | reveneering ugen | Mobile No:-(+91) 9311047886 (+91) 7728895364 |

Signature of Authorized Signatory of Tender Page 6 of 66

BARDON

| | Bidders Eligibility: - | | ments required to b submitted: - | |
|---|---|--|-------------------------------------|--|
| (t) | PRE-QUALIFICATION CRITERIA (TECHNICAL BID) | | | |
| (s) | Bid Validity | 90 days from the bid sub | mission deadline. | |
| a he i s |) definitioned eopy of regis docurrent as propfol reg first for the similar visits | From Date: 09 07/1025 Time- 9130 Hrs To Date: 06/08/2025 Time- 15:00 Hrs Date: 06/08/2025 Time: - 15:36 Hrs Venue: O/o General Manager (Civil), Jaipur Metro Rail Corporation Ltd. Address: - Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020. | | |
| (r) | Online Technical Bid Opening Date and Time | | | |
| (q) | Online Bid Submission Period on the E-Proc Portal of the Rajasthan Government. | | | |
| (p) | Date and time for issuance of Minutes of Pre-bid meeting on E- Proc Portal, SPPP Portal and JMRC Website. | Date: 16-07-2025 | | |
| war war | Last date for submission of queries to JMRC. | Date: 15-07-2025 | Time:] 7: 0 0 Hrs. | |
| i tali tali tali tali tali tali | | | g, nrigu Path, | |
| au v | Authority and Place for Pre-Bid Meeting. | Director, (O&S), Jaipur Metro Rail Corporation Ltd. | | |
| (0) | Date and Time of Pre-bid meeting | Date: 15-07-25 | Time: 11:00_Hrs | |
| | Form deposition period. | To Date: 06-08-2025 | Time- <u>15:00</u> Hrs | |
| (n) | Document Sale/ Download/ Cost of Bid | From Date: 09-07-2025 Time- 09:30 Hrs | | |
| (m) | Publishing Date on E- Proc Portal, SPPP Portal and JMRC Website. | Date: - 09 07 2025 | Time- <u>9:30</u> Hrs | |

117/JMRC/OS/Civil/Works/2025-26

| (i) Cost of Bid Form, Bid Security Deposit and E-Bid Processing Fee. | (i) | As per Clause 1.0 (h), Clause 1.0 (j) and Clause 1.0 (k) in original to JMRC before the due date and time for the bid submission |
|---|-------|--|
| | 2 | as per Clause 1.0 (l) & (q) of NIB of Bid Document. |
| | | |
| (ii) Similar Work: - | | |
| The bidder firm should have experience of execution any work "Civil Works/Repair and Maintenance of Civil Works in residential and commercial buildings" of 'State/Central Government Bodies' / PSU /Metro railways/Private Companies which are listed in stock exchange (NSE/BSE) and have a turnover of more than 500 crores during the last 05 Years (reckoned from the date of last date of bid submission) and should have well- | (ii) | For executed similar works in 'State/Central Government Bodies' /PSU/ Metro railways; self-certified copies of certificates for satisfactory work completion issued by the authorized person of the department/institution not below the rank of Executive Engineer during the last 05 Years reckoned from the date of last date of bid submission. |
| established capacity to execute the | | OR |
| required work as per Clause 1.0 (b) of NIB of Bid Document. Work experience (physical requirement) shall be required as per detail given below: The bidder firm should have satisfactorily completed One similar works of at least 80% of the estimated cost of similar work i.e Rs 196.76 Lakhs /- OR Two similar works of at least 50% of | a | For experience of work done with Private Firms, copy of work order, final paid bill and TDS certificate showing the amount credited shall also be submitted with self-certification along with Certificate/Undertaking (Annexure-G) of Schedule-E of Bid Document on Bidder's/Agency's letter head. |
| the estimated cost of each costing Rs 122.98 Lakhs /- OR | π | |
| Three similar works of at least 40% of the estimated cost each costing Rs. 98.38 Lakhs / Work completion certificates are to be submitted accordingly. | a N | |
| | | |
| (iii) The bidder firm may be: - -Company registered under "Companies Act-1956/2013", | (iii) | Self-attested copy of registration document as proof of registered firm for the similar work. |
| OR | | |
| - Registered Sole proprietor, | | |
| OR - Registered Partnership/Joint Venture Firm. And must be in existence for the execution of similar works for a minimum period of 03 Years reckoned from the last day of | | (Copy of Partnership deed or certificate of incorporation with memorandum of articles of association, Power of attorney/Board resolution (as applicable) in favour of bid signing authority. |

Signature of Authorized Signatory of Tender

-

Page 8 of 66

117/JMRC/OS/Civil/Works/2025-26

SCHEDULE-A: NOTICE INVITING BID (NIB)

| | the previous month to the month in which NIB was called. | nių The Inders hate d |
|---|--|---|
| theth net Pu brod UMR UMR broc broc broc broc broc broc broc broc | (iv) The Average Annual Turn Over of the bidder during any of the last preceding 03 audited financial years (i.e FY- 2022-23 to 2024-25) should not less than 100 % of estimated cost i.e INR 245.95 Lakhs. In case of non-availability of the audited balance sheet (Profit & Loss Account Statement)/published annual accounts of the preceding Financial Year, the audited balance sheet (P&L Statement)/published annual account of the preceding FY 2021-22 to 2023-24 shall be taken into consideration. | (iv) Self-Certified Certificate issued by a Chartered Accountant (CA) for the "Annual Turnover" of the Bidder. OR Self-certified Income Tax Return Documents (ITRs) & Audited Balance Sheets (Certified by a Chartered Accountant (CA)). |
| a soup a soup a soup a soup a soup a soup | (v) Mandatory Registrations of the bidder such as "Goods & Service Tax (GST)" and Income Tax Registration. | (v) Self-Certified Copy of: - -GST Registration of Bidding Firm. -Copy of PAN Card. |
| ber ber | above documents shall be manda members. | in case of bidder is a consortium, the atorily submitted for all the constituent |
| (u) | ONLINE SUBMISSION OF BIDS: - Online bids will have to be stamped and sig bidder firm and submitted in a time http://eproc.rajasthan.gov.in in the man | -stamped electronic sealed box on |
| 12.12 | The Bidder shall submit his signed and s | |
| | (i) First Part: - Technical Bid with al (Self Certified/Signed Clause 1.0 (t) of NIB, 3 such as Cost of Bid Security as per Claus | l necessary documents in .pdf format by authorized Signatory of Firm) as per Scanned Copy of financial instruments Form, E-Bid Processing Fee and Bid e 1.0 (h, j, k & l) of NIB, complete bid se 1.1.1 of ITB of Bid Document (Except |
| | (ii) Second Part: - Financial Bid in submitted online th Government to procur NIB of Bid Documen submission. | electronic format (.xls Format) to be rough E-Proc Portal for Rajasthan ing entity of JMRC as per Clause 1.0 of it on or before the last date of bid |
| 100 | Note: - | |
| | Security as uploaded on E-Proc we | f Bid Form, E-bid Processing Fee & Bid ebsite is to be submitted at the office of bmission as per Clause-1.0 (l) of NIB |

Page 9 of 66

117/JMRC/OS/Civil/Works/2025-26

| reatin Maria No 10 | (ii) | The bidders have to take utmost care that the Financial Bid is to be submitted separately in the Second Part of the Bid i.e. Financial Bid or the E-Proc website only. If any details of the Financial Bid whether intentionally/ unintentionally/ by mistake are mentioned in the First Part i.e. Technical Bid by the bidder; then its bid shall not be considered by JMRC. No correspondence in such matter shall be entertained by JMRC. |
|--------------------------|------------|---|
| (v) | POINTS | TO BE NOTED: |
| | (i) | Bidder (authorized signatory) shall submit their Two-Part Bid (First Part -Technical Bid and Second Part: -Financial Bid) online on E-Proc website i.e. <u>https://www.eproc.rajasthan.gov.in</u> both for technical and financial proposals separately for each. |
| | (ii) | In case, any of the bidders fails to pay the Cost of Bid form, E-Bid Processing Fee and Bid Security to JMRC, its Bid will not be considered and will be rejected. |
| | (iii) | JMRC will not be responsible for the delay in Bid submission due to any reason. |
| | (iv) | The procuring entity reserves the complete right to cancel the bid process and reject any or all the Bids. |
| | (v) | Conditional Bid will be summarily rejected by JMRC. |
| | (vi) | No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder. |
| | (vii) | All Bidders are hereby cautioned that Bids containing any materia deviation or reservation as described in Form-B and /or minor deviation without quoting the cost of withdrawal shall be considered as non responsive and will be summarily rejected. |
| | (viii) | Any Bid received with unattested cutting/ overwriting will be rejected. |
| | (ix) | Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only for the help the bidders to prepare a logical bid proposal. |
| | (x) | The provisions of the RTPP Act 2012 and RTPPR-2013 Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and RTPPR-2013 Rules thereto, the later shall prevail. The RTPP Rules and ACT 2013 are available on the website of the finance department of Rajasthan i.e. <u>https://finance.rajasthan.gov.in/</u> |
| 100 | 10000 1000 | Approved GCC is uploaded and available on the JMRC website i.e https://transport.rajasthan.gov.in/jmrc, by signing the Bid Document the firm agrees to accept the GCC. While framing the contract with the successful Bidder, the bidder shall sign the complete GCC document and submit it to the JMRC |

Director, (O&S) Jaipur Metro Rail Corporation Limited, Jaipur

Signature of Authorized Signatory of Tender

Page 10 of 66

2.0 CONTENTS OF BID DOCUMENT: -

Documents as listed below at SN. 2.1 to SN 2.8 (**Except SN-2.7; Schedule-G, Price Bid**) are to be attached separately with Notice Inviting Bid (NIB) in dully filled, stamped, and signed form as applicable to the bidder with the **Online Bid**.

2.1 SCHEDULE A: INFORMATION USEFUL FOR BIDDERS & SCOPE OF WORK:

The bidder should see the work site and fully understand the conditions of the work site before bidding and include all lead, lifts etc. for the material in his item rate/ percentage to be quoted on the rates as given in the SCHEDULE G: Price Bid/ Financial Bid. Then work shall be carried out to the entire satisfaction of the Engineer- In- Charge of the work.

2.2 SCHEDULE B: INSTRUCTIONS TO BIDDERS: - Attached Separately.

2.3 SCHEDULE C: SPECIAL CONDITIONS OF CONTRACT: Attached Separately.

2.4 SCHEDULE D: OTHER RELEVANT DOCUMENT

Approved GCC is uploaded and available on the JMRC website, by signing the Bid Document, the firm agrees to accept the GCC. While framing the contract with the successful Bidder, the bidder shall sign the complete GCC document and submit it to the JMRC. For detailed information, please refer to Schedule-D enclosed within the bid document.

2.5 SCHEDULE E: ANNEXURE: Attached Separately.

| Annexure A: | Compliance with the Code of Integrity and No Conflict of Interest. |
|--------------|--|
| Annexure B: | Declaration by the Bidder regarding Qualifications. |
| Annexure C: | Grievance Redressal during the Procurement Process. |
| Annexure C1: | Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012 |
| Annexure D: | Additional Conditions of Contract. |
| Annexure E: | The initial filter criteria of the applicant. |
| Annexure F: | Certificate by the Bidder to be appended with Annexure-E. |
| Annexure G: | (On Bidder's Letter Head) 2012. |
| Annexure X: | Certificate By Bidder with each Bill. |

2.6 SCHEDULE F: FORMS: Attached Separately.

| FORM -A: | Form of Bid with Appendix. |
|----------|---|
| FORM -B: | Certificate of Conformity/No Deviation (to be filled by the Bidder) |
| FORM -C: | Form of Performance Security (Bank Guarantee) by Bank. |
| FORM -D: | Form of Agreement. |
| FORM -E: | General Information |
| FORM -F: | Bidder's Bank Details. |
| FORM -G: | Power of Attorney. |
| FORM -H: | Indemnity certificate and obligation/ Compliance to be ensured by the Bidder. |

2.7 SCHEDULE-G: - PRICE BID/FINANCIAL BID: -

Attached separately.

2.8 SCHEDULE-H: - Checklist for bid Evaluation/Submission:

Attached separately.

2.7 SCHEDULE-I: - Appendices

Attached separately.

3.0 SCOPE OF WORK

3.1 The bidder will execute the work i.e., "Maintenance Contract Of Civil Works
 : Addition, Alteration/Modification, Repair & Maintenance Of Various
 Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any
 Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur".

3.2 Brief Scope: -

The above work shall cover the following:

- a) Provision of all necessary labourers, construction equipment, instruments and appliances in connection with all above-mentioned work as specified or as directed by the Engineer-in-Charge or the representative of the Engineer.
- In case of major additions or alterations, the drawings, including detailed structural drawings, may be provided at the sole discretion of Jaipur Metro Rail Corporation Ltd. (JMRC)
- c) Any other item of work as may be required, to be carried out as per Rajasthan PWD (RPWD) specifications, for completing the job in all respects in accordance with the provisions of the contract and or to ensure the structural stability and safety of the work during and after construction.
 - d) RPWD BSR and RUIDP ISOR specifications shall be applicable for the methodology of execution of work for all RPWD BSR and RUIDP ISOR items. For NBSR items, the methodology shall follow relevant IS codes and other applicable guidelines from reputed Indian standards.
 - e) Clearing site after completion of work and handing over of all the works, as specified and directed by the Engineer-In-Charge.
 - f) Damage caused to properties of JAIPUR METRO RAIL CORPORATION LTD. if any, during execution of above work shall be rectified by the bidder at his cost, failing which the cost of rectification shall be recovered at the market cost of such items from any RA Bill / Final Bill of the bidder.
 - g) The work shall be carried out as and when required by Jaipur Metro Rail Corporation Ltd. (JMRC), with all necessary safety precautions. The contractor shall ensure that all his workers are equipped with Personal Protective Equipment (PPEs) at his own cost. He shall also be responsible for ensuring the safety of the work site by providing suitable barricades (if required) to restrict public movement into the work area. The barricading arrangement, if required, shall be approved by the Engineer-In-Charge, considering the overall circulation pattern of commuters at the work site.

All expenses related to the provision of PPEs, barricading, and other safety measures shall be borne entirely by the contractor. The bidder is advised to consider and include these costs while quoting rates in the tender.

h) Time Period is 18 Months from the stipulated date of commencement of work as per clause 1.0 (c) of NIB.

Page 12 of 66

- i) The Defects Liability Period is for 6 Months from the date of completion of the contract. Warrantee/Guarantee of hardware items (if any) shall be for a minimum period of 06 Months from the date of installation or as per the manufacturer's certificate provided by the contractor to JMRCL before installation at the site.
- j) All regular minor and major repairs at elevated and underground station premises i.e., upkeep, will be the bidder's responsibility, and it should be ensured by deploying his staff with instructions for frequent inspection. Further, before attending to the deficiencies, he should inform the concerned JE/MANAGER/ENGINEER IN CHARGE so as to ensure quality and timely billing of work done.
- k) The scope of the contract includes periodical inspection of the premises by the bidder himself, identifying the defects, making a proposal to the engineer, obtaining his approval and carrying out the work. In general, the responsibility of the elevated and underground stations premises kept cleaned and updated position will rest with the bidder.
- In addition, the defects noticed by JAIPUR METRO RAIL CORPORATION LTD. officials will also be endorsed in the Complaint Book being maintained at the elevated and underground stations /JE Works Office which should be acknowledged by the representative of the bidder along with the indication of time which it would be attended to. Complaints of a regular nature, if continues, will be considered as a discredit to the bidder.
 - m) In addition, the monthly joint inspection will be carried out by JAIPUR METRO RAIL CORPORATION LTD officials/bidder's own person, and items identified should be informed to the bidder along with the specified time during which it can be attended. This will be an item of the regular check during the next monthly inspection. These items shall be recorded in the Site Order Book / Complaint and Progress Monitoring Register maintained at the field office.
- n) The value of work shall be on items of rates accepted and/or percentages above/below/At-par on RPWD BSR and RUIDP ISOR. Letter of acceptance subject to such additions thereto or deductions therefrom as may be made under the provisions of the contract.
- o) The above-mentioned work should be carried out with the bidders' own material, labour and tools /plants as per the specification and drawings, complete as required.

3.3 Time Schedule:

The contract period for the above-mentioned work is 24 Months from date of commencement of work. The works should start immediately for the different works after issuance of work orders by the competent authority, from time to time, during the contract period. However, the emergency works should be attended to promptly.

3.4 Technical Specifications: -

RPWD BSR, RUIDP ISOR Specifications, CPWD Specifications, IRC/IS Codes, and other relevant provisions of applicable codes, specifications, and manuals shall be applicable to these works. The execution of work shall strictly adhere to these standards and guidelines.

3.5 Material: -

3.5.1 Quality

All materials used in the works shall be of the quality of their respective kinds as specified in RPWD specifications/Equivalent to the approved list of materials, obtained from sources and suppliers approved by the Engineer and shall comply strictly with the tests prescribed in the Technical Specifications/Codes of Practice (RPWD BSR and RUIDP ISOR/CPWD/IRC/IS Codes, etc) as per the directions of the Engineer-In-Charge.

All materials used in JAIPUR METRO RAIL CORPORATION LTD. stations premises and mainline viaduct and underground tunnel section during construction stage are approved materials. In addition to the materials used to construct JAIPUR METRO RAIL CORPORATION LTD. Bidders are advised to refer appendix for the list of additional approved sources/ vendors of material.

- 3.5.2 Sampling and Testing
 - 3.5.2.1 In addition to Test certificates, samples of all materials proposed to be employed in permanent works shall be submitted to the Engineer when called for. In such cases, materials will not be brought to the site without prior approval of the Engineer.
 - 3.5.2.2 Samples provided to the Engineer are to be labelled in boxes suitable for storage. Materials or workmanship, not corresponding in character and quality with approved samples, will be rejected by the Engineer.
 - 3.5.2.3 Samples required for approval and testing must be supplied at least 45 days in advance to allow for testing and approval. Delay to the works arising from the late submission of samples will not be acceptable as a reason for delay in completion of the works.
 - 3.5.2.4 The bidder will bear all expenses for sampling and testing, whether at the manufacturer's premises at source, at site or at any testing laboratory or institution as directed by the Engineer. The payment shall be reimbursed on this account by JAIPUR METRO RAIL CORPORATION LTD. if the test results are satisfactory. If the test results are not satisfactory, the testing charges shall be borne by bidder.
- 3.5.3 Rejection:

Any materials that have been found not to conform to the specifications will be rejected forthwith and shall be removed from the site by the bidder at its own cost within 15 days.

117/JMRC/OS/Civil/Works/2025-26

3.8 **Workmanship**: All works shall be true to level, plumb and square and the corner, edges and arises in all cases shall be unbroken and neat and shall be as per provisions in the relevant Technical Specifications / Standard Codes of Practices. Bidder shall also submit Quality Assurance Programme and Methods Statements for special works to be done within 07 days before the start of work for approval of Engineer-in-Charge.

SIGNATURE OF CONTRACTOR Director, (O&S), JMRC

With full address & Mobile No .:

Jaipur Metro Rail Corporation Ltd., Jaipur

(vii) Price Bid / Franceial Sid - Bill of Quantities (BOQ) (Schedule-G) (vii) Appendices (Schedule-I)

Bids shall be prepared and submitted in accordance with the instructions given berein. This bid is under the RTPP Act 2012 & RTPP Rules, 2013.

The relevant address for correspondence relating to this Block given below:

Gatteral Manager (Cavil), Jaipur Metro Rail Corporation LTD

Room No-405, 4th Fleor, Admin Building, Depot of Jaipur. Metro, Bhrigu Path, Mansarovar, Jaipur-302020

- 1.8 A Pro Bid meeting shall be held on the date and location given in clause 1.0 (5) of the WB.
- 1.3.1 The purpose of the meeting will be to clarify issues and to abswer questions on any matters that may be raised at that state.
- 1.1.2 The Bidder is requested to submit any question in writing or by lactimile, to reach the employer not later than the last date of seeking clerification as mentioned in key details of NB.
- 1.1.3.3 The text of the questions related by the Bidg and the response given will be transmitted without-delay to all purchasers of the Bidg-documents. Any modification of Bid documents, which may become necessary as a result of the Fre Bid meeting shall be made by the employer exclusively the issue of an Addentium/clarification.
- A Non attendance at the Pre-Bid/Pre bid meeting will not be a cause for discualification of a Bidder

SCHEDULE-B: INSTRUCTIONS TO BIDDERS (ITB)

1.1 GENERAL INFORMATION

1.1.1 Digitally Signed Online Bids are invited for the NIB No .: 117/JMRC/OS/Civil/Works/2025-26 towards "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" by Jaipur Metro Rail Corporation Limited, hereinafter called the 'Employer', for Works in accordance with this Bid Package. The Bid consists of the following documents, along with their Tables, appendices, addenda, corrigenda, and errata if any.

CONTENTS OF BID DOCUMENT: -

- (i) Notice Inviting Bid (NIB) -Schedule-A)
- (ii) Instructions To Bidder (ITB) -(Schedule-B)
- (iii) Special Conditions of Contract (SCC) -(Schedule-C)
- (iv) General Conditions of Contract (GCC) -(Schedule-D)
- (v) Annexure (s) -(Schedule-E)
- (vi) Forms-(Schedule-F)

(vii) Price Bid/ Financial Bid - Bill of Quantities (BOQ) -(Schedule-G)

(viii) Appendices (Schedule-I)

Bids shall be prepared and submitted in accordance with the instructions given herein. This bid is under the RTPP Act 2012 & RTPP Rules, 2013.

1.1.2 The relevant address for correspondence relating to this Bid is given below:

General Manager (Civil), Jaipur Metro Rail Corporation LTD,

Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020

- 1.1.3 A Pre-Bid meeting shall be held on the date and location given in clause 1.0 (o) of the NIB.
- 1.1.3.1 The purpose of the meeting will be to clarify issues and to answer questions on any matters that may be raised at that stage.
- 1.1.3.2 The Bidder is requested to submit any question in writing or by facsimile, to reach the employer not later than the last date of seeking clarification as mentioned in key details of NIB.
- 1.1.3.3 The text of the questions raised by the Bids and the response given will be transmitted without delay to all purchasers of the Bids documents. Any modification of Bid documents, which may become necessary as a result of the Pre-Bid meeting shall be made by the employer exclusively the issue of an Addendum/clarification.
- 1.1.3.4 Non-attendance at the Pre-Bid/Pre-bid meeting will not be a cause for disqualification of a Bidder.

1.2 SUBMISSION OF BIDS

1.2.1 COST OF BID DOCUMENT:

- 1.2.1.1 The BID should be submitted in the prescribed Bid document, which may be purchased as per Clause 1.0 (h) of NIB of Bid Document.
- 1.2.1.2 The complete bid document can be downloaded from the website https://www.eproc.rajasthan.gov.in; <u>http://transport.rajasthan.gov.in</u> <u>/jmrc</u> or www.sppp.raj.nic.in. The cost of bid document is to be submitted in the form of DD/ Banker's Cheque etc as per Clause 1.0 (h & l) of NIB.

1.2.2 SEALING AND MARKING OF BIDS

Online bids will have to be stamped and signed by the authorized signatory of the bidder firm and submitted in a time-stamped electronic sealed box on http://eproc.rajasthan.gov.in in the manner as described in Clause 1.0 (u) of NIB.

1.2.3 EVALUATION OF BID

- 1.2.3.1 The Employer, in accordance with Rule 63 of the RTPPR Rules 2013, will conduct a thorough technical evaluation of the submitted technical proposals to ascertain the bidder's comprehensive understanding of the contract requirements. In the event of a significant inadequacy in a Bidder's technical submission, the Bid will be deemed non-compliant and subsequently rejected. Please refer to Clause 1.0 (t) of the NIB, Clause 1.1.1 of the ITB within the Bid Document, and the relevant Forms and Annexures outlined in Schedule-E and Schedule-F of the Bid Document for further details.
- 1.2.3.2 All bids deemed technically acceptable will be eligible for consideration of their financial proposals. The firms that achieve technical qualifications will be notified by the JMRC. The Employer, *in accordance with Rule 65 of the RTPPR 2013, will conduct a comprehensive financial evaluation* of the submitted financial proposals to ascertain the lowest bidder. Please refer to the relevant sections in the Bid Document for detailed information.
 - 1.2.3.3 For price evaluation of Bid, the Total Overall Cost as quoted for the work of "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" will be considered.
 - 1.2.3.4 All offers shall be evaluated and marked L1, L2, L3 etc., L1 being the offer which is the least expensive offer.

1.2.4 NEGOTIATIONS

Subjected to Section 15 of RTPP Act and Rule 69 of RTPP Rules the procuring entity reserves the right to negotiate with the lowest and most advantageous bidder.

1.2.5 CORRECTION OF ERRORS: -

- 1.2.5.1 Bids determined to be technically acceptable after technical evaluation will be checked by the Engineer/ Employer for any arithmetical errors in computation and summation during financial evaluation. Errors will be corrected by the Employer.
- 1.2.5.2 If a Bidder does not accept the correction of errors as outlined above, his Bid may be rejected, and the Bid security shall be forfeited.

1.3 AWARD OF CONTRACT

1.3.1 AWARD CRITERIA

- 1.3.1.1 Employer will award, the Contract to the Bidder, whose Bid has been determined to be substantially responsive, technically & financially suitable, complete and in accordance with the Bid documents and whose evaluated bid price is determined to be lowest.
- 1.3.1.2 The "Letter of acceptance" will be uploaded on websites as per Clause 1.0 (g) of NIB, sent through E-Mail/Speed Post to the successful Bidder, who will return one copy to the Employer duly acknowledged and signed by the authorized signatory, within seven days of receipt of the same by him. No correspondence will be entertained by the Employer from the unsuccessful Bidder.

1.4 SIGNING OF AGREEMENT

- 1.4.1 The contractor shall prepare the Agreement on the non-judicial stamp as per the Rajasthan Stamp Act, in the Performa (Form D of Schedule-F) included in this Document, duly incorporating all the terms of agreement between the two parties. Within **15** days from the date of issue of the letter of acceptance, the successful Bidder will be required to execute the Contract Agreement. The performance security should be submitted immediately after the issue of the letter of acceptance but not later than the agreement is signed between the parties. One copy of the Agreement duly signed by the Employer and the contractor through their authorized signatories will be supplied by the Employer to the Contractor.
- 1.4.2 Prior to signing of the Contract Agreement, the successful bidder shall submit the following documents within a period of 15 days from the date of issue of the Letter of Acceptance:
 - (a) Performance Security as per Clause 1.5 of ITB.
 - (b) Power of Attorney (If required)
 - (c) Detailed Consortium or Joint Venture Agreement (duly signed and executed) incorporating:
 - i. Percentage Participation of each member/partner.
 - ii. Joint and several liability of the partners.

SCHEDULE-B: Instructions to Bidders (ITB)

1.5 PERFORMANCE SECURITY

- 1.5.1 The successful bidder shall furnish to the Employer a performance security in the form of a BG/BC or DD in the name of JMRC for an amount equal to 10 % of the total Contract Price, in accordance with Clause 4.2 of the General Conditions of Contract and rule 75 of RTPPR-2013. The validity of BG (If submitted) shall be beyond 60 days after the expiry of all contractual obligations. The Bank Guarantee has to be from a scheduled Commercial Bank based in India and the Form of Performance Security (Form C- Schedule-F) provided in this document shall be used. The Performance Security shall be furnished within the time limit specified in Clause 1.4.2 of ITB.
- 1.5.2 Alternatively, upon the successful bidder's request for the deduction of performance security, the Employer, in accordance with Rule 75 (3) (f) of the RTPPR, may permit the Bidder to submit the performance security amount (equivalent to 10 % of the total contract price) through deductions from each running and final bill, calculated at a rate of 10 % of the bill amount. This deduction will continue until the entire performance security has not been received by the submission of the final bill, any outstanding balance of the performance security will be deducted from the final bill to ensure full compliance with the performance security requirement.
 - 1.5.3 In the case of the successful bidder, the amount of bid security may be adjusted in arriving at the amount of the performance security, or refunded if the successful bidder furnishes the full amount of performance security.
- 1.5.4 The Performance Security shall be refunded to the contractor after satisfactory completion of the Defect Liability Period. The Performance Security shall be forfeited by the Procuring Entity when work is not completed within the stipulated period by the contractor and the defects are not attended in the Defect Liability Period.
 - 1.5.5 Additional Performance Security: -
- 1.5.5.1 In addition to Performance Security as specified in rule 75 of RTPPR-2013, an Additional Performance Security shall also be taken from the successful bidder in case of an unbalanced bid. The Additional Performance Security shall be equal to fifty percent of the Unbalanced Bid Amount. The Additional Performance Security shall be deposited in a lump sum by the successful bidder before execution of the Agreement. The Additional Performance Security shall be deposited through a Demand Draft, Banker's Cheque, or Bank Guarantee in favour of "Jaipur Metro Rail Corporation Limited".

Explanation: For the purpose of this rule: -

- Unbalanced Bid means any bid below more than fifteen percent of the Estimated Bid Value.
- (ii) Estimated Bid Value means the value of the subject matter of procurement mentioned in the bidding documents by the Procuring Entity.
- (iii) Unbalanced Bid Amount means a positive difference of eighty-five percent of the Estimated Bid Value minus the Bid Amount Quoted by the bidder.

Signature of Authorized Signatory of Tender

SCHEDULE-B: Instructions to Bidders (ITB)

- 1.5.5.2 The Additional Performance security amount shall be refunded to the contractor after satisfactory completion of the Defect Liability Period. The Additional Performance shall be forfeited by the Procuring Entity when work is not completed within stipulated period by the contractor and the defects are not attended in the Defect Liability Period.
- 1.5.6 Should the successful bidder fail to furnish both the required Performance Security and any additional performance security (if applicable), such failure shall serve as adequate grounds for the annulment of the Contract award and the forfeiture of the bid security. Furthermore, in the event that the successful bidder does not commence the contracted work for any reason following the issuance of the Letter of Award (LOA) in accordance with the terms and conditions outlined in the Bid, the LOA shall be revoked. As a consequence, the Performance Security and any additional performance security (if applicable), or the Bid Security equivalent to the sum of the Performance Security and any additional performance security (if applicable), shall be subject to forfeiture.
 - 1.5.7 Performance security shall be furnished in any one of the following forms: -
 - (a) Bank Draft or Banker's Cheque of a scheduled bank.
 - (b) Bank guarantee or electronic bank guarantee (e-BG) of a scheduled bank. It shall be verified by the issuing bank. Other conditions regarding bank guarantee shall be the same as mentioned in the bidding document for Bid Security. The government of Rajasthan amended the Rajasthan Stamp Act, 1998 vide Finance Bill 2015 and inserted Article 13-A, which provides that a bank guarantee executed by a bank as a surety to secure the due performance of a contract or due discharge of a liability for this stamp duty is payable @ 0.25% of the amount secured subjected to a maximum of Rs. 25000/-.
 - (c) Fixed Deposit Receipt (FDR) of a scheduled bank. It shall be in the name of the procuring entity on account of the Bidder and discharged by the Bidder in advance. The procuring entity shall ensure before accepting the FDR that the Bidder furnishes an undertaking from the bank to make payment/premature payment of the FDR on demand to the procuring entity without the requirement of consent of the Bidder concerned. In the event of forfeiture of the performance security, the Fixed Deposit shall be forfeited along with interest earned on such Fixed Deposit.

1.6 OTHER TERMS & CONDITIONS: -

1.6.1 PAYMENT:

1.6.1.1 Payment will be made on actual work executed after satisfactory completion of works as per the issued work orders by JMRC under this works contract. the submitted GST-Invoice/Bills shall be accepted after certification by the JE Works In-Charge on the face of the bill, confirming the actual work's compliance with BOQ specifications and the amount of the bill is as per recorded measurement in the Measurement Book mentioning with MB Number and Page Number.

SCHEDULE-B: Instructions to Bidders (ITB)

- 1.6.1.2 Upon submission of each bill, under standard circumstances, 100% of the bill amount shall be disbursed. However, in the event that the JE Works In-Charge identifies pending aspects, such as the requirement for verification of works through Material Testing Certificates, Testing Certificates (if necessary) from an NABL accredited testing lab, obtaining NOC from other concerned wings of JMRC (if required), comprehensive site cleaning to ensure the absence of personnel, materials, and equipment, successful testing and commissioning of the works in accordance with the details submitted by the contractor to JMRCL, or any other reason reported by JE Works in writing, in such case only 80% of the bill amount shall be disbursed, and the remaining 20% shall be withheld. It is imperative to note that if the 20% amount is withheld, it shall only be released upon further clearance certification by the JE Works In-Charge, indicating satisfactory resolution of the identified pending aspects.
- 1.6.1.3 No advance is payable.
 - 1.6.1.4 GST-Invoice/Bills, correct in all respect, shall be submitted in favor of Jaipur Metro Rail Corporation Limited, Jaipur with bank details in duplicate along with the acceptance certificate and relevant documents, if any, for arranging payment.
 - 1.6.1.5 Necessary and applicable statutory deductions from the bill/invoice amount shall be done by JMRCL on account of Labour Welfare Cess as per BOCW Welfare Cess Act-1996 (Minimum 01% on bill amount and maximum up to 02% of bill amount as per latest guidelines issued by Govt. of Rajasthan) and TDS etc.

1.6.2 OTHER CONDITIONS:

- 1.6.2.1 The quoted prices shall be deemed to be inclusive of all costs related to manpower, materials, tools, equipment (including Crane/Hydra if required), transportation, safety arrangements, Personal Protective Equipment (PPE), barricading (if required), and all applicable taxes, duties, levies, and charges. No additional payment shall be made on any account. The bidder shall take all such costs into consideration while quoting the rates in the tender.
- 1.6.2.2 No tools and Plants shall be issued to the contractor by JMRC.
- 1.6.2.3 Only authorized staff of the contractor having proper identity cards issued by the contractor/firm shall be permitted to enter in JMRC Site Premises.
- 1.6.2.4 The work should be carried out without causing any hindrance to the users.
- 1.6.2.5 If the contractor fails to perform/execute the work satisfactorily, the contract may be terminated at any time without assigning any reason to the contractor.
- 1.6.2.6 The JMRC shall have the right to make minor alterations/additions/substitution in the scope of work or issue instructions that may be deemed necessary during the period of the contract and contractor shall carry out the work in accordance with the

Page 21 of 66

instructions which may be given to him by authorized JMRC's representative.

1.6.2.7 RPWD BSR, RUIDP ISOR Specifications, CPWD Specifications, IRC/IS Codes, and other relevant provisions of applicable codes, specifications, and manuals shall be applicable to these works. The execution of work shall strictly adhere to these standards and guidelines.

- If a Crane or Hydra is required to be used for execution of works at height within JMRC premises, it shall be of 1st Generation or an equivalent category, as per the directions and approval of the Engineer-In-Charge. All expenses related to the deployment, operation, and safety compliance of such equipment shall be borne entirely by the contractor, and he shall consider the same while quoting rates in the tender.
- 1.6.2.9 The contractor must be fully aware that, being a Metro organization, certain works may be required to be executed during night hours, specifically between 11:00 PM to 4:00 AM, due to operational constraints and safety considerations. The contractor shall accordingly plan manpower, logistics, and execution methodology. No extra claim shall be entertained on account of working during night hours. The bidder is advised to take this site restriction into account while quoting the rates in the tender.
 - 1.6.2.8 JMRC's General conditions of contract shall be applicable.

1.6.3 RTPP Act 2012 & RTPP Rules 2013:

"The Rajasthan Transparency in Public Procurement Act, 2012 and the "The Rajasthan Transparency Public Procurement Rules, 2013" under the said act have come into force, which are available on the website of State Public Procurement Portal http://sppp.rajasthan.gov.in. The Bidders are advised to acquaint themselves with the provisions of the Act and the rules before participating in the Bidding process. If there is any discrepancy between the provisions of the Act and the Rules and this Bidding document, the provisions of the Act and the Rules shall prevail".

SCHEDULE-C: - SPECIAL CONDITIONS OF CONTRACT (SCC)

1.0 SPECIAL ATTENTION

The Contract will be awarded as per RTPP Act-2012 and RTPP Rules, 2013, to the Bidder whose responsive bid is determined to be eligible and lowest rated as per the terms and conditions of the bid document.

2.0 RIGHT OF WAY

Right of way (within JMRC land) to the work site will be provided to the Bidder by the Engineer-In-Charge.

3.0 COORDINATION WITH OTHER BIDDERS

The bidder for this package shall plan and execute work in coordination and in cooperation with other bidders working for adjacent/other packages, under intimation to the Engineer-In-Charge.

4.0 SUFFICIENCY OF BID

- 4.1 The Bidder shall be entirely responsible for the sufficiency of rates quoted by him in his bid.
- 4.2 The Bidder (Successful Bidder) shall be paid for only at quoted/accepted rates.

5.0 NOTICES AND INSTRUCTIONS

The Bidder shall furnish to the Employer/Engineer the postal address of his office at Jaipur and working E-Mail address. Any notice or instructions to be given to the Bidder under the terms of the contract shall be deemed to have been served on him if it has been delivered to his authorized agent or representative at the site or if it has been sent by registered post to the office, or to the address of the firm last furnished by the Bidder or if conveyed by the E-Mail from the authorized email.

6.0 SUPPLY OF MATERIALS TOOLS, AND EQUIPMENT BY THE EMPLOYER

No material, tools, or equipment shall be supplied by the Employer. The Bidder has to arrange all tools, equipment, materials etc. required for the work. The Bidder shall have to identify sources for the supply of all materials and get them approved by the Engineer-In-Charge before the use. The Bidder shall submit the sample to the Engineer-In-Charge and shall use it only after the sample is approved. Nothing extra shall be payable to the Bidder on this account.

7.0 USE AND CARE OF SITE

7.1 The Bidder shall not demolish, remove or alter structures or other facilities on the site without prior approval of the Engineer-In-Charge. Furthermore, if the work site is situated in Chhoti Chaupar or Badi Chaupar, please note that these locations are designated UNESCO World Heritage Sites. Consequently, all work must be conducted with the highest level of care

SCHEDULE-C: Special Conditions of Contract (SCC)

and adherence to preservation standards to ensure the protection of the site's historical and cultural integrity.

- 7.2 All garbage/debris shall be removed from the site daily or as they accumulate. All garbage/debris shall be disposed of to the approved locations in a covered position. The necessary materials required i.e. cartoons/ dustbins etc to be provided by the bidder at his cost. The transportation for disposing of the debris shall also be arranged by the bidder.
- 7.3 All surrounding surface and sub-soil drains shall be maintained in a clean, sound and satisfactory state of performance.
- 7.4 Necessary permission/approval of the Employer's representative shall be obtained before carrying out the work.

7.5 ACCIDENTS: -

It shall be the entire responsibility of the bidder to adopt all the safety measures and deploy personnel who are adequately trained in safety. If any accident occurs within the JMRC jurisdiction while carrying out the works or due to negligence on the part of the bidder's personnel, it shall be the full responsibility of the bidder.

8.0 DUTIES, TAXES, OCTROI, ROYALTY ETC

- 8.1 The rates quoted by the Bidder for all materials, required to be purchased for the satisfactory performance of this contract, shall be deemed to be inclusive of all duties, taxes, octroi, royalties, rentals etc.
- 8.2 The Bidder shall ensure full compliance with the tax laws of India with regard to this contract and shall be solely responsible for the same. He shall submit copies of acknowledgements evidencing filing of returns every year and shall keep the Employer fully indemnified against liability of tax, interest, penalty etc, of the Bidder's in respect thereof, which may arise.

9.0 MANDATORY REGISTRATION OF BIDDER

The bidder should be registered for "Goods and Service Tax" (GST).

10.0 HOUSING FACILITIES:

(Supplemental to Clause 6.6 of "General Conditions of Contract")

The Bidder shall have to make his own arrangements for housing facilities for his staff.

11.0 ACCESS ROADS AND HAUL ROADS

- 11.1 Existing roads and other public roads may be used by the Bidder to carry out works with prior approval of the competent authority. The Bidder shall pay the statutory vehicle license and permit fees for use of public roads.
- 11.2 The Bidder shall repair any damage to the road or bear the cost thereof due to the movement of the bidder's plants and equipment, vehicles etc. to the specifications and satisfaction of road authorities as well as of Engineer.

12.0 DEDUCTIONS FROM BIDDER'S BILL

- 12.1 Tax Deduction at Source (TDS): The Employer shall deduct Tax at Source (TDS) from each on-account progress bill in accordance with the provisions of relevant statutes, acts of statutory bodies, and local authorities.
- 12.2 **Statutory Deductions for Labour Welfare Cess:** JMRCL shall make necessary deductions from the bill/invoice amount on account of Labour Welfare Cess as per the provisions of the Building and Other Construction Workers Welfare Cess Act-1996. The deduction shall range from a minimum of 01% to a maximum of 02% of the bill amount, subjected to the latest guidelines issued by the Government of Rajasthan.
- 12.3 **Other Deductions:** Any other deductions, if applicable, shall be made in accordance with the provisions outlined in Section 1.6.1.2 of Instructions To Bidders (ITB) and Section 13.3 of Schedule-C: Special Conditions of Contract (SCC).

13.0 PROGRAM OF WORKS

- 13.1 The period of the contract is as per Clause 1.0 (c.) of NIB. However, the work should be started immediately after the issue of the LOA or as per the directions contained in the LOA.
- 13.2 The bidder should work round the clock if required. The major activities which are affecting the traffic are to be done at non-operational hours i.e. in the night shift.

13.3 PENALTY

- 13.3.1 Penalty for non-attending the works within the minimum specified time as mentioned for the different works after the issue of instructions by the competent authority or incomplete work or for the poor quality of works will be levied up to the rate of 10% of the following:
 - 13.3.1.1 In Case of Item Rate Contract, Total Cost of work as per Work order

13.3.1.2 In Case of a contract other than the Item rate contract, the total Contract Price.

13.3.1.3 In Case of Termination of any Contract, the total Contract Price.

- 13.3.2 Repeated failure by the bidder to attend to the works within a specified time period may lead to termination of the contract. The penalty shall be preceded by proper show cause notice. The penalty once levied may be reviewed by the authority next higher to the authority who has levied the penalty on written submission by the bidder within 15 days of the levy of the penalty.
 - 13.3.3 This penalty shall not relieve the bidder from his obligation to execute the works or from any other of his obligations and liabilities under the contract.
 - 13.3.4 The Bidder shall co-ordinate his programme to the extent feasible with the programmers of other bidders to be engaged at the site or in the vicinity of the site, as furnished by the Engineer so that the works can be carried out as per the overall program.

SCHEDULE-C: Special Conditions of Contract (SCC)

- 13.3.5 0.015% of contract price per day of delay in completion of work as per time period of completion mentioned in work orders.
- 13.3.6 In cases where the entire bid security, performance security, or any substitute thereof is forfeited by the procuring entity in relation to a procurement process or contract termination, the bidder may face debarment from participating in any future procurement processes conducted by the procuring entity. The duration of this debarment period shall not exceed three years.

14.0 SECURITY MEASURES

- 14.1 Security arrangements for the work shall be in accordance with general requirements and the Bidder shall confirm such requirements and shall be held responsible for the action or inaction on the part of his staff, and employees.
- 14.2 Bidders' employees and representatives shall wear Identification Badges/ ID Cards, helmets, gum boots, approved uniform and other safety/protection wear as directed by the Engineer in-charge, and to be provided by the Bidder. Badges shall identify the Bidder and show the employee's name and number and shall be worn at all times while at the site.
- 14.3 All vehicles used by the Bidder shall be clearly marked with the Bidder's name or identification mark.

15.0 ECOLOGICAL BALANCE

- 15.1 The Bidder shall maintain ecological balance by preventing deforestation, water pollution and defacing of natural landscape. The Bidder shall conduct his work activities, as to prevent any avoidable destruction, scarring or defacing of natural surroundings in the vicinity of work. In respect of ecological balance, the Bidder shall observe the following instructions.
- 15.2 Where destruction, scarring, damage or defacing may occur as a result of operations relating to works activities, the same shall be repaired, replanted or otherwise corrected at Bidder's expense. All work areas shall be smoothened and graded in a manner to confirm to natural appearance of the landscape as directed by the Engineer.
 - (a) All trees/plants and shrubbery, which are not specifically required to be cleared or removed for works purposes, shall be preserved and shall be protected from any damage that may be caused by Bidder's maintenance activities. The removal of trees/plants or shrubs may be permitted only after prior approval by the Engineer-In-Charge. Trees/plants shall not be used for anchorage. The Bidder shall be responsible for injuries to trees/plants and shrubs caused by his operations. The term "injury" shall include, without limitation, bruising, scarring, tearing and breaking of roots, trunks or branches etc. All injured trees and shrubs shall be restored as nearly as practicable, without delay, to their original condition at Bidder's expenses.

SCHEDULE-C: Special Conditions of Contract (SCC)

117/JMRC/OS/Civil/Works/2025-26

- (b) In the conduct of works activities and operation of equipment, the Bidder shall utilize such practicable methods and devices as are reasonably available to control, prevent and otherwise minimize air/noise pollution.
- 15.3 Separate payment shall not be made for complying with the provisions of this clause and all costs shall be deemed to have been included in the price in the Bill of Quantities.

16.0 BRIEF SCOPE OF WORK

Brief scope of work is included/mentioned in Schedule G of the Bid document.

17.0 PAYMENT

- 17.1 For the purpose of On-account payment, the bidder shall submit detailed activities carried out as per Work orders recorded in Measurement sheets, Abstract sheets along with recorded bill for the item actually executed for checking and payment. Payment will be based on unit rates as approved in the Bill of Quantities.
- 17.2 The bidder has to submit self-certified copies of vouchers showing quantity of materials brought to site for in charge's record.
- 17.3 If any activities not carried out as per the work order the applicable amount may be deducted from the payable bill amount or performance security/bid security etc. If the work carried out through other agency under the intimation to the bidder and the charges incurred on it may be deducted from the bidder's bill. In addition, the applicable penalty may be levied as per Clause 13.3 of SCC.
- 17.4 The payment shall be made on actual work done basis for the activities carried out as per the work orders. At the time of billing, the bidder shall submit necessary documents and Bill in the standard format for payment.

18.0 BIDDER'S OFFICE

- 18.1 The Bidder shall establish an office in Jaipur in consultation with the in charge for planning, co-ordination and monitoring the progress of the Work and intimate the same in writing to incharge.
 - 18.2 In addition, the Bidder shall also set up field offices at convenient and approved locations for co-ordination and for monitoring the progress of work at his own cost. The office shall be manned by bidder staff consisting of one supervisor (graduate Civil Engineer with 3 years' experience/Recognized Diploma Holder in Civil Engineering with 05 years' experience). The contractor has to submit the details/certificates of his supervisor to Manager (Civil) immediately after award of LOA. The contact numbers of contractor's representative shall be intimated in writing to GM Civil/O&S or his authorized representative.
 - 18.3 One "Site Order Book / Progress Monitoring register" shall be maintained at field office.

19.0 NOISE AND DISTURBANCE/POLLUTION

- 19.1 All works shall be carried out without unreasonable noise and disturbance. The Bidder shall indemnify and keep indemnified the Employer from and against any liability for damages on account of noise or other disturbance created while carrying out the work, and from and against all claims, demands, proceedings, damages, costs, charges, and expenses, whatsoever, in regard or in relation to such liability.
- 19.2 Subject and without prejudice to any other provision of the Contract and the law of the land and its obligations as applicable, the Bidder shall take all reasonable precautions.

20.0 ADVANCES

No advances shall be paid to the Bidder.

21.0 PRICE VARIATION CLAUSE

Price variations clause is not applicable in this contract.

22.0 WATER SUPPLY AND ELECTRICITY

Electricity and water shall be arranged by the contractor on his own and at his cost.

If available, the Employer may provide Water supply and Electricity on chargeable basis. The contractor shall make his own arrangements to tap the Electricity from the nominated and existing sockets/ points. The contractor shall tap the Electricity as per IE Rules & IE Act (Latest) duly complying all safety precautions and under following conditions:

- a) The contractor shall submit full scheme for the requirement of Electricity & water. If scheme mentions Electricity requirement which is beyond the capacity of the Employer, in that case the contractor shall make his own arrangements/ alternative arrangements.
- b) The Contractor should make his own arrangements to draw the water from the available water point to the working place without affecting the premises.

Water supply and electricity may be provided by JMRC if possible, as per site condition only after the approval of authority of JMRC.

23.0 COMPLIANCES TO VARIOUS PROVISIONS OF ACTS:

The bidder shall comply with all the provisions of the Minimum Wages Act, 1948, The Building and Other Construction Workers (Regulation of Employment and Condition of Service) Act 1996 and Contract Labour (Regulation and Abolition) Act, 1970, EPF act, ESI Act etc as applicable and amended from time to time and rules framed there-under and other labour laws affecting contract labour that may be brought into force from time to time.

24.0 RIGHT TO VARY QUANTITY (As per latest provisions of RTPPR, 2013)

Bidder is to carry out their self-assessment in respect of their capacity in terms of manpower, machinery, materials and finance. He is to indicate separate set of manpower, machinery, materials in different bids. Once a bid is accepted, resources required for its execution shall not be considered for assessment of other bid. The bidder is required to consider right of JMRC to vary quantities as per latest provisions of RTPPR 2013 (Rule-73) as amended from time to time.

25.0 RETURNS OF SURPLUS MATERIAL

Surplus material provided by the bidder at the start of this contract for maintaining inventory will be the property of bidder and is to be removed within 07 days after completion of work. After expiry of 07 days, charges for the space occupancy may be charged from bidder @ 500 /- per day per inventory.

26.0 STORAGE OF DISMANTLED MATERIAL

Storage of dismantled materials will be the responsibility of bidder. Dismantled material so accumulated is to be submitted to STORES of JMRC at DCOS Building at Metro Train Depot of JMRC at Bhrigu Path Mansarovar, Jaipur on the risk and cost of bidder after getting written permission from O/o Engineer-in-charge.

27.0 WORK NOT TO BE SUBLET

The work should not be sublet, the written approval of Procuring Entity (PE) is required.

28.0 SCHEDULE OF INSPECTIONS

The work site shall be inspected jointly by bidders and JMRC representative and inspection note shall be issued jointly. All the defects appearing in inspection note shall be rectified within specified time or DLP. The Performa of Inspection shall be provided by Engineer-In-Charge.

29.0 DIVIDING QUANTITIES AMONG MORE THAN ONE BIDDER AT THE TIME OF AWARD (IN CASE OF PROCUREMENT OF GOODS) (RULE-74 OF RTPPR-2013):

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

SCHEDULE-C: Special Conditions of Contract (SCC)

117/JMRC/OS/Civil/Works/2025-26

30.0 MATERIALS:

30.1 Quality:

- 30.1.1 All materials used in the works shall be of the quality of their respective kinds as specified in RPWD specifications/Equivalent to approved list of material, obtained from sources and suppliers approved by the Engineer and shall comply strictly with the tests prescribed in the Technical Specifications/Codes of Practice (RPWD/CPWD/IRC/IS Codes etc) as per the directions of Engineer-In-Charge.
- 30.1.2 All materials used in JAIPUR METRO RAIL CORPORATION LTD. stations premises and mainline viaduct and underground tunnel section during construction stage are approved materials. In addition, to materials used to construct JAIPUR METRO RAIL CORPORATION LTD. Bidders are advised to refer list of additional approved sources/ vendors of material attached as Appendix-01. Of this Bid Document.

30.2 SAMPLING AND TESTING:

- 30.2.1 In addition to Test certificates, samples of all materials proposed to be employed in permanent works shall be submitted to the Engineer when called for. In such cases, materials will not be brought to the site without prior approval of the Engineer.
- 30.2.2 Samples provided to the Engineer are to be labelled in boxes suitable for storage. Materials or workmanship, not corresponding in character and quality with approved samples, will be rejected by the Engineer.
- 30.2.3 Samples required for approval and testing must be supplied at least 15 days in advance to allow for testing and approval. Delay to the works arising from the late submission of samples will not be acceptable as a reason for the delay in completion of the works.
- 30.2.4 The bidder shall bear all expenses for sampling and testing, whether at the manufacturer's premises, at the source, on-site, or at any testing laboratory or institution as directed by the Engineer. It is explicitly stated that JAIPUR METRO RAIL CORPORATION LTD will not bear any costs associated with these activities in any case, the bidder shall solely be responsible for covering all associated testing charges.

31.0 REJECTION:

Any materials that have been found not to conform to the specifications will be rejected forthwith and shall be removed from the site by the bidder at its own cost within 15 days.

32.0 WORKMANSHIP:

All works shall be true to level, plumb and square and the corner, edges and arises in all cases shall be unbroken and neat and shall be as per provisions in the relevant Technical Specifications / Standard Codes of Practices.

Bidder shall also submit Quality Assurance Programme and Methods Statements for special works to be done within 07 days before the start of work for approval of Engineer-in-Charge.

33.0 Material Supply and Statutory Royalty Compliance:

33.1 Material Sourcing and Delivery

The Contractor/Supplier shall be responsible for the supply and timely delivery of construction materials including but not limited to sand, dust, grit, bajari, bricks, cement, and any other materials as specified in the contract scope.

33.2 Royalty and Statutory Dues

The Contractor/Supplier shall ensure that all applicable royalties, taxes, duties, levies, and other statutory charges related to the mining, procurement, and transportation of construction materials have been duly paid to the concerned authorities including, but not limited to:

(i). Rajasthan State Mines and Minerals Limited (RSMML)

(ii). Department of Mines and Geology, Government of Rajasthan

33.3 Proof of Royalty Payment

The Contractor/Supplier shall provide valid proof/documents of royalty payments and statutory compliance, including royalty slips/challans, transportation permits (e-ravanna), and relevant declarations or certificates, along with each invoice or as and when demanded by the Employer/Client.

33.4 Indemnification

The Contractor/Supplier shall indemnify and keep the Employer/Client indemnified against any liability, penalties, claims, losses, or legal proceedings arising out of non-payment, short payment, or delayed payment of royalties and statutory dues related to material procurement.

33.5 Termination for Non-Compliance

Non-compliance with the provisions of this clause may be treated as a breach of contract and may lead to termination, forfeiture of the security deposit, or other penalties as deemed appropriate by the Employer/Client.

33.6 Statutory Compliance and Royalty Documentation Prior to Payment

33.6.1 Before processing the payment of any GST-Invoice/Bill related to the supply or use of construction materials such as sand, dust, grit, bajari, bricks, and other mined or extracted items, the Contractor shall submit a self-certified declaration along with supporting documents confirming that all applicable royalties and statutory dues have been paid to the relevant government authorities, including but not limited to the Department of Mines and Geology, Government of Rajasthan, and/or Rajasthan State Mines and Minerals Limited. Copies of royalty challans, e-ravannas, or other proof of payment shall be submitted with each bill, wherever applicable. Non-submission of these documents may lead to withholding of payment until due compliance is ensured.

33.6.2 It shall be the sole responsibility of the Contractor to ensure full compliance with all applicable statutory provisions, government

SCHEDULE-C: Special Conditions of Contract (SCC)

regulations, local laws, and contractual obligations before submission of any GST-Invoice/Bill. This includes, but is not limited to, compliance with labour laws, payment of royalty, environmental clearances, transportation permits, safety regulations, and taxes. Any bill submitted without fulfilling such mandatory compliance requirements shall be liable for rejection or withholding of payment until satisfactory proof of such compliance is furnished to the satisfaction of JMRC.

34.0 Traffic Management and Road Diversions:

During the execution of work at road level, particularly during night hours, it shall be the sole responsibility of the Contractor to arrange and implement all necessary traffic blocks, diversions, and safety measures as per the applicable traffic regulations and in coordination with the local traffic police or relevant authority.

The Contractor shall:

- (i) Obtain prior approval from the competent traffic authority, wherever required.
- (ii) Erect proper signage, barricading, warning lights, reflectors, and flagmen for guiding traffic and ensuring public safety.
- (iii) Ensure uninterrupted and safe passage for vehicles and pedestrians during the diversion period.
- (iv) Bear all expenses related to the arrangement and management of traffic diversions.
- (v) Restore the road and affected areas to their original or acceptable condition after completion of the work.

Failure to comply with this clause shall be treated as a breach of contract, and JMRC reserves the right to impose penalties or recover costs incurred for rectification or safety enforcement.

35 Night Work Planning and PTW Coordination

Due to operational constraints and continuous metro services during daytime hours, all or part of the civil works under this contract may be required to be carried out during night hours. It shall be the responsibility of the Contractor to prepare and plan the work schedule accordingly.

The Contractor shall:

- (i) Coordinate in advance with the Engineer-in-Charge for identification of activities requiring night-time execution.
- (ii) Submit a detailed night work plan sufficiently in advance to enable the Civil Department to obtain the necessary **Permit to Work (PTW)** from the Operations Department of JMRC.
- (iii) Ensure strict adherence to the PTW conditions issued by the Operations Department, including working hours, safety norms, and operational protocols.
- (v) Mobilize manpower, machinery, and materials accordingly to execute night work without delay or disruption.

SCHEDULE-C: Special Conditions of Contract (SCC)

(v) Bear any additional cost arising from night work arrangements, unless otherwise specified.

Failure to plan and coordinate in a timely manner may result in delays for which the Contractor shall be solely responsible, and no claims on this account shall be entertained by JMRC.

35. Employer's Requirements:

The Contractor shall complete the work as per the approved schedule and within the overall completion period defined in the contract. The execution of work shall strictly adhere to the requirements, specifications, and the method of statement as detailed in Appendix-03 of SCHEDULE-I: Appendices, or as instructed by the Engineer-in-Charge.

SCHEDULE-D: Other Relevant Document

1.0 General Condition of Contract:

Approved GCC is uploaded and available on the JMRC website i.e. <u>https://transport.rajasthan.gov.in/jmrc</u>, by signing the Bid Document, firm agrees to accept the GCC. While framing the contract with the successful Bidder, the bidder shall sign the complete GCC document and submit it to the JMRC.

2.0 Safety Health And Environment (SHE) Manual:

Approved **Safety Health and Environment (SHE) Manual** is uploaded and available on the JMRC website i.e. <u>https://transport.rajasthan.gov.in/jmrc</u>, by signing the Bid Document, firm agrees to accept the GCC.

3.0 RTPP Act 2012 & RTPP Rules 2013:

The provisions of RTPP Act 2012 and RTPPR-2013 Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and RTPPR-2013 Rules thereto, the later shall prevail. The RTPP Rules and ACT 2013 is available on the website of finance department of Rajasthan i.e. https://finance.rajasthan.gov.in/

4.0 Technical Specifications: -

RPWD Specifications/CPWD Specifications/IRC/IS Code/RUIDP ISOR etc. and provisions of Codes/Specifications/ Manual are applicable for these works and work should be carried out as per these specifications and manual. Crane or Hydra if required to be used for various works at height in JMRC premises shall be of 1st Generation or equivalent category as per the directions of Engineer-In-Charge. Relevant document is available to concern department website. SCHEDULE-E: - ANNEXURES

SCHEDULE-E: - ANNEXURES

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- b. Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- c. Not indulge in any collusion, Bid-rigging or anti-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- d. Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- e. Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- f. Not obstruct any investigation or audit of a procurement process;
- g. Disclose conflict of interest, if any; and
- h. Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest: -

- The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.
- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
- have controlling partners/ shareholders in common; or
- b. receive or have received any direct or indirect subsidy from any of them; or
- c. have the same legal representative for purposes of the Bid; or

d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or

e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or

f.the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or SCHEDULE-E: - ANNEXURES

117/JMRC/OS/Civil/Works/2025-26

g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/consultant for the contract.

in, person participating in a procurenced process shall

- Netroffer any, bride, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in pressrement process or to otherwise influence the procuration process;
- Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- . Not indulge in any collusion. Bld agging or anti-competitive behaviour to
- impair the transparency, (atracts and progress of the productment process)
- C Not misuse any information shared between the procuring Enror and like Bidders with unintent to gain unfair advantage in the procurement process;
- Not includge in any coercion including informing of harming or Unreatenting to do the same, directly or indirectly, to any party or to its property to influence the productment process;
 - Not obstruct any investigation or audit of a producement pricess;
 - e. Disclose conflict of intérest, if any; and
- h. Disclose any previous transgrassions with any Entity in India or any other country during the last three years or any department by any other procuring entity.

- :sectoral lo follino?

- The Bildder participating in a bidding process must not nave a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party bus interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with anglicable laws and regulations.
- A Bidder may be considered to be in Conflict of Interest with one or more corries in a bidding process if, including but not limited to:
 - have confrolling partners/ shureholder's in common, or
 - coolive or have received any direct or indirect vubridy from any of them, or
 - have the same least retriescitistive for outstosies of the Bid; or

d. have a relationship with each other, directly or through common third parties, that puts then in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Producing Entity regarding the biddire process; or

• The Hidden participates in more than one Bid in a bidding process. Participation by a filder in more than one Bid will result in the disquelification of all filds in which the Hidder is involved. However, this does not faut the metasion of the same subcontractor, not otherwise participating as a Bidder, in more than one Big or

the Bidder or any of its affinates participated on a consultant in the propuration of he design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
SCHEDULE-E: - ANNEXURES

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

| In | relation | to | my/our | r Bid | submitted | to | for procurement of |
|-----|-----------------------|----------------|-------------------|---------------|-------------|-------|---|
| her | tice Inv eby decla | iting are u | Bids Bids Bids | No ction 7 | of Rajastha | n Tra | in response to their Dated I/we ansparency in Public Procurement Act, 2012, |

- 1. I/we possess 1the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document:
- I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our 3. affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings.

5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Signature of bidder Place: Name Designation: Address:

Signature of Authorized Signatory of Tender

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is MD, JMRC.

The designation and address of the Second Appellate Authority is Chairman, JMRC.

(1) Filing an appeal:

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (I) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to be in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely: -

- (a) determination of need of procurement;
- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;
- (d) cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

Form of Appeal

- (a) An appeal under para (I) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be nonrefundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall, -
- (i) Hear all the parties to appeal present before him; and

(ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.

- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Signature of Authorized Signatory of Tender

SCHEDULE-E: - ANNEXURES

117/JMRC/OS/Civil/Works/2025-26

FORM No. 1

[See rule 83]

Annexure C1: Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No of

Before the (First / Second Appellate Authority)

1. Particulars of appellant:

(i) Name of the appellant

(ii) Official address, if any:

(iii) Residential address:

2. Name and address of the respondent

- (i)
- (ii)
- (iii)

Number and date of the order appealed against and name and designation of the officer / authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:

...... (Supported by an affidavit).

Trace

Date

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors (Rule-64 of RTPPR-2013)

Provided that the Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the option of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subjected to (i) and (ii) above

If the Bidder that submitted the lowest evaluated Bid does not accepted the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Deleted

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods) (Rule-74 of RTPPR-2013)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Blank Pro-forma of the Certificate is there at Annexare-F. The same should e completed and submitted along with the bid submission.

Sugnature of the Edour or his Authorized signatory with seal of the Firm

SCHEDULE-E: - ANNEXURES

117/JMRC/OS/Civil/Works/2025-26

Annexure E: INITIAL FILTER CRITERIA OF APPLICANT

[ON COMPANY'S LETTER HEAD (EACH MEMBER IN CASE OF CONSORTIUM)]

Name of the Applicant: _

| S/N | Criteria | Yes | No |
|------|--|----------------|----|
| 1. | Has the Applicant abandoned any work in the last 03 years? | | |
| 2. | Has the Bidder contract with any organization ever been terminated due to poor performance? | | |
| 3. | Has the Bidder Security Deposit for any contract ever been forfeited by any Govt./ Semi Govt./ PSU/ MRTS/ Corporate houses? | | |
| 4. | Has the Applicant been involved in frequent litigations in the last three years? | | |
| 5. | Has the Applicant suffered bankruptcy / insolvency in the last three years? | | |
| 6. | Has the Applicant been blacklisted by any organization? | | |
| 7. | Has any misleading information been given in the application? | 2. De 3. Si | |
| 8. | Is the Applicant financially not sound to perform the work? | | |
| 9. | Is the Applicant's Net Worth negative? | | |
| 10.* | Has the applicant failed to certify that no agent / middleman has been or will be engaged or that any agency or commission has been or will be paid? | | |
| 11.* | Do the documents submitted by the applicant reveal that agency commission has been or will be paid? | | |

NOTE: -

"YES" answer to any of the questions from 1 to 11 will disqualify the Applicant.

* Blank Pro-forma of the Certificate is there at Annexure-F. The same should be completed and submitted along with the bid submission.

Signature of the Bidder or his Authorized signatory with seal of the Firm

Dated

SCHEDULE-E: - ANNEXURES

117/JMRC/OS/Civil/Works/2025-26

Annexure F: CASE OF CONSORTIUM

[ON COMPANY'S LETTER HEAD (EACH MEMBER IN CASE OF CONSORTIUM)]

I, Mr./Ms. ______ (Authorized Signatory)* on behalf of registered office at _______ (Company's Name) having its declare that no agent, middleman or any intermediary has been, or will be engaged by me to provide any services, or any other item or work related to the award and performance of this contract. I further confirm and declare that no agency commission or any payment which may be construed as an agency commission has been, or will be paid by me and that the bid price will not include any such amount.

(Signature) _____

Name of signatory ____

Capacity of signatory

* Should be supported by authorized Power of Attorney in favour of authorized signatory along with their copy of Board Resolution.

Signature of Authorized Signatory of Tender

Annexure G: CERTIFICATE/UNDERTAKING

G1.0 CERTIFICATE/UNDERTAKING

CERTIFICATE/UNDERTAKING

(As per RTPP Act-2012; Section-07 (2) ((a) to (e))

(On Bidder's/Firm's Letter Head)

We certify that our organization: -

- (a) possess the necessary professional, technical, financial and managerial resources and competence required as per the bidding documents, prequalification documents or bidder registration documents, as the case may be, issued by the procuring entity;
 - (b) have fulfilled his obligation to pay such of the taxes payable to the Central Government or the State Government or any local authority as may be specified in the bidding documents, pre-qualification documents or bidder registration documents;
 - (c) not be insolvent, in receivership, bankrupt or being wound up, not have its affairs administered by a court or a judicial officer, not have its business activities suspended and must not be the subject of legal proceedings for any of the foregoing reasons;
 - (d) not have, and their directors and officers not have, been convicted of any criminal offence related to their professional conduct or the making of false statements or misrepresentations as to their qualifications to enter into a procurement contract within a period of three years preceding the commencement of the procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
 - (e) Not have a conflict of interest as may be prescribed and specified in the pre-qualification documents, bidder registration documents or bidding documents, which materially affects fair competition.

We undertake that we shall open our office in Jaipur before issue of LOA/NTP.

Date

Place

Signature

Name

Designation

Seal of Authorized Signatory

Signature of Authorized Signatory with Seal

SCHEDULE-E: - ANNEXURES

G2.0 CERTIFICATE/UNDERTAKING :

UNDERTAKING

(As per clause 1.0 (u) Note (b) of NIB)

1. I/we M/s..... hereby submit that presently my/ our firm is not registered with any or all of the authorities as mentioned below: -

| S. No | Registration For | Registered or Not registered |
|----------|--|------------------------------|
| (a) | OST Desistent | made there under |
| (b) | Employees Provident Fund | baarung renodel |
| (c) | Employee State Insurance | outstanding due |
| (d) | Contract Labor License under contract Labor Regulation and Abolition Act 1970 | |

2. I hereby undertake that within 15 days of issuance of LOA by JMRC, we shall get registered with the authorities concerned for above mentioned registrations please.

are correct and final under the work order and shall have no claim whatsoes inter against the work done so for.

Signature of Authorized Signatory with Seal

SCHEDULE-E: - ANNEXURES

Annexure X: CERTIFICATE BY CONTRACTOR ON ACCOUNT OF WORK EXECUTED FOR BILL

Name of Work:- "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur"

NIB No.117/JMRC/OS/Civil/Works/2025-26 Dated:

Agreement No.:-

ON ACCOUNT OF WORK EXECUTED FOR _____

BILL

CERTIFICATE BY CONTRACTOR

- In compliance of latest provision of the Minimum Wages Act, 1948 and rules made there under in respect of any employee engaged by us, I/We declare that laborer engaged by me/us have been fully paid for. In the event of any outstanding due to be payable to any labor/laborers the corporation is entitled to recover the same from any money due to or occurring to the contractor in consideration payment to such laborer.
- 2. Certified that all valid insurance policies as per GCC Clause are available.
- Certified that EPF, Payment of Wages Act, 1948, Workman Compensation Act-1923, contract Labor Act-1938, BOCW Welfare Cess Act 1996 and Factories Act-1948 have been given compliance.
- 4. Certified that we accept the measurement recorded at site as per Measurement Sheets _MB No-______at Page No-______enclosed are correct and final under the work order and shall have no claim whatsoever later against the work done so far.

| Name of Contractor | 1111 Do managerill |
|----------------------|--------------------|
| Full Postal Address: | |
| | |

Date:

Place:

SIGNATURE & STAMP OF THE CONTRACTOR

Page 46 of 66

SCHEDULE-F: - FORMS

FORM A: FORM OF BID

A.1

Note: i. The Appendix and forms are part of the Bid

ii. Bidders are required to fill up all the blank spaces in this Form of Bid and Appendix.

Name of Work: - "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur"

То

Director, Jaipur Metro Rail Corporation Ltd. Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020

Having visited the site and examined the General Conditions of Contract (Available on JMRC's Website) as well as Special Conditions of Contract, Specifications, Instructions to Bidders, for the execution of above named works, we the undersigned, offer to execute and complete such works and remedy defects therein in conformity with the said Conditions of Contract, Specifications, and Addenda.

- 1. We acknowledge that the Appendix forms an integral part of the Bid.
- We undertake, if our Bid is accepted, to commence the works within as per Letter of Acceptance to complete the whole of the Works comprised in the Contract.
- 3. If our Bid is accepted, we will furnish at our option a Bank Guarantee for Performance as security for the due performance of the Contract. The amount and form of such guarantee or bond will be in accordance with Clause 4.2 of the General Conditions of the Contract and as indicated in the Appendix.
- 4. We have independently considered the amount shown Clause 8.5 of the General Conditions of Contract as liquidated damages and agree that they represent a fair estimate of the damages likely to be suffered by you in the event of the work not being completed in time.
- 5. We agree to abide by this Bid for a minimum period of 90 days from the date fixed for receiving the same and it shall remain binding upon us and may be accepted at any time before the expiry of that period or any extended period mutually agreed to.
- 6. Unless and until a formal Agreement is prepared and executed, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
- 7. We declare that the submission of this Bid confirms that no agent, middleman or any intermediary has been, or will be engaged to provide any services, or any other item of work related to the award and performance of this Contract. We further confirm and declare that no agency commission or any payment,

which may be construed as an agency commission has been, or will be, paid and that the bid price does not include any such amount.

- 8. We acknowledge the right of the Employer, if he finds to the contrary, to declare our Bid to be non-compliant and if the Contract has been awarded to declare the Contract null and void.
- 9. We understand that you are not bound to accept the lowest or any bid you may receive.
- <u>10. We acknowledge that all appendices of SCHEDULE-I: Appendices is an integral</u> part of the Bid.
- 11.If our Bid is accepted, we understand that we are to be held solely responsible for the due performance of the Contract.

| Dated thisday of 202 | |
|--|-------|
| | |
| Signature | |
| Name in the capacity of | |
| Duly authorized to sign Bids for and on behalf of | |
| statistic therein in confermity with the sold Conditions of Contract. Specifications | |
| Address | |
| | |
| | |
| | |
| Witness - Signature | |
| Witness – Signature | |
| Name | |
| Address | |
| Address | |
| Occupation | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Signature of Authorized Signatory of Tender Page 48 | of 66 |

117/JMRC/OS/Civil/Works/2025-26

A2.

| S.No | Details | Clause/Section | Condition of Contract 10 % percent of the Contract Price | |
|---------------|---|---|--|--|
| I | Amount of Performance Security | Section 1.5 of SCHEDULE-B: Instructions to Bidders (ITB) of Bid. | | |
| П | Liquidated Damages | (i) Section 13.3 of SCHEDULE-C: SCC of Bid. (ii) Clause 8.5 of the GCC | As per the directions contained in respective clause/section. | |
| III 1. SWO | Minimum amount of Third- Party Insurance | 15.3 of General Conditions of Contract | As per the directions contained in respective clause/section. | |
| IV | Period for commencement of work from the date of issue of work orders | 1.0 (c) of Notice Inviting Bid | As per the directions contained in LOA. | |
| v | Contract Period from the date of commencement of work | 1.0 (c) of Notice Inviting Bid | 24 Months | |
| VI | Penalty for Non completion of work or poor quality or work as decided by the engineer. | Applicable Clauses of General Conditions of Contract (GCC) and Special Conditions of Work (SCC). | As per Applicable Clauses of General Conditions of Contract (GCC) and Special Conditions of Work (SCC). | |
| VI | Penalty for violating the safety norms or for causing any accident or causing any interference in Train operation due to his work | our in the bidding Docum | Shall be levied as worked out by the JMRC. In addition to these necessary legal actions can be also taken as per the statutory Rules & Laws applicable. | |

Signature of authorized

Signatory on behalf of Bidder

Date

Name

Place

117/JMRC/OS/Civil/Works/2025-26

FORM B: Certificate Of Conformity/No Deviation {to be filled by the Bidder}

To, To add to add

Director

Jaipur Metro Rail Corporation Room No-405, 4th Floor, Admin Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020

CERTIFICATE

This is to certify that, the specifications of Services / Items which I/ We have mentioned in the Technical bid, and which I/ We shall supply if I/ We am/ are awarded with the work, are in conformity with the minimum specifications of the bidding document and that there are no deviations of any kind from the requirement specifications.

Also, I/ we have thoroughly read the bidding document and by signing this certificate, we hereby submit our token of unconditional acceptance to all the terms & conditions of the bidding document without any deviations.

I/ We also certify that the price I/ we have quoted is inclusive of all the cost factors involved in the end-to-end implementation and execution of the project, to meet the desired Standards set out in the bidding Document.

Thanking you,

| Name of the Bidder: - | |
|-----------------------|---|
| Authorized Signatory: | _ |

Seal of the Organization: -

Date:

Place:

FORM C: FORM OF PERFORMANCE SECURITY (GUARANTEE) BY BANK

*(On stamp Value as per latest Fees Master available at https://igrs.rajasthan.gov.in/)

- This deed of Guarantee made this day of _____ between Bank of ______ (hereinafter called the "Bank") of the one part, and Jaipur Metro Rail Corporation Limited (hereinafter called "the Employer") of the other part.
- 2. Whereas Jaipur Metro Rail Corporation limited has awarded the contract for "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" of JAIPUR METRO RAIL CORPORATION at Jaipur. Contract for ------Rail Corridor of Jaipur Metro Rail Corporation (hereinafter called "the contract") to M/s (Name of the Bidder) (hereinafter called "the Bidder").
- AND WHEREAS the Bidder is bound by the said Contract to submit to the Employer a Performance Security for a total amount of Rs. (Amount in figures and words).
- 5. After the Bidder has signed the aforementioned Contract with the Employer, the Bank is engaged to pay the Employer, any amount up to and inclusive of the aforementioned full amount upon written order from the Employer without assigning any reason. The Bank will deliver the money required by the Employer immediately on demand without delay without reference to the Bidder and without the necessity of a previous notice or of judicial or administrative procedures and without it being necessary to prove to the Bank the liability or damages resulting from any defects or shortcomings or debts of the Bidder. The Bank shall pay to the Employer any money so demanded notwithstanding any dispute/disputes raised by the Bidder in any suit or proceedings pending before any Court, Tribunal or Arbitrator/s relating thereto and the liability under this guarantee shall be absolute and unequivocal.
- 6. This Guarantee is valid for a period of 60 Days beyond the completion of all contractual obligations.
- 7. At any time during the period in which this Guarantee is still valid, if the Employer agrees to grant a time extension to the Bidder or if the Bidder fails to complete the Works within the time of completion as stated in the Contract, or fails to discharge himself of the liability or damages or debts as stated under Para 5, above, it is understood that the Bank will extend this Guarantee under the same conditions for the required time on demand by the Employer and at the cost of the Bidder.

- 8. The Guarantee hereinbefore contained shall not be affected by any change in the Constitution of the Bank or of the Bidder.
- 9. The neglect or forbearance of the Employer in enforcement of payment of any moneys, the payment whereof is intended to be hereby secured or the giving of time by the Employer for the payment hereof shall in no way relieve the bank of their liability under this deed.
- 10. The expressions "the Employer", "the Bank" and "the Bidder" hereinbefore used shall include their respective successors and assigns.

In witness whereof I/We of the bank have signed and sealed this guarantee on the ______day of _____ (Month) 2023-24 being herewith duly authorized.

For and on behalf of

the_____ Bank.

Signature of authorized Bank official Name: Designation: I.D. No.: Stamp/Seal of the Bank:

| Signed, sealed and delivered | |
|---------------------------------|-------------------------------------|
| for and on behalf of the Bank | |
| by the above named | |
| | |
| Witness 1. | |
| Signature | |
| Name | |
| Address | |
| Witness 2. | |
| Signature | |
| Name | |
| Address | |
| Note: * To be deleted - D' ID : | any time during the period in which |

Note: * To be deleted on Final Print

hereinafter called

Form D: FORM OF AGREEMENT:

Agreement No .:_

This Agreement is made on the _____ day of _____ 202_ Between Jaipur Metro Rail Corporation Limited, Administrative Building, Depot of Jaipur Metro, Bhrigu Path, Mansarovar, Jaipur-302020 hereinafter called "the Employer" of the one part and _____ (Name and Address of Bidder)

"the Bidder" of the other part.

Whereas the Employer is desirous that (*** certain Goods and Services should be provided and) certain Works should be executed, viz "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" of JAIPUR METRO RAIL CORPORATION at Jaipur, hereinafter called "the Works" and has accepted a Bid by the Bidder for the execution and completion of such works (*** as well as guarantee of such works) and the remedying of defects therein.

This agreement is signed between Mr. _____ (for and on behalf of the employer) and Mr. _____ (for and on behalf of the contractor)

NOW THIS AGREEMENT WITNESS as follows:

- 1. In this Agreement words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:
 - (a) Letter of acceptance.
 - (b) Bill of Quantities.
 - (c) Addendums, if any
 - (d) Bid Document.
 - (e) Form of Bid with Appendix.
 - (f) General Conditions of Contract
 - (g) Other Conditions agreed to and documented as listed below:
- i. Bidder's Work Schedule as amended if required.
- ii. Statement of deviations (If applicable)
- iii. Any other item as applicable.
 - 3. In consideration of the payments to be made by the Employer to the Bidder as hereinafter mentioned, the Bidder hereby covenants with the Employer to execute and complete the works by or extended work/DLP completion date, if any, and remedy any defects therein in conformity in all respects with the provisions of the Contract.
 - 4. The Employer hereby covenants to pay the Bidder in consideration of the execution and completion of the works and the remedying of defects therein, the Contract Price of **Rs_____ being the sum stated in the letter of acceptance subject to such additions thereto or deductions there from as may

be made under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Thus Agregment is made on the ______day of ______202__Between Jaipur Metro Rail Corporation Lindod: Administrative Building: Deput of Jaipur Metro, Bitrigtt Path, Manazrovan, Jaipur 302020 hereinafter called 'the Employet' of the one part and ______ (Name and Address of Bidder)

"the Bidder" of the diner part.

Whereas the Employer is desirous that (*** certain Goods and Struces should be provided and) certain Works should be executed, or "Maintenance Contract Of Orell Works : Addition. Alturation/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Manuarovar To Badi Chauper And any Other Metro Railway Fremiers Of Jaipur Metro Rail Corporation At Jaipur' of JAPUR METRO RAIL CORPORTION at Jaipur, nortinuber alled "the Works and has accepted a Bid by the Britder for the execution and completion of such works (** as well as guarantee of wich works) and the mand works therein

This agreement is signed between Mr ______ (for and on behalf of the contract of the contract of

NOVE TELS ACLEBRICATI WITNESS IS FEBORS.

- In this Agreement words and expression shall have fire same meanings as are respectively ussigned to them in the Conditions of Contract hermafter referred to.
- The following documents shall be docured to furn and be not d and construct: as pair of this Astronucut, via:
 - (a) Letter of acceptance.
 - [b] Bill of Quantities,
 - (c) Addendtime, I'an
 - (d) Bid Document.
 - lei Form of Bid with appendite
 - II General Conditions of Conditions
 - (a) Other Conditions agreed to and documented as listed below
 - Gidden's Work Schedule as amanded if required.
 - Statement of deviations (If applicable)

a Any other item as applicable.

Signature of Authorized Signatory of Tender

5.OBLIGATION OF THE BIDDER

The Bidder shall ensure full compliance with tax laws of India with regard to this contract and shall be solely responsible for the same. The Bidder shall submit copies of acknowledgements evidencing filing of returns every year and shall keep the Employer fully indemnified against liability of tax, interest, penalty etc. of the Bidder in respect thereof, which may arise.

The staff/labour recruited by the Bidder for "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur" of JAIPUR METRO RAIL CORPORATION at Jaipur will be the sole responsibility of the Bidder and JMRC will not be involved in it in any way. The staff / labour so recruited by the Bidder will not have any right whatsoever at any stage to claim employment in JMRC.

6.JURISDICTION OF COURT

The Courts at Jaipur shall have the exclusive jurisdiction to try all disputes arising out of this agreement between the parties.

IN WITNESS WHEREOF the parties hereto have caused their respective Common Seals to be hereunto affixed / (or have hereunto set their respective hands and seals) the day and year first above written.

For and on behalf of the Bidder

For and on behalf of the Employer

Signature of the authorized official

Name of the official

Stamp/Seal of the Bidder

SIGNED, SEALED AND DELIVERED

| By the said | |
|--|--|
| Name | |
| on behalf of the Bidder in the presence of: | |
| Witness | |
| Name | |
| Address | |

Signature of the authorized official

Name of the official

Stamp/Seal of the Employer

By the said

| Na | ne |
|-----|------------------------|
| on | behalf of the Employer |
| | he presence of: |
| | ness |
| Na | ne |
| Add | lress |
| | |

Note :

To be made out by the Employer at the time of finalization of the Form of Agreement.

Page 55 of 66

** Blanks to be filled by the Employer at the time of finalization of the Form of Agreement.

to be deleted if not applicable

FORM E : GENERAL INFORMATION

GENERAL INFORMATION

Notes:

Attach an attested photocopy of Certificate of Registration and ownership as well as of Constitution and legal status.

- I. In case of Joint Venture / Consortium, attach an attested photocopy of Agreement indicating inter alia distribution of responsibilities among the members / constituents.
- 1 Bidder Company details (in case of consortium, details of Lead Partner)
 - (a) Name of Bidder Company:
 - (b) Address of the corporate headquarters and its branch office(s), if any, in India:
 - (c) Date of incorporation and/ or commencement of business:
- 2 Particulars of the Authorised Signatory of the Applicant:
 - (a) Name:(b) Designation:
 - (c) Address:
- (d) Phone Number:
 - (e) Fax Number:
 - 3 PAN Number (Attach photocopy):

4 GST Registration No. (attach copy of the registration certificate):

- 5 In the case of a consortium:
 - a. Names of participating members / constituents
 - (a) (b)

(a)

(c)

b. Address, telephone, Tele-fax and email of each members / constituent. Registered Office Office for correspondence

- c. Distribution of responsibilities among partners / constituents. (Among other details, specify the sub-items of works for which each of the partners / constituents would be responsible).

Signature of Authorized Signatory of Tender

Page 56 of 66

d. Date and place of joint Venture/ Consortium Agreement.

- e. Names and Addresses of Bankers to the Joint Venture/ Consortium.
- f. Names and Addresses of Associated Companies to be involved in the Project and whether Parent / subsidiary/ others.
- g. If the company is subsidiary, what involvement, if any, will the Parent Company have in the Project?

FORM F: Bidder Details: (as per Section 5.0 of of SCHEDULE-C: SCC of Bid)

1.Postal Address:

| Line-1: | - f. Names and Addresses of Associate |
|--|---------------------------------------|
| Line-2: | fenus - monet unbeitwiner politik |
| THE ALL TURESTON TO ALL AND AL | |
| District/City: | State: which you and a |
| Pin Code: | Tele/Fax: |
| Mobile No.: | |

2.Email-Mail Address:

3.BANK DETAILS FOR E-PAYMENT

Beneficiary name :

Beneficiary Address :

| Line-1: | | |
|----------------|-----------|--|
| Line-2: | | |
| District/City: | State: | |
| Pin Code: | Tele/Fax: | |
| Mobile alert: | | |

Bank Details:

1

| Bank Name: | |
|--------------------------------|---------------------------------------|
| Branch Name and Address: | |
| Beneficiary A/C No. | |
| Beneficiary A/C No. | Beneficiary A/C Type (Saving/Current) |
| Beneficiary A/c Name: | |
| Nine - Digit branch MICR Code: | |
| IFSC Code of the branch: | |

Note: - Bidders may also enclose self-certified copy of cancelled cheque in name of bidding firm.

FORM G: POWER OF ATTORNEY FOR SIGNING THE BID

POWER OF ATTORNEY FOR SIGNING THE BID

Know all men by these presents, we (name of the firm and address of the registered office) do here by irrevocably constitute, nominate, appoint and authorize Mr./Ms.(name)..... Son/daughter/wife of..... and presently residing at....., who is presently employed with us and holding position ofas our true the and lawful attorney (hereinafter referred to as the "Attorney")to do in our name and on our behalf, all such acts, deeds and things as are necessary or required in connection with or incidental to submission of our NIB No.: 117/JMRC/OS/Civil/Works/2025-26 for qualification and submission of our Bid for the works "Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur", including but not limited to signing and submission of all Bids, bids and other documents and writings, and other conferences and providing information/ responses to JMRC, representing us in all matters before JMRC, signing and execution of all contracts including the Contract and undertakings consequent to acceptance of our bids, and generally dealing with the JMRC in all matters in connection with or relating to or arising out of our Bid for the said Projects and/or upon award thereof thousand /or till the entering into of the Contracts with JMRC.

For (Signature)

(Name, Title and Address) Witnesses:

Accepted

.....Signature)

(Name, Title and Address of the Attorney)

(Notarized)

Notes:

The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executants and when it is so required, the same should be under common seal affixed in accordance with the required procedure. Also, wherever required, the Applicant should submit for verification the extract of the charter documents and documents such as a resolution/power of attorney in favors of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the

Signature of Authorized Signatory of Tender

Page 59 of 66

117/JMRC/OS/Civil/Works/2025-26

SCHEDULE F: - FORMS

Applicant.

CHER OF ATTORNEY FOR SIGNING THE PID

Know all men by threat presents, we, ..., (nume of the firm and address of the registered office) do here by increacibly constitute, nonlicated appoint and authorize. Mr./Bés(nume), ..., Sch/daughter/wie appoint and authorize. Mr./Bés(nume), ..., and presentity constitute value of ..., and boiding the presentity of presentity is stating and lawful attorney (hereinabler referred to as the "Attorney (hor nume and and lawful attorney (hereinabler referred to as the "Attorney (to an our name and and lawful attorney (hereinabler referred to as the "Attorney (to an our name and and lawful attorney (hereinabler referred to as the "Attorney (to do in duriname and and lawful attorney (hereinabler referred to as the "Attorney (to a our name and and lawful attorney (hereinabler referred to as the "Attorney (to do in duriname and and lawful attorney (hereinabler referred to as a star as necessary or required in a star// attack (Sefferit/Works/2005-26 for qualification and a star being to a star as a star being at a star being and attack (Sefferit/Works/2005-26 for qualification atta attack (Sefferit/Works/2005-26 for qualification and submission of our facility (to a star as a star being at the works "Ininiterinace Contract of Cleff Works (to a star being at a star as a star being and as a star being at a star as a star being at a

For Pagers and

Frame. Tide and Add cash Witnesses

Accepted.

(STUDAT BERNER CONTRACTOR

Bost Bloger

Notes:

The mode of execution of the Power of Attomes alcould be to accordance with the procedure, it any, laid down by the applicable law and the charter documents at the executants and when it is to required, the name should be under common seal utilised in accordance with the required, the name should be under common seal Applicant should submit for verification the entred of the charter documents and documentary of as a conjustion, post or of attempty in forors of the provident of the providen

Signature of Authorized Signatory of Tender

Page 60 of 66

117/JMRC/OS/Civil/Works/2025-26

Form-H: INDEMNITY

INDEMNITY

(To be filled by Bidder)

I on behalf of M/shereby agree and undertake that I have understood all the safety rules and procedures and all staff working on behalf of M/swill abide by all safety rules and procedures. I declare that I M/s will be responsible for any safety violation/accident etc. and JMRC will not be responsible in case of any accident and will not compensate financially or otherwise. I M/s.....declare that all the claim raised by staff deputed by me, shall be borne by me only.

I hereby declare that I am sole responsible on behalf of M/s..... for giving such declaration.

Name of Indemnifier

Signature of Indemnifier

.....

Stamp/seal of the Indemnifier/Bidder

INDEMNITY

(To be filled by Bidder staff individually)

I hereby agree and undertake that I have understood all the safety rules and procedures and I will abide by all safety rules and procedures. I declare that I will be responsible for any safety violations/accident etc. and JMRC will not be responsible in case of any accident/incident and will not compensate financially or otherwise. I shall not raise any claim against JMRC.

••••••••••••••••••••••••••••••

Name of Indemnifier

Signature of Indemnifier

.....

••••••

••••••

NAME OF BIDDER

SIGNATURE OF BIDDER

117/JMRC/OS/Civil/Works/2025-26

| S.No. | Items | Compliance of Bidder (To be filled by Bidder) | | |
|--|--|--|---|--|
| | unistatic ere mentioned in First Part i.c Te- rid shall not be considered by JMRC: No co | Yes | No | |
| 1 | License for employing contract labour | ndii orli jam | in the second | |
| 2 : per roet lated to | Compliance of minimum wages Act by payment of wage on 7 th of every month through Bank or in the presence of nominated representative of employer (JMRC Supervisor/manager) | mdix-02. iome items m conent/as per uoted prices s | 3 The B | |
| 3 (a) | Compliance of provision of ESI & EPF. | ortector, safet | and and a second | |
| 3 (b) Ensure treatment in ESI hospital in case of accident/injuries suffered in performance of work and compensation under ESI Act. | | ading fit requir discoul payme costs into co ane or Hydra i | la ok ne lis | |
| 4 In case of accident occurs then, send Accident report to Regional Labour Commissioner (RLC) & ESI authorities. | | wetten JMRC by: as per the ses related to.! soupment sha | n dagan 1942 - San | |
| 5 Observance of working hours, weekly rest and overtime payments as per minimum wages Act-1948. | | ler me same w entra trans may be requir | | |
| 6 Other statutory requirement pertaining to this bid. | | m 11:00 PM b | | |

Form-I: Obligation/Compliance to be ensured by Bidder

Note: - "If any section is filled with 'No' and is determined by the procuring entity to be related to the scope of work, the procuring entity may, at its discretion, declare the bidder non-eligible for further participation in the bidding process."

Signature with seal of Bidder/Proprietor

SCHEDULE G: - PRICE BID/FINANCIAL BID

SCHEDULE G: - PRICE BID/FINANCIAL BID

- 1. The bidders have to take utmost care that the Financial Bid is to be submitted separately in Second Part of Bid i.e Financial Bid on E-Proc website only. If any details of Financial Bid whether intentionally/ unintentionally/ by mistake are mentioned in First Part i.e Technical Bid by the bidder; then its bid shall not be considered by JMRC. No correspondence in such matter shall be entertained by JMRC.
- 2. However, the illustrative BoQ Sample has been enclosed herewith as Appendix-02.
- 3. The Some items mentioned in BoQ is need to be completed as per method of statement/as per drawing mentioned in appendix .
- 4. The quoted prices shall be deemed to be inclusive of all costs related to manpower, materials, tools, equipment (including Crane/Hydra if required), transportation, safety arrangements, Personal Protective Equipment (PPE), barricading (if required), and all applicable taxes, duties, levies, and charges. No additional payment shall be made on any account. The bidder shall take all such costs into consideration while quoting the rates in the tender.
- 5. If a Crane or Hydra is required to be used for the execution of works at height within JMRC premises, it shall be of 1st Generation or an equivalent category, as per the directions and approval of the Engineer-In-Charge. All expenses related to the deployment, operation, and safety compliance of such equipment shall be borne entirely by the contractor, and he shall consider the same while quoting rates in the tender.
- 6. The contractor must be fully aware that, being a Metro organization, certain works may be required to be executed during night hours, specifically between 11:00 PM to 4:00 AM, due to operational constraints and safety considerations. The contractor shall accordingly plan manpower, logistics, and execution methodology. No extra claim shall be entertained on account of working during night hours. The bidder is advised to take this site restriction into account while quoting the rates in the tender.

Signature of Authorized Signatory of Tender

Page 64 of 66

NIB No.:117/JMRC/OS/Civil/Works/2025-26 SCHEDULE H: - CHECK LIST

SCHEDULE-H: CHECKLIST FOR BID EVALUATION/BID SUBMISSION

| s/n | Item | Bid Stipulations (if any) | Submission/ Compliance Requirement | Remarks |
|-----|---|--|--|-----------|
| 1.0 | Details of (i) Cost of Bid For Processing Fee | ecurity/EMD (iii) E-Bid | | |
| 1.1 | Bid Document Cost in the form of DD/BC. | 1.0 (h, j, k) of the NIB | 50-27 | |
| 1.2 | Name of Issuing Bank and Branch | | | |
| 1.3 | DD/BC No. | 1 | | |
| 1.4 | DD/BC Date | | 1 | Letovie - |
| 1.5 | Value of DD/BC | to are unogran parts or | odia-topizat zuotom | and into |
| 2.0 | TECHNICAL SUITABILITY: - | Eligibility and Oualifica | ation of Bidder: | haddin |
| 2.1 | Bid is from a Company: Firm registration certificate in Govt. departments for Civil Works. | Clause 1.0 (t) of (NIB) | | al ang |
| 2.2 | Whether registration with GST is enclosed by Bidder. | Clause 1.0 (t) of (NIB) | | |
| 2.3 | Complete Bid Document, NIB, ITB, SCC etc. | Complete Bid Document. (Clause 1.1.1 of ITB) | | |
| 2.4 | Various Annexure (s) under Schedule-E | As per Bid Document- SCHEDULE -E | | |
| 2.5 | Various Forms under Schedule-F | As per Bid Document- SCHEDULE-F | | |
| 3.0 | PRICE BID: Whether Online Commercial Bid/BOQ submitted by the bidder. | SCHEDULE-G | | |
| 4.0 | Check List of submitted documents in Technical and Financial Bid. | Schedule-H | | |

Note: -

- (i) Original Copy of DD/BC for Cost of Bid Form, E-bid Processing Fee & Bid Security along with Hard Copy of the same signed and stamped Technical Bid Documents (First Part) as uploaded on E-Proc website may also be submitted at the office of JMRCL before the due date of submission as per Clause-1.0 (l) of NIB Document.
- (ii) The bidders have to take utmost care that the Financial Bid is to be submitted separately in Second Part of Bid i.e Financial Bid on E-Proc website only. If any details of Financial Bid whether intentionally/ unintentionally/ by mistake are mentioned in First Part i.e Technical Bid by the bidder; then its bid shall not be considered by JMRC. No correspondence in such matter shall be entertained by JMRC.

NIB No.:117/JMRC/OS/Civil/Works/2025-26 SCHEDULE I-: Appendices

| Appendix No. | Particulars | Page No. | |
|--------------|--|------------------------|----|
| | | From | То |
| Appendix-01 | Approved Manufacturers List/Suppliers List | o) (t)ho e sing Pot | 10 |
| Appendix-02 | Illustrative BoQ Sample | DRV103 | 25 |

SCHEDULE-I: Appendices

**Note: **

All appendices listed above are integral parts of the bid document. Bidders are advised to thoroughly review and understand the content presented in these appendices as it may be directly contributing to the bid requirements and evaluation process.

| Works. Worker registration with GST is enclosed by Bulder. Complete fild Document. With, ITS, SCC etc. Schedule-K Schedule-K Variaus Forms under Schenuc-F RECE BID Whener Online Commercial Bid/BOQ RECE bist of submitted documents of Schedule d | Works.Wrether registration with GST is enclosed by Bulder.Clause 1 0 (t) of (NB) GST is enclosed by Bulder.Complete Bid Decuarent. With, ITB, SCC etc.Document. (Clause, 1, 1, 1, 1, 1, 178)With, ITB, SCC etc.Document. (Clause, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, |
|---|---|

- total!
- () Original Copy of DD/BC for Cost of Bid Form, E-hno Innessing For & Did Security signs with Bland Copy of the same signed and stamped for helicit Bid Decoments (First Pert) as appeaded on E Proc websile may stop be submitted in the office of JMRCE before the due date of submittation of per Clause 1.0 (f) of MB Decument.
- (ii) The ladders have to take tumost care that the Financial file on the subhitted separately in Second Part of Bid as Financial Bid on the financial websate only. If any details of Financial Bid whether meantancity/ unintentionally/ by utistally are mentioned in First Part in Technical Bid of the induce then its bid shall not be considered by IMRC. No convepondence in such matter shall be entertained by IMRC. No convepondence in such matter shall be entertained by IMRC.

Appendix: 01

APPROVED MANUFACTURES/SUPPLIERS For Civil Works

March 2023

All materials and products shall conform to the Outline Construction Specification (OCS) of DMRC, BIS codes and other relevant codes etc. and shall be of make as approved by DMRC.

The list of approved makes for products and materials is given below. No Further approval is required to be taken for usage of these makes. Further, the request of equivalent manufactures shall only be considered as an exception wherein it is certified by all the approved manufacturer's/suppliers that they are not able to provide the required quantity of products/materials.

| S. No. | Details of Materials/ Products | Manufacturer's/Supplier's Name | |
|-----------|--|--|--|
| 1. | Cement | Ultratech, Orient Cement, JK Cement ,Birla Corporation. Wonder Cement, ,DALMIA Bharat, ACC, Ambuja | |
| 2. | Reinforcement Bars | Prequalified Manufacturers SAIL, RINL, TISCO, IISCO, Jind andmanufacturersas per RDSO's latest approved list | |
| 3. | Ероху | FOSROC, Asian paints, SUNANDA, SIKA, FAIRMATE, KunalConchem, Hindcon Chemicals, STP Limited | |
| 4(a). | Expansion Joints forViaduct | Prequalified Manufacturers as per RDSO's latest approved list | |
| 4(b). | Expansion Joints for buildings | VR Engineers ,Maurer Sanfield, DECG International | |
| 5. | Admixtures | Durabuild, TP Buildtech, Hindcon Chemicals, Vista Chemtech, Buildtech, Rheoplast, Asian Lab, CICO Technologies,Yahska Polymers, FOSROC, Asian Paints, CAC, Ado Additives, Prism Johnson ,STP Limited ,SIKA, Normet India , KunalConchem, Polygon chemicals, FairmateIndia,TREMCO CPG, Pinnacle, Shalimar Paints/Hella Infra, SUNANDA | |
| 6(a) | Low StrainPile Integrity Testing,UPV Test, Rebound Hammer Test | CEG Test House, AADCO Testing, CENGRS, DVG Lab, ADS Labtech(please note that NABL accreditation is mandatory) | |

CARGESHEEL Frequence TO MEER holds and collection of guardinal CARTER in Television (WEERA), both on the second CARTER STATE (Presses the data that REA Genetic encoded by for comparate on the former for user both the second comparate on the former for user both the second comparate on the second second second second second compared to the second s

| 6(b). | Cross Hole Testing of Piles | CEG Test House, AADCO Testing, CENGRS, ADS Labtech (please note that NABL accreditation ismandatory) | | | |
|-------|--|---|--|--|--|
| 7. | Anchor Fastener | TRUTEK, Pioneer nuts and bolts, FOSROC, HILTI, Styrene Packings(Please note that ETA Certification is mandatory for using/supplying fasteners for load bearing structural members) | | | |
| 8. | Structural Steel | KL Steels and Sons, TATA, SAIL, ESSAR, Maharashtra Pipes, Jindal Steel & Power Ltd., Steel Works & Power Engineers, SKS Ispat& Power, Shamli Steel, Topworth, Goodluck India, Rimjhim, APL Apollo tubes | | | |
| 9. | Pre- stressing Strand(LRPC) | TATA SSL Ltd., USHA Martin, DP Wires, Miki Steel, Kat Group | | | |
| 10(a) | Pot/PTFE Bearings Elastomeric | Deevin Systems, VSIL, Maurer Sanfield, Dynamic Prestress, Kanta Rubber(RDSO approval is mandatory) | | | |
| 10(b) | | Deevin Systems, VSIL, Maurer Sanfield, ,Kanta Rubber, Polymer Products, DECG International(RDSO approval is mandatory) | | | |
| 10(c) | Spherical Bearings | Maurer Sanfield, MAGEBA | | | |
| 11. | Horizontal Tie Bars/ Shear Bars | DEXTRA | | | |
| 12. | HDPE Sheathing | Dynamic Prestress, JKPrestressing, FOSROC | | | |
| 13. | Formwork Release Agent | Eastern Petroleum, Yahska polymers, KunalConchem, AD Additives, STP Limited, FAIRMATE | | | |
| 14. | PrestressingSystem | DynamicPrestress, TENSA INDIA, JK Prestressing, Usha Martin | | | |
| 15. | Reinforcement Couplers (cold forged parallel threads type only) | TATA Steel, Maurer Sanfield, DEXTRA India, LEVIAT India REBAR Couplers India (P) Ltd. | | | |
| 16. | Hollow Sections, Pipes | Surya Roshni, Dadu Pipes, APL Apollo Tubes | | | |
| 17. | Drainage Pipes | TEXMO Pipes | | | |
| 18. | Non Shrink Grout | DURABUILD, Yahska polymers, FOSROC, ASIAN Paints, SIKA India, KunalConchem, FAIRMATE, STP Limited | | | |
| 19. | Bonding Coat | Asian paints, STP Limted, FAIRMATE | | | |
| 20. | Polysulphide Sealant | Asian paints, SIKA, KunalConchem, IWL India, HindconChemicals, STP Limited, FAIRMATE | | | |
| 21. | Steel Structural Fasteners | PANCHSHEEL Fasteners, PIONEER nuts and bolts, KIRTI Fasteners, HARYANA fasteners, IMPERIAL bolts and Fasteners, KARAMTARA (Please note that ETA Certification is mandatory for using/supplying fasteners for load bearing structural members) | | | |

| 22. | Corrosion Protection Paints | BERGER Paints, FOSROC, ADVANCE Paints, GRAUER & WEIL India, SUNANDA, Asian paints, Ameetuff Technical Paints |
|-----|--|---|
| 23. | Micro Silica | Ultrafine minerals and admixtures, Counto Micro fine products, Rockfit, CAC, KunalConchem, Hindcon Chemicals, Pinnacle, Normet India |
| 24. | Fire Resistant Paint | Advance paints, Asian paints, Ameetuff Technical Paints |
| 25. | Integral Crystalline Waterproofing Method | PENETRON, XYPEX |
| 26. | Water stopper/ Bar | Asian paints, HITECH Rubber, Penetron, Kantaflex |
| 27. | Liquid Polymer membrane waterproofing | PIDILITE, BERGER Paints, TECHNONICOL, FOSROC, Asian Paints, ECMAS, SIKA, KunalConchem, SUNANDA, FAIRMATE, Hindcon Chemicals, STP Limited |
| 28. | Curing Compound | VISTAChemtech, Yahska Polymers, FOSROC, CAC FAIRMATE, KunalConchem, Asian paints, ADO Additives Pinnacle, STP Limited |
| 29. | Polycarbonate Sheets | VMI Plastic |
| 30. | Fly Ash | Ashtech India, Jaycee Buildcorp |
| 31. | Pre-Coated Profiled Metal Sheetings | Aditya profiles. Tata Bluescope steel |
| 32. | Sodium Silicate for Grouting purposes during TBM operations | KunalConchem, National Glass Works |
| 33. | AAC Block | MAGICRETE, JK Lakshmi, OFB Tech |
| 34. | Tunnel Segment EPDM | Daeryong India, FIP, Datwyler |
| 35. | Rock Bolts/Swellex Bolts | Sandvik Mining |
| 36. | Softeye GFRP | Sandvik Mining, Arc Insulations, DEXTRA |
| 37. | Material Testing | Scientific Infra , CEG Test house, Shree Balaji Test house, AADCO Testing, EMM Tech, DVG labs ,Apex Assessment Lab, Global Test house ,Indian Testing Lab, National Testing Lab ,ARIHANT Analytical Lab, CIMEC Infra, WIDMANS lab ,ANSHUTECH,Standard testing lab, ADS Labtech, AJEO Testing, Delhi Test house |
| 38. | Rain Water Harvesting | Water field technology |
| 39. | Geotechnical Investigation | Scientific Infra , CEG Test house, Shree Balaji test house, EMM Tech, CENGRS, Gsoil& Rock Probe, SarathyGeotech, SECON TECHPRO India |

Appendra: 01

| 40. | Creation | FOSROC, ULTRATECH |
|-----|--|--|
| 41. | Ultrasonic Logging Tubes | Maurer Sanfield, DEXTRA |
| 42. | Welding Electrodes | Alpha Arc Electrode ,VARUN Electrodes, Weld Alloy products D & H Secheron |
| 43. | Ultrafine Fly Ash | Ashtech India, Ultrafine mineral and admixtures |
| 44. | Drilling Polymer | SUGAM Infra ,INNOVA, Manoj Kumar Kharakia Co. , LAVIOSA NEEL KANTH Chemicals, TRISHUL, RELEMAC India, ECC Drilling |
| 45. | Anti Carbonation Coating of RCC Structures | Asian paints, Godavari paints, FAIRMATE India, SUNANDA FOSROC, STP Limited, Ameetuff Technical Paints |

Page 4 of 10

Appendix: 01

| | | Finishing Works Manufac | turers' List for Phase IV | |
|-------|---|--|--|-----------|
| S.No. | Work Category | Item/Products | Manufacturers/Makes proposed for Approval in | Phase |
| T | | VITRIFIED TILES (Plain, Designer and | IV IV | |
| | | Tactile) | | |
| - | | . source | Kajaria | Contra in |
| 1 | | A CARLER AND A CARLER OF A CARLER AND A | Oasis (Marbormax Group) | |
| 1 | | ALCONTRACTOR STREET | Orient Bell Ceramics | - |
| | | | Pavit Ceramics | |
| | | | Pelican Ceramics | |
| - 1 | | a supra di martina di martina | Qutone Tiles | |
| 1 | | | RAK Ceramics | |
| 1 | | And State and State | Restile Ceramics | |
| | | CONTINUES | Royale Touch and Silk Touch Vitrified | |
| | | | Simpolo | - |
| | | A State Press | Varmora Granito | |
| | | | Vitero | - |
| | | CERANAIC THESE PORT | | - |
| 1 | 6 | CERAMIC TILES/PORCELAIN TILE | H&R Johnson | |
| | | | Kajaria | - |
| | | Print special | Oasis (Marbomax Group) | |
| | | 1. | Orlent Bell Ceramics | |
| | | · · · | Qutone Tiles | - |
| | | | Simpolo | |
| 1 | FLOODING | | Varmora Granito | |
| - | FLOORING | | and a second | |
| 1 | a finites | RAISED FLOORS | Hewetson/Kingspan Access Floors | |
| | | | United Access Floors/United Insulation | - |
| 1 | | | | |
| | | PU/ EPOXY COATED FLOORS | Cipy Polyurethanes | |
| | | | Flowcrete | |
| | | Carl State State of the State o | Pidilite | 1 |
| 1 | | | Shalimar Paints | 1 |
| | | | Sika | - |
| | | | | |
| 1 | | CONCRETE PAVERS, KERBS & | Chelsea Concrete | |
| | | CHEQUERED TILES | Dalal Tiles | |
| | | | Pave Espania | |
| | - | | Sarita Pre Fab | |
| | | | the spin sector and the sector of the sector | |
| | | CERAMIC OR GLASS MOSAIC TILES/ | Bisazza | |
| 1 | | HAUDSLADE THE | SND Tiles | |
| | | | talica Mosiac | |
| | and the second se | and the shares of the second second | Kenzai Ceramic | |
| 1 | | | | |
| | -x | | Viridul Enterprises | |
| | | | Peoples Mosalco Corporation Raja Tiles | |
| | | | iala mes | |
| | | EMULSION PAINTS | cro Paints | |
| | | | kzoNobel | |
| 1 | | | sian Paints | |
| - | | | erger Paints | |
| | 2 | | SC Paints | |
| 1 | | | odavari Paints | |
| 1 | | 10 | enson & Nicholson | |
| | | | amdhenu Paints | |
| - | | | | |
| 1 | | IN | erolac Paints | |
| 1 | | 0 | IKOS India Pvt Ltci | - |
| 1 | | | alimar Paints | - |
| 1 | | 51 | nerwin Williams paints | |
| | | | | - |

Appendix: 01

| S.No. | Work Category | litem/Products | Manufacturers/Makes proposed for Approval in Pha |
|-------|--|--|--|
| | A Carlo and a second second | SYNTHETIC ENAMELS | |
| | | | Acro Paints |
| | | and the second se | AkzoNobel |
| | | Card Market II Area 1965 | Asian Paints |
| 1 | | College - | Berger Paints |
| - | | and the second strate of the | Jenson & Nicholson |
| - 1 | | | Kamadh an Anichoison |
| | | CHILDREN DO BUTTER | Kamdhenu Paints |
| 1 | | and the second second | Nerolac Paints |
| - 1 | | Electronic Canada and | Shalimar Paints |
| - | | | Sherwin Williams paints |
| - | | | |
| | | POLYURETHANE PAINTS | Alexandra |
| 1 | | Contentione PAINTS | AkzoNobel |
| 1 | | a set the constraint water that | Asian Paints |
| - 1 | | 1 Innerity | Jenson & Nicholson |
| - 1 | | | MRF Paints |
| 2 | FINISHING | and the second s | |
| | | | Nerolac Paints |
| | | | Shalimar Paints |
| - 1 | | and the second se | Sherwin Williams paints |
| | | and the second | - Pointo |
| - | | TEXTURE PAINT | Allow Multiple |
| | | | Akzo Nobel |
| 1 | | PART AT A LINE STREET | BSC Paints |
| 1 | | | |
| - | | | |
| | | WALL CARE PUTTY | Dida (Ada Dida C |
| | | | Birla (Aditya Birla Group) |
| | | | EBIPL: Evershine |
| | | A second state and the second | Gyproc wall Putty (Saint Gobain) |
| | | Change Langton beliefs | HIL Ltd. (Aerocon) |
| _ | | | J.K.White |
| | | | |
| | | | Shalimar Paints |
| | | | 1 |
| 1 | | GLASS (FLOAT/ TOUGHENED) | Asahi Float (AIS) |
| | | | (Standard (AD))* |
| | | Colora (Sentine) | Glaverbel |
| - 1 | | the second second | Modiguard - |
| - | | | Saint Gobain |
| | | and the second se | |
| | | FIRE RATED GLASS | Ince |
| | | 1 10 10 10 30455 | F G Glass |
| - 1 | | and and the second second | Pilkington Glass |
| | | | Saint Gobain 🦟 |
| | | | |
| | | STRUCTURAL GLAZING FARDICATOR | a lange to the second |
| - | | STRUCTURAL GLAZING FABRICATOR | IS PERMASTEELISA India Pvt. Ltd. |
| | | 6.11-11-12 | Alufit India Pvt. Ltd. |
| 1 | | A CONTRACT OF A | Shapoorji Pallonji Fab Pvt. Ltd. |
| | | Contraction (Contraction) | |
| | | | Innovators Façade Systems Pvt. Ltd. |
| | | | |
| | | GRC PRODUCTS (GRC SCREEN, | Dalal Tiles Industries |
| | | PANELS etc) | Tona firma Cho a c |
| | | | Terra firma GRC & Concrete Industries |
| - | and the second second | | UniStone Products (India) Pvt. Ltd. |
| 1 | | | |
| | CLADDING | HIGH PRESSURE LAMINATE | Fundermax |
| | and businesses | | Greenlam |
| | | 100000 | |
| | | | Merino |
| | | | |
| | and the second s | ACRYLIC SOLID SURFACE | DuPont Korian |
| | | and the second se | L G Hausys - Hi Macs |
| | | and the second se | |
| T | the second s | CALCULATION | |
| | and the second s | CALCIUM SILICATE BOARD | Aerolite |
| 1 | The second | | Ramco Hilux |
| | | Contract Processing of | |
| | | | Promat |
| 4 | FALSE CEILINGS | and a state of the | |
| | and antimitity | METAL CEILINGS | Armstrong |
| | | | Dexune |
| | | | |
| | | | Durlum |
| | | | |
| | | and the second se | Hunter Douglas |
| | Work Category | Item/Products | Manufacturers/Makes proposed for Approval in Phase |
|-----|--|--|--|
| | and a second | ADHESIVE FOR TILES | Araldite |
| | | | EBIPL: Evershine |
| | | | Kerakoli |
| | | | Laticieto |
| | | | Pidilite |
| | and the second s | | Fromte |
| | A CONTRACTOR OF A | TILES JOINT FILLER | Pol Adhesi |
| | | A STATE OF A | Bal Adhesives and Grouts |
| | | | EBIPL: Evershine |
| | | | GE Bayer Silicone |
| | | | Laticrete |
| 3 | | | MC-Bauchemie (India) |
| - | | | Roff Constructions Chemicals |
| - | A Date of the second second | | |
| | | POLY SULPHIDE SEALANTS | BM |
| - | | | BASF |
| 5 | ADHESIVE, FILLERS & | | CICO |
| 2 | SEALENTS | | FOSROC |
| 1 | | | McCoy Soudal |
| | 100 203 | | Pidilite |
| | | | Sika |
| | | | STR Umited |
| | | * The second sec | Jore millen |
| | | SILICONE SEALANTS | 3M |
| | | STROOME SEALANTS | |
| | | | Dow Corning |
| | | | GE Bayer Silicones |
| - 1 | | | McCoy Soudal |
| - 1 | | | Sika |
| - 1 | | | |
| 1 | | SILICON WATER REPELLANT | Choksey Chemicals |
| | | SOLUTION | MC Bauchemic |
| | | | GE Bayer Silicones |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | STP Limited |
| 1 | | | |
| | | and a second | Wacker-Metroark |
| | | | Wacker-Metroark |
| 1 | | PLYWOOD | |
| | | PLYWOOD | Duroply-Sharda Plywood |
| | | PLYWOOD | Duroply-Sharda Plywood Century Ply |
| | | PLYWOOD | Duroply-Sharda Plywood Century Ply Green Ply Wood |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) |
| | | PLYWOOD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY Visaka Plywood |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY Visaka Plywood |
| | | entra en color solitice | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY Visaka Plywood |
| | | | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply |
| | | | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood |
| | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood |
| | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood |
| | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino |
| | | BLOCKBOARD LAMINATES | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDFLY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDFLY |
| | JOINARY & WOOD | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation |
| 6 | JOINARY & WOOD | BLOCKBOARD LAMINATES | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation Greenlam |
| 5 | JOINARY & WOOD WORK PRODUCTS | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation Greenlam Merino |
| 5 | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation Greenlam |
| 6 | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation Greenlam Merino |
| 5 | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDPLY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDPLY Formica Corporation Greenlam Merino Royal Touche Laminates |
| 6 | | BLOCKBOARD | Duroply-Sharda Plywood Century Ply Green Ply Wood Swastik Plyboard Ltd. (Swati Plyboard) Merino ARCHIDELY Visaka Plywood Vidya Ply and Board Century Ply Duroply-Sharda Plywood Green Ply Wood Merino ARCHIDELY Formica Corporation Greenlam Merino |

Appendix 01.

4

Appendix: 01

Flidse IV Wer Greenwers Dation Promotion 111

| S.No. | Work Category | Item/Products | Manufacturers/Wakes proposed for Approval in Pha IV |
|-------|--|--|---|
| | | | |
| - | | TOILET CUBICLES & COMPACT | Fundermax |
| | in the second | LAMINATED DOORS | Greenlam |
| | · fail · · · · · · · · · · · · · · · · · · · | | Merino |
| - | him | PRESSED STEEL DOORS & FRAMES | Decourage and the |
| - | 1. | TRESSED STELL DOORS & FRAMES | AGEW STEEL MANUFECTURES PVT LTD Son-Hervic Windows Pvt Ltd |
| | and the second s | | Sen rache candows PVELto |
| 1.1.1 | | UPVC DOORS & WINDOWS | Fenesta |
| | | | Venster |
| | | | Wintrack |
| | | | |
| - 1 | | FIRE DOOR tested at CBRI, as per BIS | Bhawani fire protection systems ltd. (DS) |
| | | 1000 | ICLEAN Hollow Metal System Pvt Ltd (NFPA & BS) |
| - | | and the second se | NAVIR INTERNATIONAL LTD. |
| 7 | FIRE RATED DOORS | and the second se | Sehgal & Sehgat |
| - | THE MATED DOORS | Labor File Second | Shakti Hormann |
| | | | Singum Fire Protections Pvt. Ltd. |
| | | FIRE DOOR tested at UL as per NFPA | GMP Technicals |
| | and the second second second second | | Shakti Hormann |
| | | | anexo nemanin |
| 1 | | SANITARYWARE | Cera |
| - | | | Euro |
| - | | | Hindware |
| | | | Parryware |
| 8 | PLUMBING | | Roca |
| | | CANITA DV D. DATEL STRUCT | L |
| | | SANITARY & BATH FITTINGS | Hindware |
| | | and The state | Jaguar |
| | | A Separation and the second sec | Kohler |
| | | | Mayur Ochich |
| T | | FRAMELESS GLASS PARTITION | Dorma |
| - 1 | | FIXTURES | Dorset-Kaba |
| | | | Dine |
| 1 | | and the second se | Hafele |
| 1 | | Children a strong of | |
| 1 | | | Hardwyn Kich |
| - 1 | | Since of reacted | MCn |
| | | SPIDER FITTING/PATCH FITTINGS | Dline |
| - 1 | | | Kich |
| | | | Ozone |
| | | | |
| | | ANCHOR FASTENERS | Anchorite Fixing Technology AFT |
| | and the second | Contraction of the second second | Axel - Trixxel |
| | | A State of the second sec | Bosch Fischer |
| 9 | HARDWARE | Contraction of the second s | Boun Group |
| | NARD WARE | A MARCHARDS | Hilti India Pvt Ito |
| - 1 | and the second | | Hitachi-Mungo |
| - 1 | The second of the | STONE CLADDING CLAMPS | Anchorite Fixing Technology - AFT |
| 1 | Salar and a second | | Aval Town |
| | | | Axel - Trixxel |
| - | | 1 | Bosch Fischer |
| | and strain the state | | |
| | | our weaks | Boun Group Hilti India Pvt itd |

Phase by International Contents and the Anenderman International Decision

| S.Na. | Work Category | Item/Products | Manufacturers/Makes proposed for Approval in Pl |
|-------|-------------------------------------|--|---|
| 1.1 | | DOOR HARDWARD | |
| 1 1 | | DOOR HARDWARE/ ARCHITECT | JRAL Dorma |
| 1 | | PROFILES | Dorset-Kaba |
| | | anter a | Dline |
| | | and the second second second | Hafele |
| 1 1 | | and the second se | Hardwyn |
| - | Alexander and | and the second s | Hettich |
| | | | Ozone |
| | | DUCTURING | |
| 1 1 | | DUCTILE IRON PIPES | Electro Steel |
| 1 1 | in a section of the | | Jindal |
| 1 1 | | CASTINGUE | |
| 1 1 | | CAST IRON PIPES, SS PIPES & FITT | ING HEPCO |
| 1 1 | | (IS:1536) | NECO |
| | | | Singhal Iron & Foundry : SKFCI |
| | | | and a roundry . SAFCI |
| | | GI & MS PIPES | Jindat |
| | | (IS:1239 PART-1&// IS:3589) | Prakash Pipes |
| 1 1 | 1 - 10 | A State of the sta | Surya Roshni Ltd |
| | and the second second | and the second se | T.T. Swastik |
| | al manufacture | | - Printernaux |
| | | GI FITTING-MALLEABLE | DRP |
| | | (IS:1879 PART I TO X) | KS |
| | and the second second | | Unik |
| | 10 | and the second second second second | Zoloto |
| | | | 2000 |
| | a second second | UPVC PIPES & FITTINGS | Finolex |
| | Land and the state | (IS"4985-1981) | |
| | Carine and and a | | Jindal Plast(India) |
| | | | Prakash Pipes |
| 10 | Luning . | | Polypack |
| | | and the second s | Prince Rex |
| | and the second second | | Supreme |
| 100 | and the second | And the second se | |
| | [| | Surya Roshni |
| | L. S. Alan | CPVC PIPES & FITTINGS | Taxa |
| | Contract of | | Ajay |
| | Karal in and | | Ashirvad |
| | Lawrence . | | Astral |
| | Car and | and the second second second | Finolex Surya Roshni |
| | A started | | Teas to uppul |
| . | | STONEWARE PIPES & GULLY TRAPS | [-14] |
| | North State | (IS:651) | |
| 1 | and the second second | (15.052) | Perfect |
| 1 | and the second second second second | | Priya Klay |
| | The states of the | RCC PIPES (IS:458) | T |
| | and a second | 100 1 1 23 [13:458] | Daya Concrete |
| | 1 section of | | Jain Spun |
| | 1 million and the | | Pragiti |
| | | COPPER PIPES & FITTINGS | |
| | | Soft En PIPES & FITTINGS | Mehta Tubes |
| | | | Mexflow |
| | | | Rajco |
| | | | |
| 1 | | LIDPE PIPES & FITTINGS | Duraline |
| | | | Geberit |
| 1 | _ | and the second | Reliance |

Appendix: (

Appendix: 01

| N3. | Work Category | Item/Products | Manufacturers/Makes proposed for Approval in Ph | hase |
|-----|--|--|---|-------------|
| | auto-contraction of | STAINLESS STEEL PIPES | IV IV | |
| | | | Jindal Steels | COLUMN LINE |
| 1. | | 1 | Jyoti Metal Corporation | - |
| - 1 | in the second | | Kamdhenu | - |
| 1 | | | Om Steel Group | |
| 1 | and the second s | | Remi Group | - |
| - 1 | | PPR PIPES & FITTINGS | | |
| - 1 | | | Prince | - |
| | | | Supreme | - |
| | | | Uro-Allwin | |
| | | MODIFIED BITUMINOUS | The second se | |
| - 1 | | MEMBRANE ROOS WATTER | Asian Paints | - |
| - 1 | WATER PERSONNEL | MEMBRANE ROOF WATER PROOF | | |
| 11 | WATER PROOFING/ | 1 | EBIPL: Evershine | - |
| - 1 | REPELLANTS | in the best process series | Flowcrete | - |
| 1 | COMPOUND | | FOSROC | - |
| 1 | | | Kernco | - |
| | | and the second se | Sika | _ |
| | | | STP limited | - |
| T | | ALCIANTING | | _ |
| 1 | | ALUMINIUM SECTION | Bharat Aluminium Company Umited/Vedanta BALCO | - |
| | | | | |
| | | | Hindalco | _ |
| 1 | the second se | | Hindustan Aluminium | - |
| 1 | 1 - Later | | Jindal Aluminium Ltd | |
| | | | | |
| 1 | | HOLLOW SECTIONS PIPES | APL Apolic | |
| | | | HI-Tech Pipes | |
| 1 | | A PARTY AND A PARTY | Jindal | - |
| | 1. | | Surya Roshni | - |
| | | | Jourge Rosnini | - |
| 1 | | M.S. TUBES/SECTIONS | INTER STATE | - |
| | | | APL Apolio | - |
| | | | ISPAT | - |
| 1 | | | Jindal | - |
| | | | Rana Steel | |
| | METALS & ROOFS | | Swastik Pipes | - |
| 1 | | | Tata Structura | - |
| 1 | | PREFABRICATED SS WORKS | | - |
| | | THE REAL PROPERTY OF THE PROPE | Dline | - |
| | her den ser ser ser | | Jindal Stainless (JSL) | |
| 1 | | | Kich | |
| | - | | Ozone | |
| | - | | the second s | |
| 1 | | METAL ROOFS SYSTEMS | Kalzip | |
| | | 4 | SUPERTECHINDIAL BUT LTD | 7 |
| 1 | | | TATA Bluescope (Metal Coated and Pre-Painted Sheets- | |
| 1 | - | and the second se | "Zincelume", "Colorbond" | 1 |
| 1 | | | , colorbond | |
| 1 | a final and a second of the | POLYCARBONATE SHEETS | Damadu | 1 |
| | 1 million and | and brite 15 | Danpalon | - |
| 1 | T. | | "Lexan"(SABIC Innovative Plastics from GE) | + |
| 1 | | TENSILE FABRIC | | - |
| 1 | | FENSILE FABRIC | Ferrari | - |
| | | | Mehler | |

Page 10 of 10

Validate

Help

Print

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Contract No: 117/JMRC/OS/Civil/Works/2025-26

Note: The estimated rate is inclusive of all applicable taxes, duties, levies, and anticipated escalation, and shall be considered as the final payable amount

| Bidding Firm / Company : | | | | | | |
|-----------------------------|---|-------------|----------------|---|--|--|
| | and the second se | PRIC | PRICE SCHEDULE | T | | |
| NUMBER # | #LENT # | NUMBER # | TEXT # | NUMBER # | NUMBER # | TEXT # |
| No. | Item Description | Quantity | Units | BASIC RATE (Inclusive All Taxes) in Pignues To be entered by the Bidder in Rs. P | TOTAL AMOUNT (Inclusive All Taxes) in Rs. P | TOTAL AMOUNT (Inclusive All Taxes) In Words |
| | 2 | 4 | A 50 | 13 | 53 | 55 |
| | 6mm Toughened Glass in existing frame. Providing and Fixing 6mm thick clear float toughened glass in aluminium door, window, ventilator, shutters and partitions etc. with PVC/ Neoprene gasket etc complete as per architectural drawings and the directions of Engineer-In-Charge. | 50.000 Squa | squar | | | 0.00 INR Zero Only |
| 2 | Providing and fixing in position Toughned glass of 12mm thickness all complete including minor cutouts/openings as per the direction of Engineer in-charge. | 12.000 Sqm | Sqm | | 0.00 | l INR Zero Only |
| 3 | Providing & Fixing of Floor Spring, Patch (Hydraulic) (OZONE MARE) for Glass Door Assembly/Unit complete as per Directions of Engineer-In- Charge. | 5.000 Each | Each | | 0.0 | 0.00 INR Zero Only |
| 4 | Providing and fixing tactiles 12mm thick yellow directional virithed porcelain Granite tactiles (Australian made) laid on floor with laftcrete 111 crete filler powder mixed with laticrete 73 latex admix and applied to a minimum thickness of 4.5 mm. The mixing ratio shall be as follows : 20 Kg Bag (Laticrete I 1).5.5 Ltr (Laticrete 73) spacer of 3 mm shall be used between the tiles and joints filled using laticrete Latapoxy SP-100 epoxy grout in Inca gold colour. The joint depth shall be 6 mm. Laticrete product shall be procured by Laticrete International Inc (Tiles for blind people - directional tiles as installed in JMRC station) | 25.000 RM | RM | | 000 | 0.00 INR Zero Only |

Page 1 of 25

Print Validate

Help

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| ADMACtore Other Other | 0.8mm color coated G.I Laths interlocked together through their entire length and jointed together at the end by end locks mounted on specially designed pipe shaft with brackets of M.S. side guides of C.I. and arrangements for static bracket or state guides of C.I. and arrangements per the directions of Engineer-In-Charge. 0.00 INR Zero Only Colour Coated G.I Top Cover 0.5mm thick for rolling shutters as per instructions of Engineer-In-Charge. 0.00 INR Zero Only Colour Coated G.I Top Cover 0.5mm thick for rolling shutters as per instructions of Engineer-In-Charge. 0.00 INR Zero Only Providing and fixing prink dholpur sand stone work of size as specified below, of approved colour/pattern at all levels for wall lining/Columns (veneer work) by mechanical arrangement with S. Gramp/ brackets, arborour/pattern at all levels for wall lining fourters and and stone pieces. 0.00 INR Zero Only |
|---|---|
|---|---|

Page 2 of 25

Abbendix: 02

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Help

Print

Validate

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| 12.01 | pink dholpur sand stone size (1600-1800)x600x25mm minimum thick | 10.000 Sqm | mp | 0.00 INR Zero Only |
|-------|--|----------------|---------------------------|--|
| 13 | Providing and laying 30mm thick FLAMED Sadarhalli Grey Granite Stone flooring in treads and landings (including bull nosing, rounding the nose and making groove) of steps of approved colour, size and pattern, (sample of granite stone shall be approved by Engineer-in-charge) over 20mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with neat cement slurry mixed with pigment to match the shade of granite stone complete as per specifications and as per direction of engineer-in-charge. | 10.000 Sqm | dood u | 0.00 INR Zero Only |
| 14 | Extra for Red/ Raw Silk/ Tan Brown/ Jet Black granite Stone | 10.000 Sqm | up | 0.00 INR Zero Only |
| 2 | Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen effect complete as per directions and approval of Engineerin- charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done. | 300.000 Sqm | | 0.00 INR Zero Only |
| 16 | Providing and inserting 12mm dia galvanised steel injection nipple in honey comb area and along crack line including drilling of holes of required diametre (20mm to 30mm) up to depth from 30mm to 80mm at required spacing and making the hole & crack dust free by blowing | 150.000 Each | ch | 0.00 INR Zero Only |
| | compressed arr, seaming the unstance between injection mipple with adnesive chemical of approved make and allow it to cure complete as per direction of Engineer-In-Charge. | Tuber & Marine | Carlo Martin Carlo Martin | pare the growing a sector pixel cyclement with |

Page 3 of 25

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Help

Print

Validate

Page 4 of 25

Abbeugiz: 03

| 100 |
|-------|
| |
| Prin |
| |
| Cases |
| 122 |
| ate |
| lida |
| Na |
| 38 |

Help

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| | Providing and Tixing backit or high quality flex prints of high resolutionimages and to be pasted or installed on the walls or any other surfaces, of approved size and design as directed by the Architect. Necessaryframework in wood or aluminium to be provided for mounting of flex panel asrequired or as directed by the Architect. Flex panel to be installed takingutmost care to avoid any damages or stains on walls etc. In case of theinstallation or printing is found unsatisfactory the sheet to be replaced with necessary corrections as part of rectification works. Item to includeall necessary tools, Flex and printing, framework for mounting of flex panelscaffolding if required etc. complete | mps 000,021 | d | |
|-------|---|-------------|---|--------------------|
| | Providing and fixing Small Size MDF Bases for mounting Sculptures of required sizes and design as directed by the Architect. Base to be made using 19mm MDF sheets including necessary wooden framework if required and finished with Duco paint of approved shade and type as directed by the Architect. Item to include all necessary tools, hardware etc complete in all respects. | 0.500 Cum | | 0.00 INR Zero Only |
| | Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with hosting coat of neat cement and making channels in cement concrete 1:2.4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : | | | |
| | Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (hight duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) : | | | |
| 23.02 | With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 | 5.000 Each | | 0.00 INR Zero Only |
| | Providing and fixing 8mm thick Black Painted Toughened Glass Clading on walls of required size and design as directed by the Architect. 8mm thick Marine Plywood backing to be provided behind the glass, to be fixed over 25mm x 25mm teak wood framework fixed to wall @ 1.2M c/c or as required as per site conditions. Item to include providing necessary lipping to hold glass in place, tools, hardware etc. to complete item in all respects. | 5.000 Sqm | | 0.00 INR Zero Only |

5

Page 5 of 25

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Help

Print

Validate

| 25 | Manufacturing, supplying and Fixing retroreflective overhead signage 42,000 Sqm | n 0.00 INR Zero Only |
|-------|--|---|
| | boards made up of 2mm threk aluminium sheet, face to be fully covered with high intensity and encapsulated lens type heat activated retroreflective sheeting confirming to type III of ASTM-D-4956-01 as approved by Engineer-In-Charge, letters, borders etc. as per IRC 67-2001 in silver white with blue color background and with high intensity grade, pasted on austraight by pressure sensitive adhesive backing which shall be activated by applying pressure confirming to class II of ASTM-D-4956-01 and fixing the same to the plate of structural frame work by means of suitable sized aluminium alloys, rivets or bolts and nuts (@ 300mm centre to centre all along the periphery as well as in 02 vertical rows along with theft resistant measures, including the cost of painting with two OR more coats of epoxy paint in grey color on the back side of aluminium sheet including appropriate priming coat. The rate includes the cost of rounding off the corners, lowering down the structural frame work from the gantry, fixing and erecting the same in position all complex (Structural Frame work Including M S Plate to be provided seperately. Rectangular area of the sheet only shall be measured for payment). | |
| 26 | ILLUMINATED SIGNS: Providing and fixing illuminated signs including all operations from fabrication to installation all complete as per relvant drawings, technical specifications, signage schedule and to the satisfaction of the Engineer-lo- Charge. | |
| 26.01 | SIGN FRAME:-The sign frame shall be made out of aluminium extruded sections fabricated to required sizes and shape. Item to include providing and fixing of aluminium channel spot welded to sign frame including channel supports are to be powder coated to match as per apptoved colour or in colour duly approved by Engineer-In-Charge. The inside edge of sign frame to have EPDM gasket where it gets in contact with the sign panel as per approved design is required. All powder coating shall be done on all internal as well as external surafaces. The Sign shall be internally it with the specified luminare (LED MODULE) and item to include providing and fixing luminare and fixtures comple as per the technical specifications for electrical works. | Apple and Characterian Apple and Character |

1

Page 6 of 25

Abbauqix: 05 .

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Help

Print

Validate

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| Providing and fixing sign pannel made out of 04mm thick polycarboate sheeting with vinyl message (3630/7725 series 03M OR equivalent) to required sixe and shape. Vinyl colour to match graphics and text as per schedule and pasted on sign panel. All the confont in the signage will be plotter cut/screen printing. The signage will be laminated for the protection of plotter cut vinyl pasted on sign panel. For double side | REFLECTOR PANEL:- Item to include providing and fixing embosed aluminium mirror reflector panel as per approved specifications and make, with provision to hold luminaries in position. | BACK PANEL: - For clevated and underground stations. For single sided signs, where graphics/text is to be on 01 side. Item to include providing in embosed radiant mirror reflector, back panel to be pure polyster coated to match as per approved colour as per technical specifications. ACCESSORIES: - Providing and fixing all accessories such as magnetic catchers, hinges, spring clips, anchoring hooks, nuts, cleats, screw hooks and slots etc complete as per specified fabrication drawing. All anchor fastener, bolts etc to be SS-304 Grade. Above description holds good for the following signage unless otherwise specified except for modifications due to their respective finished dimensions and fixing arrangement OR unless otherwise specified. | ILLUMINATED FACE MOUNTED SIGN:- (At Height of Roof at Entry/Exit and at room height of Underground Metro Stations Badi. Chaupar' and Chhoti Chaupar) Chaupar' and Chhoti Chaupar) The sign frame is to be mounted on BRICK/RCC wall backing with cladded or Non cladded. Item to include aluminium sign frame on the RCC BRICK wall backing by drilling holes of required diameter in the RCC/Brick Wall and achoring the sign frame using HIL TI FASTENERS or Equivalent or specified size and length and providing and fixing all item and accessories including silicon sealant and backer rod of approved make complete as per drawing for following panel sizes. The mounting surfacesshall be required and finished as per surrounding area complete at no extra cost. This sign is to be necessarily signle sided only. All achor fasteners, bolts etc to be SS-304 Grade. (SIZE: 2400mmX900mm Approx. OR 5200mmX1000mm Approx. Depth of SIGN DEPTH: 75mm OR as approved by EIC) |
|--|---|---|---|
| | 200 | | 0.00 INR Zero Only |

Page 7 of 25

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Help Print Validate

| 27 | Supply and Installation of Vinyl Sheet (03M) in UV Print on existing signages at metro stations of Jaipur Metro. | 80.000 Sqm | | 0.00 INR Zero Only | |
|----|--|-------------------------|-----|--------------------|--|
| 28 | Providing and fixing 120 minutes steel fire rated doors as per detailed specifiction made by shakti mate, Godrej etc. Along with hinge and door closer as per nfpa 80 and as per NFPA 252, temperture increase on the unexposed surface not exceeding on average 361 c (650.F) during first 30 mins of test size as per directions of Engineer in charge. | 40.000 Sqm | 00 | 0.00 INR Zero Only | |
| 29 | Re-alignment of misaligned doors by taking out the door and the door frame (as per site requiement), rectifying and re-fixing of the same. The door shall be made good using any fixtures required (except hinges, door closer, trim paces, panic bars) and nithing shall be paid extra in line of the same. The work shall be carried out as per the direction of Engineeer in charge. | 15.000 Each | 6.0 | 0.00 INR Zero Only | |
| 30 | Removing of old paint, rust with help of power tool and preparing the surface to various standards (ASA 3.0) before application of primer. The rate will include all tools, plants, labour and other consumables and incidental charges. Nothing shall be paid extra. Except NBSR no.1, 3,4,5 and 6. The surface which are not accessible with the help of power tool shall be prepared with wire brush. | 15000.000 Sqm | 2 | 0.00 INR Zero Only | |
| 31 | Applying surface tolerant epoxy coating in two coats with epoxy based primer with minimum DFT of 200 microns at all locations wherever required and volume of solids not less than 75%. Paint is to be applied with spray painting, in place where its inaccessible it may be applied with brush (item to be used where surface is having scaling.) | 15000.000 Sqm | | 0.00 INR Zero Only | |
| 32 | Application of finishing coat epoxy polyurethane system of approved quality brand ot UV resistant coat at all locations and colour to achieve smooth & even surface with minimum volume of solids 57% and of 75 microns thickness of surfaces. | 15000.000 Sqm | | 0.00 INR Zero Only | |
| 33 | Providing and fixing of Anti Birds Spikes made of high quality of Poly Carbonate, 5 Row 304 mm. Rates are inclusive of screws, cable ties, adhesives, fasteners up to 5 meter Height complete as per direction of Engineer-in-Charge. | 3000.000 Mtr | | 0.00 INR Zero Only | |
| 34 | Supply 5-7.5 HP submersible pump of discharge capacity 50-60 kl/hrs including cost of operation etc complete. | 40.000 Shift of 8 hours | 51 | 0.00 INR Zero Only | |
| 35 | Cladding Work | | | | |

Page 8 of 25

Abbendix: 02 '

Help Print Validate

Item Rate BoQ : SCHEDULE PART-A: NBSR ITEMS

Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| 35.01 | Granite cladding work : Providing and laving 30 mm thick mirror polished | 20 000 Sam | | 0.00 INR Zero Only | A |
|----------------------|--|---------------------------|-------|--|-------------------------------------|
| | Sadarhalli Grey/Cheema Pin/Male are 2016 of an environment of approved and including sizes of 1200mmX600mm of approved colourly pattern with 4mm groove all around at all levels for wall linings/columns/ cladding/skirtings (vencer work) by mechanical arrangement with SS cramps/ brackets, anchor bolts, 6 mm vertical SS pins of approved make and inserts as per drawings and specifications. The cost of making necessary grooves all around stone pieces, chamfering of corner edges and polishing are included. | | 0, | | |
| 37 | Extra for Red/ Raw Silk/ Tan Brown/ Jet Black granite Removal of old expansion joint, repair of site and providing & fixing of BITUFLEX close cell form twice for overlaping of close cell form joints filling of POLYDEEN GROUTFAST or equivalent non curing mortar and applying POYDEE liquid membrane or equivalent on the entire area of expansion joint mfg by M/S Greensboro Polychem Pvt. Ltd Or equivalent and fixing of 6 mm thick and 150 mm wide aluminium sheet one with sliding screw complete as per direction of Engineer- In-Charge | 20.000 Sqm 250.000 Mtr | 00.00 | 0.00 INR Zero Only 0.00 INR Zero Only | |
| 8 | Polishing and buffing of SS 304 railing/SS surface provided in metro stations with minor grinding(as required) and removing stains/blemish with proper rubbing and polishing. The surface with suitable material and finally buffing the surface with high speed buffing machine using buffing material complete as per dierection of Engineer In Charge. The work will be carried out in non revanue hours and rates are inclusive of all taxes man power material, tools and plants, CO and OH etc all complete. | 5000.000 Squir | | 0.00 INR Zero Only | |
| 39 | Providing skilled manpower such as welder/fitter for welding works along with welding machine to carry out welding as per direction of Engineer-In- charge including cost of tools, safety equipments, consumable (electrodes) etc. | 200.000 Per Day | | 0.00 INR Zero Only | youth of the addition for No. 49144 |
| 40 | Providing semiskilled manpower such as Plumber/carpentor/ma@on/ for plumbing/sewerage/carpentory/masonary, rectification works with all required T&P complete as per direction of Engineer-In-charge. | 800.000 Per Day | | 0.00 INR Zero Only | |
| 41 | Providing unskilled manpower such as helper/beldar etc for miscelleneous Civil works with all required T&P as per direction of Engineer-In-charge. | 1000.000 Per Day | | 0.00 INR Zero Only | |
| 42 | Supply of potable water through water tankers o capacity 5000 liters at stations of JMRC from MSOR-BICP | 200.000 Each | | 0.00 INR Zero Only | a transfer of A. A. P. Shents |
| Total in Figures | | - | | 0.00 INR Zero Only | |
| Quoted Rate in Words | Words | | INR | INR Zero Only | |

Page 9 of 25

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur.

Validate Print Help Lender Inviting Authority: Director (O&S)#MRC

Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Contract No: 117/JMRC/OS/Civil/Works/2025.26

Note: The estimated rate is inclusive of all applicable taxes, duties, levies, and anticipated escalation, and shall be considered as the final payable amount.

| 40 | THE PART SET NUMBER OF STREETS TO A DAMAGE THE | 101 101 101 101 | PRI | PRICE SCHEDULE | The second states and the second s | A active S weather |
|---------------|---|-----------------------|-----------|---|---|--|
| NUMBER # | TENT # | NUMBER # | TENT# | NUMBER | NUMBER # | TEXT # |
| SI. No. | Item Description | Quantity | Units | Estimated Rate (inclusive of all applicable taxes and escalation) in Rs. P | TOTAL AMOUNT (inclusive of all applicable taxes and escalation) in Rs. P | TOTAL AMOUNT (inclusive of all applicable taxes and escalation) In Words |
| - | 2 | 4 | 5 | 6 | 53 | 55 |
| - | CHAPTER G-1 HIRE CHARGE OF PLANTS AND MACHINERIES | Prive Galerabele | 1 | 3 | | |
| 1.01 | 20: Hvdraulic Excavator (3D) with driver and fuel | 5.00 | Per Day | 9787.24 | 48936.20 | 0 INR Forty Eight Thousand Nine Hundred & Thirty Six and |
| 1.02 | 39: Tractor with trollev | 50.00 | Per Day | A . (1590.43 | 79521.50 | 0 INR Seventy Nine Thousand Five Hundred & Twenty One |
| 1.03 | 40: Air compressor 250 cfm with two leads for pneumatic cutters/ hammers. | | Day | 2116.49 | 63494.7 | 63494.70 INR Sixty Three Thousand Four Hundred & Ninety Four and Paise Seventy Only |
| 2 | CHAPTER G-2 : LABOUR | Cine MED | | | | |
| 2.01 | 119. Glazier | 30.00 | Per Day @ | 856.38 | 25691.40 | 0 INR Twenty Five Thousand Six Hundred & Ninety One and |
| 2.02 | 131: Painter | 30.00 | Per Day | 734.04 | 22021.20 | 0 INR Twenty Two Thousand &Twenty One and Paise |
| 3 | CHAPTER G-3-1 ; BASIC RATES OF MATERIAL | and the second second | | | | |
| 3.01 | 367: Portland Cement | 00.6 | Tonne | 8563.83 | 77074.47 | |
| 3.02 | 368: White Cement | 0.30 | Gionne | 22021.29 | 6606.39 | |
| 3.03 | 830: Enamel paint | 60.00 | Thr | 330.32 | 19819.20 | 0 INR Nineteen Thousand Eight Hundred & Nineteen and |
| 3.04 | 975: 27.5 cm long wire spring grade no 2 for rolling shutters | 15:00 | cach | 367.02 | 5505.3 | 5505.30 INR Five Thousand Five Hundred & Five and Paise Thirty Only |
| 3.05 | 976: Ball bearing for rolling shutters | 0.00 | cach | 550.53 | 5505.30 | 0 INR Five Thousand Five Hundred & Five and Paise Thirty |
| | 982: Coarse sand (Zone III) | 18.00 | Cum | 2202.13 | 39638.34 | 4 INR Thirty Nine Thousand Six Hundred & Thirty Eight and |
| | 992. Galvanised steel plain sheets | 150 | quintal | 8563.83 | 12845.75 | |
| 3.08 | 1168: Kota stone slab 20 mm to 25 mm thick (semi- polished) | 10.00 | Sqm | 489.36 | 4893.60 | 0 INR Four Thousand Eight Hundred & Ninety Three and Paise Sixty Only |
| 3.09 | 2602: F.P.S. bricks class designation 75 | 6.00 | 1.000 Nos | 5505.32 | 33031.92 | INR |
| | 3860: 560 mm dia cover with frame (Heavy duty) | 10.00 | Each | 3670.21 | 36702.10 | 0 INR Thirty Six Thousand Seven Hundred & Two and Paise |
| | 7009. Gypsum board | 30.00 | sqm | 367.02 | 11010.60 | |
| | 7297: Jhunjhunu / Jalore (Red/Choclate/Black/Pink Colour) 18 mm thick slab, above 3600 cm2 | 20.00 | mps | 1712.77 | 34255.40 | |
| 3.13 | 7301: South Zed Black 18 mm thick slab, upto 1500 cm2 | 12.00 | Sqm. | 1468.09 | 17617.08 | |
| 3.14 | 7385.3 mm thick translucent white acrylic plastic sheet | 3.00 | Sqm. | 862.50 | 2587.50 | INR Two Thousand Five Hundred & Eighty Seven and Paise |
| 3.15 7825: Ce | 7825: Ceramic Glazed Vitrified Tiles Size : 600mm x | F 00 | Sqm. | | 6269.9 | 6269.95 INR Six Thousand Two Hundred & Sixty Nine and Paise |

Page 10 of 25

| Contract No: 117JJMRC/OS/Civil/Works/2025-26 3.16 8671: Viriefied floor tile 60×60. om 10.00 Som 607.45 CONT. 507.45 CONT. 507.55 CONT. | 3 16 8631- Vitrified floor tile 60v60 cm | 10.00 | Cam | SF 607 | av. |
|--|---|------------|-----------------|--------|---|
| 01.0 | 80.21. VIITILIED IDOUT THE BUXBU CT | 10.00 | Sqm. | 092.45 | - |
| 3.17 | 8879: Chiken wire mesh | 100.00 | P.sqm | 48.94 | |
| 3.18 | 9056: 8 mm thick calcium silicate perforated tile/board | 15.00 | Sqm. | 703.46 | 10551.90 INR Ten Thousand Five Hundred & Fifty One and Paise |
| 3.19 | 9166: P.V.C. Cistern fittings (Syphon, Ball cock & Handle Set) | 30.00 | Set | 550.53 | 16515.90 INR Sixteen Thousand Five Hundred & Fifteen and Paise Ninetv Only |
| 4 | CHAPTER G-5 HIRE CHARGES OF TENT ARTICLES | | | | (|
| 4.01 | 5.1: Chairs | Carl Local | | | |
| 4.02 | 5.1.1 : PVC chair (cost 500.00) | | | | 3 |
| 4.03 | 5.1.1. A: PVC chair (cost 500.00) (For First Day) | 400.00 | Each | 10.11 | 4404.00 INR Four Thousand Four Hundred & Four Only |
| 4.04 | 5.1.1. B: PVC chair (cost 500.00) (Subsequent days (per Day) | 800.00 | Each | 2.45 | 1960.00 INR One Thousand Nine Hundred & Sixty Only |
| 4.05 | 5.1.2: Steel pipe pedded chair(cost Each. 1200.00) | | | (| |
| 4.06 | 5.1.2.A: Steel pipe pedded chair(cost Each. 1200.00) (For First Day) | 100.00 | Each | 36.70 | 3670.00 INR Three Thousand Six Hundred & Seventy Only |
| 4.07 | S.I.2.B: Steel pipe pedded chair(cost Each. 1200.00) (Subsequent days(per Day) | 200.00 | Each | 12.25 | 2446.00 INR Two Thousand Four Hundred & Forty Six Only |
| 4.08 | 5.2: Tables : | 10.00 | A 1000 | 1.1 | |
| 4.09 | 5.2.1: Wooden Table 6' x 3' (Babool). (Each. 800.00) | | | | |
| 4.10 | S.2.1.A: Wooden Table 6' x 3' (Babool). (Each. 800.00) (For First Day) | 20.00 | Each | 30.59 | 611.80 INR Six Hundred & Eleven and Paise Eighty Only |
| 4.11 | 5.2.1.B: Wooden Table 6' x 3' (Babool). (Each. 800.00) (Subsequent days(per Day) | 40.00 | Each | 8.56 | 342.40 INR Three Hundred & Forty Two and Paise Forty Only |
| 4.12 | 5.2.4: Centre Table Glass Top 2'x4' (Each. 2250.00) | | A. W | | |
| 4.13 | 5.2.4.A. Centre Table Glass Top 2'x4' (Each. 2250.00) (For First Day) | 5.00 | Each | 183.51 | 917.55 INR Nine Hundred & Seventeen and Paise Fifty Five Only |
| 4.14 | 5.2.4.B. Centre Table Glass Top 2'x4' (Each. 2250.00) (Subsequent days(per Day) | 10,00 | Each | 61.17 | 611.70 INR Six Hundred & Eleven and Paise Seventy Only |
| 4.15 | 5.3.3 : Non woven synthtic carpet (Red/Green) (New) (sqm160.00) | 11 | | | |
| 4.16 | S.3. A: Non woven synthtic carpet (Red/Green) (New) (sqm160.00) (For First Day) | 1000.00 | ubs | 30.59 | 30590.00 INR Thirty Thousand Five Hundred & Ninety Only |
| 4.17 | 3.3. B. Non woven synthtic carpet (Red/Green) (New) (sqm160.00) (Subsequent days(per Day) | 2000.00 | mps | 18.35 | 36700.00 INR Thirty Six Thousand Seven Hundred Only |
| 4.19 | 5.5.4 Pipe Pandal with covering ht from to 12 to 18 ft 5.5.4 Pipe Pandal with covering ht from to 12 to 18 ft | 300.00 | ubs | 36.70 | 11010.00 INR Eleven Thousand &Ten Only |
| 4.20 | 5.5.8: Pipe Pandal with covering ht from to 12 to 18 ft (Subsequent days per Day) | 600,00 | wbs | 12.23 | 7338.00 INR Seven Thousand Three Hundred & Thirty Eight Only |
| 4.21 | Curtain cloth (View cutter) made out of steel pipe frame covering with good quality white cloth to cut view including making holes and made necessary | | the part of the | | (1) All should be a set of the probability of th |

Page 11 of 25

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur,

Validate Reduction Part B:-Kajasthan PWD BSK 2022 Items; CIV Circle Ja Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Mork: Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| 30.59 30.59 NR 8.56 8.56 856.00 NR 8.56 8.94 489.40 NR 18.35 367.00 NR 18.35 18.35 367.00 NR 18.35 18.35 367.00 NR 18.35 367.00 NR 18.35 367.00 NR 18.35 367.00 NR 12.23 1223.00 NR 12.23 123.00 NR 12.23 123.00 NR 13.35 367.00 NR 14.68 1468.00 NR 14.68 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 12.23 122.34 1956.00 1 | 100 | 5.6.A: Curtain cloth (View cutter) made out of steel | 0.020 | Sqm | 1111 | 3059.0 | 3059.00 INR Three Thousand & Fifty Nine Only |
|---|------|--|--------|-------------------------|--------|--|--|
| L Description 30.39 retrivition and multi- matrix plots and multi- necessary (ref. First.Day) 30.99 ref St. St. Attained and Stree Carrier (ref. First.Day) S. St. St. Attained and Stree Carrier (ref. First.Day) 8.56 St. St. St. Attained and Stree Carrier (ref. First.Day) 100.00 Each 48.94 489.40 St. St. Attain fixed with Tent (155%) (Each \$80.00) 100.00 Each 48.94 489.40 St. St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Each 48.94 48.94 489.40 St. St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Each 48.94 48.94 48.94 St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Seminor 13.33 36.00 NR St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Seminor 13.33 36.00 NR St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Seminor 12.33 96.00 NR St. Attain fixed with Tent (155%) (Each \$80.00) 2000 Seminor 12.33 96.00 NR St. Attain fixed with Tent (155%) (Each | | pipe frame covering with good quality white cloth to | | | | | |
| (ref. First Day) Square Square <td< td=""><td>4.22</td><td>cut view including making holes and made necessary strengthening support against wind pressure complete</td><td>100.00</td><td></td><td>30.59</td><td>Net Oliv</td><td>and the second second and the</td></td<> | 4.22 | cut view including making holes and made necessary strengthening support against wind pressure complete | 100.00 | | 30.59 | Net Oliv | and the second second and the |
| 564 Control Concerning with globes and made necessary strengthening system and mode nuclearing (strengthening system (asystem (asyste | | (For First Day) | | | | | |
| pipe function 8.56 prive including mixing holds and mode mecasing strengthening support against wind pressure complet. 10000 Each 48.94 489.40 1000 57 Neutral fixed with Tent. (15%0) (Each. 850.00) 10.000 Each 48.94 489.40 1000 57 Neutral fixed with Tent. (15%0) (Each. 850.00) 10.000 Each 48.94 489.40 112.23 112.233 112.233 112.233 112.233 112.233 112.233 112.233 112.233 114.80 112.233 114.80 112.233 114.80 112.233 114.80 112.233 114.80 112.233 114.80 114.80 114.80 114.80 114.80 112.233 114.80 | | 5.6.B: Curtain cloth (View cutter) made out of steel | 00 000 | Sqm | | 856.0 | 856.00 INR Eight Hundred & Fifty Six Only |
| enclose 1000 8.50 strengthening suptort against with Tent (15%) (Tach 85000) 10.00 Each 48.94 489.40 57. Astant fixed with Tent (15%) (Tach 85000) 10.00 Each 48.94 489.40 57. Astant fixed with Tent (15%) (Tach 85000) 10.00 Each 48.94 489.40 57. Astant fixed with Tent (15%) (Tach 85000) 20.00 Each 48.94 489.40 57. Astant fixed with Tent (15%) (Tach 85000) 20.00 Sem 12.33 367.00 NR 51. Ok Water Phorf Tripal. Entry fixed Tabay 100.00 Sem 12.33 978.00 NR 51. I. Wooden sugae breight 60cm with steps 50.00 Sem 12.23 12.33.00 NR 51. I. Wooden sugae breight 60cm with steps 50.00 Sem Sem 12.23 2396.00 NR 51. I. Wooden sugae breight 60cm with steps 50.00 Sem Sem 12.23 2346.00 NR 51. I. Wooden sugae breight 60cm with steps 50.00 Sem Sem 35.72 2396.40 NR | - | pipe frame covering with good quality white cloth to | | | | • | |
| Strengtoment darsy for gamers wind pressure complete. As yet As yet </td <td>4.23</td> <td>cut view including making holes and made necessary</td> <td>100.00</td> <td>1440</td> <td>8,56</td> <td>0</td> <td>101 Thirs Lotton of Soch and a solar is a start. One</td> | 4.23 | cut view including making holes and made necessary | 100.00 | 1440 | 8,56 | 0 | 101 Thirs Lotton of Soch and a solar is a start. One |
| 57: Ark mant fried with Territ (15%) (Each \$50,00) Each 48.94 48.94 No. 75: Ar Kannt fried with Territ (15%) (Each \$50,00) 10.06 Each 48.94 48.94 No. 75: Ar Kannt fried with Territ (15%) (Each \$50,00) 20.00 Each 18.35 567.00 NR 75: Ar Kannt fried with Territ (15%) (Each \$50,00) 20.00 Sem 18.35 567.00 NR 51: Ar Water Proof Tripial. 51.04 Water Proof Tripial. 100.000 Sem 18.35 567.00 NR 51: Ar Water Proof Tripial. 51.04 Water Proof Tripial. 200.00 Sqm 48.9 78.00 NR 51: Ar Water Proof Tripial. 51.11. Wooden stage height 60cm with steps 50.00 Sqm. 14.68 14.468 NR 51: Ar Water Proof Tripial. 51.11. Wooden stage height 60cm with steps 50.00 Sqm. 14.68 14.68 NR 51: Ar Water Proof Tripial. 51.11. Wooden stage height 60cm with steps 50.00 Sqm. 14.68 14.68 NR 51: Ar Water Proof Tripial. 51.11. Wooden stage height 60cm with steps 50.00 Sqm. 24.60 N | | strengthening support against wind pressure complete. (Subsorment developer Dev) | | | | 0 | |
| 57.A. Kamat fixed with Tent (15x6) (Each 850.00) 10.00 Each 48.94 48.94 489.40 57.A. Kamat fixed with Tent (15x6) (Each 850.00) 20.00 Each 18.35 367.00 18.3 57.B. Kamat fixed with Tent (15x6) (Each 850.00) 20.00 Sum 12.23 1223.00 108.00 51.D. Water Proof Tripal For First Day) 200.00 Sum 12.23 1223.00 188.00 51.D. Water Proof Tripal Subsequent days(per Day) 200.00 Sum 12.23 1223.00 188 51.D. Water Proof Tripal Subsequent days(per Day) 200.00 Sum 48.94 1223.00 188 51.D. Water Proof Tripal Subsequent days(per Day) 200.00 Sum 48.95 1223.00 188 51.1. Wooden stage height oftern with steps 100.00 Sum 48.72 293.60 188 51.1. Wite contro clon cord core of for padded chair 20.00 Sum 48.94 14.68 146.60 146.00 146.00 146.00 146.00 146.00 146.00 146.00 146.00 | 4.24 | | 10 - M | | | NC | |
| 57.B. Kamar fixed with Tent (15%6) (Each \$5000) 20.00 Each 18.35 367.00 INR 510 Water Proof Tripal. For First Day) 100.00 Sqm. 12.23 0.78 00 INR 510 Water Proof Tripal. 510 Water Proof Tripal. 100.00 Sqm. 12.23 0.78 00 INR 510 Water Proof Tripal. 510 Water Proof Tripal. 200.00 Sqm. 12.23 0.78 00 INR 510 Water Proof Tripal. 510 Water Proof Tripal. 200.00 Sqm. 235.72 2956.00 INR 511 Wooden stage height 60cm with steps 50.00 Sqm. 14.68 144.68 144.60 511 B. Wooden stage height 60cm with steps 100.00 Sqm. 14.68 144.68 144.60 511 B. Wooden stage height 60cm with steps 100.00 Sqm. 14.68 144.60 144.68 146.00 511 B. Wooden stage height 60cm with steps 100.00 Sqm. 14.68 146.00 144.68 146.00 144.68 146.00 144.68 144.68 144.60 144.60 144.60 144.60 144.60 144.60 144.60 | 4.25 | 5.7.A: Kanat fixed with Tent. (15%6) (Each. 850.00) (For First Dav) | 10.00 | Each | 48.94 | 489.40 | 489.40 INR Four Hundred & Eighty Nine and Paise Forty Only |
| 510. Water Front Tripal. 100.00 Sem. 12.2.3 12.2.3 12.2.3 510. Water Front Tripal. 510.4. Water Front Tripal. 100.00 Sem. 12.2.3 12.2.3 12.2.3 510. Water Front Tripal. 510.4. Water Front Tripal. 200.00 Sem. 12.2.3 978.00 INR 511. Wooden stage height 60cm with steps 50.00 Sqm. 489 978.00 INR 511. Wooden stage height 60cm with steps 50.00 Sqm. 14.6.8 144.68 511. Wooden stage height 60cm with steps 100.00 Sqm. 14.6.8 1446.0 INR 511. Wooden stage height 60cm with steps 100.00 Sqm. 14.6.8 1446.0 INR 511. Wooden stage height 60cm with steps 100.00 Sqm. 14.6.8 1446.00 INR 511. Wooden stage height 60cm with steps 100.00 Sqm. 12.2.3 2446.00 INR 517. White cotton cloth cover for padded chair 200.00 Each. 12.2.3 2446.00 INR 517. White cotton cloth cover for padded chair 200.00 Each. 12.2.34 3670.00 INR 517. Whi | 4.26 | 5.7.B: Kanat fixed with Tent. (15%6). (Each. 850.00) (Subsequent days free Day) | 20.00 | Each | 18.35 | 367.00 | 0 INR Three Hundred & Sixty Seven Only |
| 5 10.A. Water Proof Tripal (For First Day) 100.00 Sqm. 12.23 11.48 12.46 11.46 < | 4.27 | 5.10: Water Proof Tribal. | | | < | | |
| 5 10.B. Water Proof Tripal. (Subsequent days/per Day) 200.00 Sqm. Agy 978.00 NR 5 11. Wooden stage height 60cm with steps 50.00 Sqm. Sg.72 2936.00 NR 5 11. A. Wooden stage height 60cm with steps 50.00 Sqm. Sg.72 2936.00 NR 5 11. A. Wooden stage height 60cm with steps 50.00 Sqm. J.44.60 NR 5 11. A. Wooden stage height 60cm with steps 100.00 Sqm. J.44.60 NR 5 11. B. Wooden stage height 60cm with steps 100.00 Sqm. J.44.60 NR 5 11. B. Wooden stage height 60cm with steps 100.00 Sqm. J.44.60 NR 5 11. B. Wooden stage height 60cm with steps 100.00 Sqm. J.44.60 NR 5 11. B. Wooden stage height 60cm with steps 200.00 Fadh J.2.3 J.2.4 J.4.66 J.4.6 5 17. A. White cotion cloth cover for padded chair 200.00 Fadh J.2.3 J.2.3 J.2.3 J.2.3 J.2.3 J.2.4 J.4.6 J.4.6 5 17. A. White cotion cloth cover for padded chair 200.00 Fach J.2.3 J.4.6 J.4.6 J.4.6 5 17. A. White cotion cloth cover for padded chair 200.00 Fach J.2.3 J.4.6 <t< td=""><td>4.28</td><td>al</td><td>100.00</td><td>Sqm.</td><td>12.23</td><td>1223.00</td><td>0 INR One Thousand Two Hundred & Twenty Three Only</td></t<> | 4.28 | al | 100.00 | Sqm. | 12.23 | 1223.00 | 0 INR One Thousand Two Hundred & Twenty Three Only |
| 5 11: Wooden stage height 60cm with steps complete 5qn. 58,72 2936 00 NR 5.11.A: Wooden stage height 60cm with steps 50.00 Sqn. 14.68 1468 2936 00 NR 5.11.B: Wooden stage height 60cm with steps 50.00 Sqn. 14.68 1468 1148 1468 1148 1468 1148 1468 1148 1468 1148 | 4.29 | 5.10.B: Water Proof Tripal. (Subsequent days(per Day) | 200.00 | Sqm. | 480 | 978.00 | 0 INR Nine Hundred & Seventy Eight Only |
| 5.11.A. Wooden stage height 60cm with steps 50.00 Sqm. 55.72 2936.00 INR complete (For First Day) 51.1.8. Wooden stage height 60cm with steps 100.00 Sqm. 14.68 1468.00 INR 5.17. white cotton cloth cover for padded chair 100.00 Fach 12.23 2446.00 INR 5.17. white cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. white cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. white cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 4.89 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 12.23 2446.00 INR 5.17. White cotton cloth cover for padded chair 200.00 Fach 4. | 4.3 | 5.11: Wooden stage height 60cm.with steps complete | | | A.A.A | | |
| 5.11.B. Wooden stage height 60cm with steps 100.00 Sqm. 14.68 1468.00 INR complete (Subsequent days(per Day) 5.17. white cotton cloth cover for padded chair 100.00 Farb 12.23 2446.00 INR 5.17. white cotton cloth cover for padded chair 200.00 Farb 12.23 2446.00 INR 5.17. white cotton cloth cover for padded chair 200.00 Farb 12.23 2446.00 INR 5.17.B. white cotton cloth cover for padded chair 200.00 Farb 12.23 2446.00 INR 5.17.B. white cotton cloth cover for padded chair 200.00 Farb 4.89 1956.00 INR 5.23. VIP Chair with cushion 5.23. WIP Chair with cushion 5.23.4 12.23.4 3670.20 INR 5.23. Super base 5.23. WIP Chair with cushion 5.23.4 12.23.4 3670.20 INR 5.23. Super base 5.23.1 There Searce 36.00 Each. 4.8.9.4 Forth 5.23. Super base 5.23.1 Three Searce 30.00 Each. 243.6.8 166.0.8 5.23. Super base 5.23.1. Three Searce 30.00 Each. 2.4.6.8 10.00 5.23. Super base 5.23.1. Three Searce 3.0.00 Each. | 4.31 | 5.11.A.: Wooden stage height 60cm with steps complete (For First Day) | 50.00 | Sqm. | 58.72 | 2936.00 | 0 INR Two Thousand Nine Hundred & Thirty Six Only |
| 5.17: white cotton cloth cover for padded chair inculding ribbon 5.17: white cotton cloth cover for padded chair inculding ribbon 212.33 2446.00 INR 5.17. A: white cotton cloth cover for padded chair inculding ribbon (For First Day) 200.00 Each 1.2.23 2446.00 INR 5.17. A: white cotton cloth cover for padded chair inculding ribbon (For First Day) 200.00 Each 1.2.23 2446.00 INR 5.17. B: white cotton cloth cover for padded chair inculding ribbon (For First Day) 30.00 Each 4.89 1.956.00 INR 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 3670.20 INR 1.22.34 3670.20 INR 5.23. S. VIP Chair with cushion 5.23. VIP Chair with cushion 5.23. A: VIP Chair with cushion 1.22.34 3.670.20 INR 5.23. S. VIP Chair with cushion 5.23. A: VIP Chair with cushion 1.22.34 3.670.20 INR 5.23. S. VIP Chair with cushion 5.23. A: VIP Chair with cushion 5.23.44.68 1.48.94 Forth 5.23. S. VIP Chair with cushion 5.23.1. Three Seater 5.23.691.40 INR 5.33.631.40 INR 5.21.1. Three Seater 5.27.1. Hiree Seater 5.24.68 2.24.68 1.46.80.80 INR 5.23.1.1. Three Seater 5.23.1.1. Three Seater 5.23.71.18 5 | 4.32 | 5.11.B. Wooden stage height 60cm with steps complete (Subsequent davs(per Dav) | 100.00 | Sqm. | 14.68 | 1468.00 | INR One Thousand Four Hundred & Sixty Eight Only |
| 511A. white cotton cloth cover for padded chair 200.00 Each. 12.23 2446.00 INR 517B. white cotton cloth cover for padded chair 200.00 Bach. 4.89 1956.00 INR 517B. white cotton cloth cover for padded chair 400.00 Each. 4.89 1956.00 INR 523. VIP Chair with cushion 5.23. VIP Chair with cushion 3.00 Each. 122.34 3670.20 INR 523. VIP Chair with cushion 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 3670.20 INR 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 3670.20 INR 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 122.34 3670.20 INR 5.23. VIP Chair with cushion 5.23. VIP Chair with cushion 122.34 3670.20 INR 5.23. Li Providing and laying unbushic 60.00 Each. 48.94 2954.40 INR 5.27. I. Three Seater 5.27. I. Three Seater 30.00 Each. 244.68 25691.40 INR 5.27. I. Three Seater 5.27. I. B. Three Seater 5.27. I. B. Three Seater 5.27. I. B. Three Seater 25691.40 INR 5.27. I. B. Three Seater 5.27. I. B. Three Seater 30.00 Each | 4.33 | 5.17: white cotton cloth cover for padded chair incutiding ribbon | 1.0.00 | 1.1 | | 2010.00 | were dimensional to the set of the set of the |
| 5.17.B. white control of never for padded chair 400.00 Each. 4.89 1956.00 INR 5.23. VIP Chair with cushion 100.00 Each. 4.89 1056.00 INR 5.23. NIP Chair with cushion 5.23. VIP Chair with cushion 5.21. VIP Chair with cushion 5.20.00 Each. 122.34 3670.20 INR 5.23. S. VIP Chair with cushion S.23. Support 60.00 Each. 122.34 3670.20 INR 5.23. B. VIP Chair with cushion (Subsequent days(per Day) 5.000 Each. 122.34 3670.20 INR 5.27. Deluxe sofa 5.27. Letuce sofa 3.000 Each. 48.94 296.40 INR 5.27. I. Three Scater 3.000 Each. 856.38 25691.40 INR 5.27.1. B. Three Scater (For First Day) 60.00 Each. 244.68 25691.40 INR 5.27.1. B. Three Scater (For First Day) 5.000 Each. 244.68 146.80.80 INR 5.27.1. B. Three Scater (For First Day) 60.00 Each. 244.68 146.80 INR | 4,34 | 5.17.A. white cotton cloth cover for padded chair invitience (Too First Day) | 200.00 | Ead | 12.23 | 2446.00 | 0 INR Two Thousand Four Hundred & Forty Six Only |
| 5.23. VIP Chair with cushion 5.20.00 Each. 122.34 3670.20 INR 5.23. S. VIP Chair with cushion (Subsequent days(per Day) 5.20.00 Each. 122.34 3.670.20 INR 5.23. S. VIP Chair with cushion (Subsequent days(per Day) 60.00 Each. 48.94 2.35.64.0 INR 5.27. Deluxe sofa 5.27. Letuce Seater 3.0.00 Each 856.38 2.5691.40 INR 5.27. Larree Seater 5.27.1 B: Three Seater 3.0.00 Each 856.38 2.5691.40 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 856.38 2.5691.40 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR< | 4.35 | 5.17.B: white cotton cloth cover for padded chair inculding ribbon (Subsequent davs/ner Dav) | 400.00 | Each. | 4.89 | 1956.00 | INR One Thousand Nine Hundred & Fifty Six Only |
| 5.23.A: VIP Chair with cushion (For First Day) 5.00 Each. 122.34 3670.20 INR 5.23.B: VIP Chair with cushion (Subsequent days(per Day) 5.000 Each. 48.94 3670.20 INR 5.23.B: VIP Chair with cushion (Subsequent days(per Day) 60.00 Each. 48.94 3670.20 INR 5.27. Deluxe sofa 5.27. Lettree Seater 3.000 Each. 8.6.38 236.40 INR 5.27. Latree Seater 5.27. Latree Seater 30.00 Each 856.38 25691.40 INR 5.27. Latree Seater 3.000 Each 856.38 25691.40 INR 5.27. Latree Seater 3.1. Three Seater (Subsequent days(per Day) 60.00 Each 856.38 25691.40 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 244.68 146.80.80 INR 3.1. Providing and laying in position comment concrete 11. Providing and laying in position comment concrete 244.68 146.80.80 INR 3.1. Providing curing compaction etc. complete in specified 244.68 146.80.80 INR All work uno pointin to cost of centering and shuttering - All work uno pointin to cost of centering and shuttering - All work uno pointin to cost of centering and shuttering - All work uno pointin to control centering and shutteri | 4.36 | 5.23. VIP Chair with cushion | | 2 | | | |
| 5.23.B: VIP Chair with cushion (Subsequent days(per Day) 60.00 Each. 48.94 2936.40 INR Day) 5.27. Deluxe sofa 2.27. Letter Seater 2.23.6.40 INR 2936.40 INR 5.27. Deluxe sofa 5.27. Lettere Seater 3.27.1 A: Three Seater 2.27.1 A: Three Seater 2.26.1 40 INR 5.27.1 B: Three Seater (For First Day) 30.00 Each 856.38 2.5691.40 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 856.38 2.5691.40 INR 5.27.1 B: Three Seater (Subsequent days(per Day) 60.00 Each 2.44.68 1.4680.80 INR 3.1. Providing and laying in position coment concrete including curing, compaction etc. complete in specified grade excluding three solution etc. complete in specified grade excluding three solution etc. 1.4680.80 INR All work uno pointin th cost All work uno point th cost All w | 4.37 | 5.23.A: VIP Chair with cushion (For First Day) | 30.00 | Each. | 122.34 | 3670.20 | |
| 5.27: Deluxe sofa 5.27: Deluxe sofa 5.27.1. Three Seater 5.27.1. Three Seater 5.27.1.8. Three Seater (For First Day) 30.00 5.27.1.8. Three Seater (Subsequent days(per Day) 30.00 5.27.1.8. Three Seater (Subsequent days(per Day) 60.00 13.1. Providing and laying in position correte 244.68 14.680.80 INR 146.80 13.1. Providing and laying in position correte 14680.80 Including curing, compaction etc. complete in specified 244.68 All work uno print hevel. 14680.80 | 4.38 | 5.23.B: VIP Chair with cushion (Subsequent days(per Dav) | 60.00 | Each. | 48.94 | 2936.40 | INR Two Thousand Nine Hundred & Thirty Six and Paise Forty Only |
| 5.27.1: Three Seater 5.27.1. Three Seater 5.27.1. Three Seater (For First Day) 30.00 5.27.1. B: Three Seater (Subsequent days(per Day) 60.00 61. Providing and laying in position comente 146.80 80. Intellaing curing, compaction etc. complete in specified 146.80 All work uno plinin hevel. All work uno plinin hevel. | 4.39 | 5.27. Deluxe sofa | | | | | |
| 5 27.1 A: Three Scater (For First Day) 30.00 Each 856.38 25691.40 NR 5 27.1 B: Three Scater (Subsequent days(per Day) 60.00 Each 244.68 14680.80 NR 3.1 Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. 31.1 Providing and shuttering - All work up to plinth level. 244.68 14680.80 NR | 4.40 | 5.27.1: Three Seater | 4 | | | | |
| 5 27.1.B: Three Scater (Subsequent days(per Day) 60.00 Each 244.68 14680.80 INR CHAPTER B-3 : CONCRETE WORK 3.1: Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. 5.27.1.B: Three Scater (Subsequent days(per Day)) 14680.80 INR | 4.41 | 5.27.1.A: Three Seater (For First Day) | 30.00 | Each | 856.38 | 25691.40 | INR |
| CHAPTER B-3 : CONCRETE WORK 3.1: Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. | 4.42 | 5.27.1.B: Three Scater (Subsequent days(per Day) | 60.00 | Each | 244.68 | 14680.80 | |
| 3.1: Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. | 5 | CHAPTER B-3 : CONCRETE WORK | | | | | |
| | 5.01 | 3.1: Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. | | all in the start of the | A vie | f, careford a partition of section of the section o | and the latence of the second of the second of the |
| Mix 1: 2: 4 (1 cement : 2 763697.70 cum aereretate 20mm nominal 135.00 5657.02 | 5.02 | 3.1.2. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal | 135.00 | Cum | | 763697.70 | INR Seven Lakh Sixty Three Thousand Six Hundred & Ninety Seven and Paise Seventy Only |

Page 12 of 25

beurinc 03,

4 of 32

Appendix: 02

.

Validate Print Print Help Tender Inviting Authority: Director (O&S),AMRC Name of Work: Maintenance Contract Of Civil Works : Add

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur,

To Badi Channar And any Other Metne & DSS Ruildings Between Mar Of Variance Sta

| 9 | CHAPTER B-5: BRICK WORK | | | | | |
|-------|---|---------|------|----------|--|---|
| 6.01 | 5.1: Brick masonry with F.P.S. bricks of class designation 75 in foundation and plinth with bricks | | | | | |
| 6.02 | 5.1.2: Cement mortar 1 : 6 (1 cement : 6 coarse sand) | 12.00 | cum | 5215.38 | 62584.56 INR Sixty Two Thousand Fit | Sixty Two Thousand Five Hundred & Fighty Four and |
| 7 | CHAPTER B-6 : STONE MASONRY | | | | | |
| | 6.22: Providing and fixing Stone jali 50mm thick Red/Pink sand stone as per ornamental design to fixed with white competitionous montration of the stone of th | 1 | | | 215637.40 INR Two Lakh Fifteen Thousand Six Hundred & Thirty Seven and Paise Forty Only | and Six Hundred & Thirty |
| 7.01 | with white centent epoxy motiar including pointing in white cement mortar 1:2 (1 white cement :2 stone dust) with an admixture of pigment, matching the stone shade. | 20.00 | Sqm | 10781.87 | 0 | |
| ~ | CHAPTER B-7: MARBLE, GRANITE AND TILE WORKS | | d | ¢ | 2 | |
| 8.01 | 7.5: Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishine commetee | | S | - Ne | | |
| 8.02 | 7.5.1: Jhunjhunu / Jalore (Red / Choclate Colour) | | | | | |
| 8.03 | 7.5.1.(i): Up to 1500 Cm2 Tiles Sqm. | 5.00 | Sqm. | 2438.25 | 12191.25 INR Twelve Thousand One Hundred & Ninetv One and | indred & Ninetv One and |
| 8.04 | (iii): Above 3601 Cm2 Slabs | 110.00 | Sqm | 3704.47 | | id Four Hundred & Ninetv Or |
| 8.05 | 7.6: Extra for providing edge moulding to 15-18mm thick marble/Granite/Kota stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. | 101.004 | 5 | | | sheri shuari A ba anii w |
| 8.06 | 7.6.2 : Granite/Kota Stone Work | | | | | |
| 8.07 | (i): Full Edge moulding | 50:00 | Mtr. | 285.05 | 14252.50 INR Fourteen Thousand Two Hundred & Fifty Two | lundred & Fifty Two and |
| 9.00 | CHAPTER B-8: WOOD WORK | | | | | |
| 10.6 | 8.13: Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure | | 6.4 | | | |
| 9.02 | 8.13.2: 30 mm thick . | | | | | |
| 9.03 | 8.13.2.1: Commercial Veneer both side | 20.00 | Sqm | 2252.29 | 45045.80 INR Forty Five Thousand &Forty Five and Paise Eighty | rty Five and Paise Eighty |
| 10 | CHAPTER B-9: STEEL & FENCING WORKS | | | | | |
| 10.01 | 9.8: Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide | 7000.00 | Kę. | 117.45 | 822150.00 INR Eight Lakh Twenty Two Thousand One Hundred & Fifty Only | housand One Hundred & |
| 10.02 | 9.8.1: Extra if square,Rectangular hollow tubular | 6000.00 | Kga | 11.74 | 70440.00 INR Seventy Thousand Four Hundred & Forty Only | indred & Forty Only |

Page 13 of 25

| And A state a provide the provide state and the state and the state of | Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro | 54320.00 INR Fifty Four Thousand Three Hundred & Twenty Only | | 366433.60 INR Three Lakh Sixty Six Thousand Four Hundred & Thirty Three and Paise Sixty Only | | |
|--|--|---|---|---|--|--|
| | Percentage BoO: tenance Of Various Stations & R | 3 08.2EI | 33 | 2290.21 | | |
| | on, Repair & Main | Mtr. | The second | Sqm | | |
| | ation/Modificati | 400.00 | | 164.00 | | |
| | Validate Print Validate Print I ender Inviting Authority: Director (O&S),JNRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, II. CHADTER B.I.O. BOOEING | 10.22: Providing gola 75x75mm in cement concrete 11.22: Providing gola 75x75mm in cement concrete 11.22: 41 cement : 2 coarse sand : 4 stone aggregate 10mm and down gauge) including finishing with cement mortar 1.3 (1 cement : 3 fine sand) as per standard design : | 10.25: Providing & fixing UV stabilised fiberglass reinforced plastic sheet roofing upto any pitch including fixing with polymer coated .J" or .L" hooks, bolts & nuts 8mm dia. G.I plain/bitumen washers complete but excluding the cost of purlins, rafters, trusses etc. The sheets shall be manufactured out of 2400 TEX panel rovigs incorporating minimum 0.3% Ultra-wollet stabiliser in resin system under approximately 2400 psi and hot cured. They shall be of uniform pigmentation andthickness without ir pockets and shall confoin to IS 10192 and IS 12866. The sheets shall be opaque or translucent, clear or pigmented, nextured or smooth as specified | 10.25.3: 5.0mm thick (Wt. 8.4 Kg/Mtr. Sq.) | | |
| V | Validate ender Inviting ame of Work: ontract No: 11 | 11.01 | 11,02 | 11.03 | | |

10

,

Page 15 of 25

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur.

Validate Print Help Tender Inviting Authority: Director (O&S), MRC

. . .

| 12.06 (B): Category "B" Denated only tw shape etc. as per IRC SP 63:2004 | (B): Category "B" Denated only two side like I,Z,T shape etc. as per IRC SP 63 2004 | 110.00 | Sqm | 961.60 | 105776.00 INR. One Lakh Five Thousand Seven Hundred & Seventy Six Only |
|---|--|-------------------------|---------------|---------------------------------|---|
| 13 | CHAPTER B-12: FINISHING WORK | | | | |
| 13.01 | 12.2: Plaster on new surface on walls in cement sand mortar 1-4 meludine rucking of joints are complete | | | | |
| | fine finish : | | The second | 1.461 | and the set of all the set of the particular to the particular the set of the |
| 13.02 | 12.2.2: 20mm thick . | 300.00 | Sqm | 247.13 | 74139.00 INR Seventy Four Thousand One Hundred & Thirty Nine |
| 13.03 | 12.22: Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete | | | | 0 |
| 13.04 | 12 33 1- Naw Disctared Surface (three or more coate) | 160.00 | Som | 102 77 | 16443 2011NR Sixteen Thousand Four Hundred & Forty Three and |
| 13.05 | 12.22.2: Old Plastered Surface (two or more coats) | 105.00 | Sqm | 56.28 | INR |
| 13.06 | 12.4: Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding. | | | 4 | |
| 13.07 | 12.40.2: Old work (One or more coats) | 500.00 | Sqm | 48.94 2 | 24470.00 INR Twenty Four Thousand Four Hundred & Seventy Only |
| 13.08 | 12.43: Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including prepartion of base with sand papering, primer, putty, etc complete in all respect including scaffolding and safety provision | | | ??? | |
| 13.00 | 12 43 1. New Work | 200.00 | Som | 150.48 | 30096 00 INR Thirty Thousand & Ninety Six Only |
| 13.10 | 12.43.2: Old Work | 500.00 | Sqm A | 61.17 | INR Thirty Thousand |
| 13.11 | 12.46: Painting with synthetic enamel paint of approved brand and manufacture to give an even shade | | l'X | 2 | |
| 13.12 | 12.46.1: Two or more coats on new work | 50.00 | Sqm | 84.41 | 4220.50 INR Four Thousand Two Hundred & Twenty and Paise Fifty |
| 14 | CHAPTER : B-14 DISMANTLING & DEMOLISHING WORK | | 5 | | |
| 14.01 | 14.2: Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in- | 22 | 2 | | |
| 14.02 | 14.2.1: 1: 3: 6 or richer mix. | 100.00 | Cum | 779.31 | 77931.00 INR Seventy Seven Thousand Nine Hundred & Thirty One |
| 14.03 | 14.12: Dismantling doors, windows and clearstory windows steel or wood shutter including chowkhats and holdfasts etc. Complete and stacking within 50 meters lead: | - | | | |
| 14.04 | 14.12.1: Of area 3 square meter and below. | 8.00 | Each | 128.46 | 1027.68 INR One Thousand &Twenty Seven and Paise Sixty Eight |
| 14.05 | 14.12.2: Of area exceeding 3 square meter. | 2.00 | Each | 176.17 | 352.34 INR Three Hundred & Fifty Two and Paise Thirty Four Only |
| 14.06 | 14.23: Dismantling tile work in floors and roofs laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 meter lead. | All of the first of the | and dependent | antino 11 / monte of highly and | |
| 14.07 | 14.23.1: For thickness of tiles 10mm to 25mm. | 300.00 | Sqm | 24.47 | |
| 14.08 | 14.23.2: For thickness of tiles 25mm to 40mm. | 800.00 | Sqm | 41.60 | 33280.00 INR Thirty Three Thousand Two Hundred & Eighty Only |
| | | | | | |

Page 16 of 25

| CORFACTING: 11 //J/MINC/OS/CIVII/ WORKS/2022-20 | | | | | | |
|---|---|--------|--------|---------------|----------|---|
| 14.09 | 14.43: Dismantling GI pipes (external work) including excavation and refilling trenches after taking out the pipes and including stacking of pipes within 50 meter lead: | | an i i | arit | | |
| 14.10 | 14.43.1: 15mm to 40mm nominal bore. | 450.00 | Mtr. | 50.16 | 22572.00 | 0 INR Twenty Two Thousand Five Hundred & Seventy Two |
| 14.11 | 14.43.2: Above 40mm nominal bore. | 40.00 | Mtr. | 57.50 | 2300.00 | INR |
| 14.12 | 14.51: Dismantling of flushing cistern of any size including stacking of useful materials near the site and disnosal of unserviceable material within 50 meter lead | 10.00 | Each | 338.88 | 3388.80 | INR Paise |
| 14.13 | 14.55: Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead. | 25.00 | Sqm | 18.35 | 45875 | 5 INR Four Hundred & Fifty Eight and Paise Seventy Five Only |
| 14.14 | 14.58: Making of hole (width up to 150 mm) in R.C.C. slab/wall/beams by power driven drilling machine complete as per direction of El | 1000 | | 0. | | |
| 14.15 | 14.58.1: upto 150mm thick | 15.00 | Each | 215.62 | 3229.80 | 0 INR Three Thousand Two Hundred & Twenty Nine and |
| 14.16 | 14.58.2: above 150 mm thick | 5.00 | Each | 330.32 | 1651.60 | INR |
| 15.00 | CHAPTER B-16: ALUMINIUM & P.V.C. WORK | | | | | |
| 15.01 | 16.1: Providing and fixing aluminum work for doors ,windows, ventilators and partition with extruded built up standard tubular / appropriate Z sections and other sections of approved make conforming to 1S :733 and 1S :1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gap. at junctions, at top, bottom and sides with required PvC/neoprene felt etc. Aluminium section shall be smooth, rust free, straight ,mitered and jointed mechanically wherever required including cleat angle Aluminium snap beading for glazing /paneling, C.P. brass/ stainless steel screws AI. Tower bolt & AI. handle & AI. Aldrop etc, all complete as per architectural drawiness and the directions of a per architectural drawiness. | | E. | 30 | | Media Marine Strategy Strategy and Strategy Stra |
| | Engineer- in - charge .(Glazing and paneling to be paid for senarately) | ~ | | | | |
| 15.02 | 16.1.1. For fixed portion | | | | | Child |
| 15.03 | 16.1.1.3: Polyester Powder coating aluminum (minimum thickness of powder coating 50 micron) | 220.00 | Kg | 445.32 | 97970.40 | INR Ninety Seven Thousand Nine Hundred & Seventy and Paise Forty Only |
| 15.04 | 16.1.2. For shutters builtup standard tubular sections of openable doors, windows & ventilators including providing & fixing hinges / rollers etc. and making provision for fixing of fittings wherever required (lockes shall be paid for sentrate(v) | | | Total and the | | Steepter Lynd 1994 30 5, 30 and can (1257 3000 |

Page 17 of 25

Percentage BoQ: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur.

Validate Print Help Tender Inviting Authority: Director (O&S),JMIKe

5

| 15.05 | 16.1.2.3: Polyester Powder coating aluminum (minimum thickness of powder coating 50 micron) | 20.00 | Kg | 482.02 | 9640.40 INR Nine Thousand Six Hundred & Forty and Paise Forty Only |
|-------|---|--------|-----|-----------|--|
| 15.06 | 16.4: Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade) particle board Grade I, Type II conforming to IS: 12823 bonded formaldehyde synthetic resin, of approved brand and manufacture in paneling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and direction of engineer-in- charge. | S | Å | - | 00 |
| 15.07 | 16.4.2: Prelaminated particle board with decorative lamination on both sides. | 50.00 | Sqm | 1335.96 0 | 66798.00 INR Sixty Six Thousand Seven Hundred & Ninety Eight Only |
| 15.08 | 16.5: Providing and fixing glazing in aluminium door, window ,ventilator shutters and partitions etc. with PVS / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in- charge. (Cost of aluminium snap beading shall be paid | | | | |
| 15.09 | 16.5.1: With glass panes of 4.0 mm thickness (weight not less than 10.0 kg/sqm) as per IS.2835. | 4.00 | Sqm | 967.71 | 3870.84 INR Three Thousand Eight Hundred & Seventy and Paise Eighty Four Only |
| 15.10 | 16.7: Filling the gap upto 5 mm depth and 5 mm width in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineerin-charge complete. | 500.00 | Sat | 95.43 | 47715.00 INR Forty Seven Thousand Seven Hundred & Fifteen Only |
| 15.11 | 16.11: S&f fixed wire gauge of stainless steel of 14 mesh x 24 gauge to the aluminium window by Aluminium beading 20x3mm with suitable screws not exceeding 150mm distance at all heights with all lead and lift with scafolding. | 0000 | Sqm | 1131.65 | . 11316.50 INR Eleven Thousand Three Hundred & Sixteen and Paise Fifty Only |
| 15.12 | 16.15: Providing and fixing sun control film, thickness of film 1 Mil Visible Light Transmittance 4-24% & Solar Energy Transmittance 42-51% & Total solar Energy rejection 37-43% of approved colour and shade, complete in all respect, at all level, as directed by engineer- in -charge. | 30.00 | Sqm | 781.76 | 23452.80 INR Twenty Three Thousand Four Hundred & Fifty Two and Paise Eighty Only |

ť

| Contract No: 117/JMRC/OS/Civil/Works/2025-26 | | | Contract No: 117/JMRC/OS/Civil/Vorks/2025-26 | | |
|---|---------|-------|--|-----------|--|
| 16.55: Providing and Fixing Aluminium composite panel of approved make 3mm thick with 0.5mm thick skin & PVDF coated approved shade for wall panelling. Main framing work to be done using 50mmx25mmx1.6mm tubular section of approved make. Stainless steel screw to be used to fix the ACP panel to be fixed to the main frame with industrial adhesive tape and panel groove to be sealed with weather proof silicon scalant suitable for glass/aluminium etc. complete in all respect as approved by Engineer-in-charge. | 150.00 | Sqm | 3173.51 | 476026. | 476026.50 INR Four Lakh Seventy Six Thousand & Twenty Six and Paise Fifty Only |
| 16.56: Providing and fixing stainless steel railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless stee, bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories uch as nuts, bolts. | | Ser a | orino | 0 | nere a service e service a processor à processor à processor a service a service à service a service a service a |
| (a): Grade 304 | 4500.00 | the . | 615.37 | 2769165.0 | 2769165.00 INR Twenty Seven Lakh Sixty Nine Thousand One Hundred & Sixty Five Only |
| CHAPTER : B-17 ADDITIONAL MISCELLANEOUS ITEMS | | S | | C | |
| 17.1: Supply and installation of Multi Rib Proofing/cladding Sheet Manufacture out of 0.50mm TCT (Total Coated Thickness) high tensile Zinc aluminum alloy coated galvalume steel (as per 150gsm zinc aluminum coated 550Mpa tuekd strength) confirming to 18: 1397/astm A-792 sheet to have wide pens 30mm high NB at 250 centre and centre width of 1020mm sheets be casted with regular modified polyster system on a continuous with line on centre for face and with a polyster coating respectively sheet shall have proportionality with siphoned plate made to prevent leakage sheet shall be fixed by more of sell drilling lift tapping hot dip zinc coated hox head drilling lift tapping hot dip zinc coated hox head supplied in cost one length and for a minimum up to 17 ms supplied in cost one gale and an inimum up to 17 ms supplied in cost one length and for a minimum up to | 200.00 | Sqm | 842.93 | 168586.0 | 168586.00 INR One Lakh Sixty Eight Thousand Five Hundred & Eighty Six Only |

Page 19 of 25

| with indicated action intervelore atmix revolve atmix is and rotation are action intervelore atmix indicated with lead and intervelor in (S1 Simone dor CS) Nitro process for a main xits and rotation and pressing action both together with the help of miniple synchronical and pressing action both together with the help of miniple synchronical and arteriation system hunding terminan S9KW for compacting and attemption and pressing action both together with the help of miniple synchronical and arteriation system hunding terminan S9KW for compacting and attemption and pressing action holds the minitism S9KW for compacting and attemption and pressing action holds the minitism S9KW for compacting and attemption and pressing action holds the minitism S9KW for compacting and attemption and pressing action holds the minitism S9KW for compacting and attemption and pressing action holds the minitism S9KW for compacting and attemption and pressing action holds and another control of were three for the CSI Nitro process for the hold and another and attemption system hunding sector for the hold of multism station system hunding sector for the hold of multism station system hunding sector for the hold of multismed of verification station system hunding sector for the hold of multismed three for the for the hold of multismed three for the hold of the hold of multismed three for the hold of multismed three for the hold of multismes three for thold of the hold of mu |
|--|
|--|

Page 20 of 25

| er Inviting e of Work: | Valuate Fender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alte | ration/Modificat | ion, Repair & Mi | intenance Of Various Stations | Tender Inviting Authority: Director (O&S),JMRC |
|---------------------------|--|------------------|------------------|--|---|
| 17.01 | Contract No: 117/JJMRC/OS/Civil/Works/2025-26 17.01 1.2: P & F Indian type white glazed vitreous china 1st quality W.C. orisas pan (1S. 2556 Mark) with 100 mm vitreous china P or S trap including cutting and making | | | 20.00 | |
| 17.02 | 1.2.1: Size 530x410mm. | 7 00 | Fach | 02 0002 | round have the first the state of the state |
| 17.03 | P & F European type white glazed vitreous china 1st quality W.C. (IS : 2556 Mark) including cutting and making and the usual and force | | | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | |
| 17.04 | and making good the wan and more | 6.00 | Fach | 12 0204 | 95275 86 IND Tunnets Firs Thousand These Hundred & Carnets First |
| 17.05 | P. & F. Ist quality. WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concerled iron brackets or screws efc commuter. | | | A Cricrant | |
| 17.06 | 1.14.2: Flat Back (large) or half stall size 610x400x80mm. | 10.00 | Each | 5672.93 | 56729.30 INR Fifty Six Thousand Seven Hundred & Twenty Nine and Paise Thirty Only |
| 17.07 | B. P. & F. W. V. C. Urinal Partition Plate of approved standard make of size 630x315mm including making good the wall. | 5.00 | Each | 1216.06 | 6080.30 INR Six Thousand & Eighty and Paise Thirty Only |
| 17.08 | 1.30.1: P & F C.P. brass Doom Waste Coupling 32 mm dia. | 30.00 | Each | 963390 | 5578.80 INR Five Thousand Five Hundred & Seventy Eight and Dates Eighty Only. |
| 17.09 | 1.41: P & F Bottle Trap of approved make : | | | 10.00 | |
| 17.10 | 1.41.3. Synthetic Material (PTMT) 32 mm | 88.00 | Each | 626.38 | 55121.44 INR Fifty Five Thousand One Hundred & Twenty One and |
| 17.11 | 1.43: P& F waste Pipe with all fitting | | | | |
| 17.12 | 1.43.1: P.V.C with C.P nut 32 mm | 12.00 | Each | 177.39 | 2128.68 INR Two Thousand One Hundred & Twenty Fight and Paise |
| 17.13 | 1.44: P & F Beveled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with form thick commercial ply base fixed to wooden screws & wushers. | of etc. | 2 | | |
| 17.14 | 1.44.2: Other sizes | 10.00 | Sam | 1881.60 | 18816 00 INR Fightigen Thousand Fight Hundred & Sixteen Only |
| 17.15 | 1.48. P & F Grating of approved quality/make: | AA | | | VINT |
| 17.16 | 1.48.2: Stainless Steel Sheet size 125mm dia. Heavy Quality of approved make | 50.00 | Each | 118.67 | 5933.50 INR Five Thousand Nine Hundred & Thirty Three and Paise Fifty Only |
| 17.17 | 8. F. Extension Pipe for bib cocks of approved quality/make. | 2 | | | 3 |
| 17.18 | 1.56.1: C.P. brass of Heavy & Superior quality 50x15mm | 30.00 | Each | 103.99 | 3119.70 INR Three Thousand One Hundred & Nineteen and Paise Seventy Only |
| 17.19 | 1.56.2: (-do-) 100 X 15mm. | 20.00 | Each | 145.59 | 2911.80 INR Two Thousand Nine Hundred & Eleven and Paise |
| 17.20 | 1:56.3: C.P. brass of Heavy & Superior quality 150 X - 15mm. | 10.00 | Each | 205.53 | |
| 17.21 | 1.58: Labour Charges for removing WVC pan | | | | A second s |
| 17.22 | 1.58.1: Indian/Orissa pan | 7.00 | Each | 277.71 | 1943.97 INR One Thousand Nine Hundred & Forty Three and Paise |
| 17.23 | 1.58.2 : European W.C. | 6.00 | Each | 277.71 | 1666.26 INR One Thousand Six Hundred & Sixty Six and Paise |
| 17.24 | 1.59: P & F Jet spray for water closet with C.P. Copper Tube flange of approved make. | 20.00 | Each | 466.12 | 9322 40 INR Nine Thousand Three Hundred & Twenty Two and Paise Forty Only |
| 17.25 | 1.6: Providing & fixing C.P.flange for 15mm dia taps. | 50.00 | Fach | 22.02 | 1101-00 INP. One Thenicard One Hundred & One. Only |

Page 21 of 25

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur.

Validate Reduct Percentage BoO: Schedule Part B:-Kajasthan PWD BSK 2022 Hems; CHV CHYCLE Ja Tender Inviting Authority: Director (O&S),JMRC Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro

| 17.26 | 1.66: P & F C.P. brass Urinal Spreader for Large Urinal of heavy duty of approved make as per direction | 10.00 | Each | 754.84 | 7548.4 | 7548.40 INR Seven Thousand Five Hundred & Forty Eight and Paise Forty Only |
|-------|--|--------|---------------|----------------|--|--|
| | of Enginner-in-Charge | 1000 | | | | |
| | 1.73: P & F Premium quality Low level Flushing Cistem of 10 litres capacity (IS:2556 mark) of | | | 10 m | 33454.05 | 5 INR Thirty Three Thousand Four Hundred & Fifty Four and Paise Five Only |
| 17.27 | approved make as per Engineer-inchargewith complete | 15.00 | Each | 2230.27 | 16 Te | a constraint in a constraint of a statement of a state of the state of |
| | httmgs C.I. brackets duly painted, brassball cock with ball, (IS:1703 mark) complete including cuttingand | | | | 0 | |
| | making good the wall : | 2000 | | | | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 |
| 17.28 | 74: P&F Looking Mirror 5mm thick of approved make with ornamental frame size 50x12 with 6mm Ply Board on Back Side Complete as per approved sample | 50.00 | Sqm | 3112.34 | 0 200 | 55617.00 INR One Lakh Fifty Five Thousand Six Hundred & Seventeen Only |
| 17.29 | 1.75: Supply of Hydraulic Seat Cover for Europeon WC of superior cuality approved make in while Colour | 30.00 | Each | 4963.35 | 148900.50 | INR One Lakh Forty Eight Thousand Nine Hundred and Paise Fifty Only |
| 17 30 | 1.78. P & F new spindle for bib cock/pillar cock for | 60.00 | Fach | 130 47 | 8368.20 | - |
| - | functioning of tap | 121 21 | | 2 | | A CONTRACTOR OF A CONTRACTOR OF A CONTRACT O |
| 18 | CHAPTER S-2: WATER SUPPLY INSTALLATION | | | 0.0 | | |
| 18.01 | 2.1: P & F G.I. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps | 96 | in the second | 2 | | light fogding an general court would be the application the desired of the |
| 18.02 | including cuting and making good the wails and floors 2.1.1.: (a) Exposed on wall: 15 mm dia nominal bore 'B' | 300.00 | Mtr. | 281.38 | 84414.00 | 84414.00 INR Eighty Four Thousand Four Hundred & Fourteen Only |
| 18.03 | 2.1.6: (a) Exposed on wall: 50 mm dia nominal bore 'B' Class | 30.00 | Mrr. | . 823.35 | 24700.50 | INR Twenty Four Thousand Seven Hundred and Paise Fifty Only |
| 18.04 | 2.1.7. (a) Exposed on wall: 65 mm dia nominal bore 'B' Class | 30.00 | May | 970.16 | 29104.80 | 29104.80 INR Twenty Nine Thousand One Hundred & Four and Paise Eighty Only |
| 18.05 | 2.1: P. & F.G.L. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors | | 2 | | 0.0 | |
| 8.06 | 2.1.9. (b) Concealed pipe in wall including painting with | 100.00 | Mtr | 296.06 | 29606.00 | 29606.00 INR Twenty Nine Thousand Six Hundred & Six Only |
| | anticorrosive bitumen paint: 15 mm dia nominal bore | | | | | |
| 18.07 | P. & F. Bib Cock (IS: 8931 Mark), Superior quality of approved make: | ~ | | 1411 IN | ALC: NOT ALC | |
| 18.08 | 2.7.3: C.P. Brass bib cock, 15mm nominal bore. | 30,00 | Each | 721.81 | 21654.30 | 21654.30 INR Twenty One Thousand Six Hundred & Fifty Four and |
| 18.09 | 2.12: Item No. 2.12: P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash hasin. Gvser etc. | | | | | |
| 18.10 | 2.12.1: Item No. 2.12.1: C.P. Inlet connection 15mm.Brass (IS: 8931 marked) | 60.00 | Each | 612.93 | 36775.80 | INR Thirty Six Thousand Seven Hundred & Seventy Five and Paise Eighty Only |
| 18.11 | 2.13: P & F 15 mm. Dia Connection Pipe of approved quality/make : | | | 2.44 - 14 - 14 | | |
| 18.12 | 2.13.7: CP Brass Pipe with CP Brass nuts upto length | 60.00 | Each | 35 991 | 9982.80 | 9982.80 INR Nine Thousand Nine Hundred & Eighty Two and Patse |

Page 22 of 25

-

Validate Print Help Tender Inviting Authority: Director (O&S),JMIKC Name of Works: Maintenance Contract Of Civil Works - Additi

Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; Citv Circle Japur,

To Ball Ch 11 Stations & DCC Building Bat Of Variance

| 18.13 | 3.8.: CP Brass Pipe with CP Brass nuts upto length 600mm | 30,00 | Each | 215.32 | 6459.60 IN Si | 6459.60 INR Six Thousand Four Hundred & Fifty Nine and Paise Sixty Only |
|---------|---|---|------|---------|--|--|
| 18.14 | 2.32: Supply & fixing G.I. Union ISI marked in G.I. | | | | | |
| | pipe line as required complete in all respect of size : | | | | | |
| 18.15 | 2.32.1; 15mm dia nominal bore. | 15.00 | Each | 123.56 | 1853.40 IN | INR One Thousand Eight Hundred & Fifty Three and Paise |
| 18.16 | 2.32.6; 50mm dia nominal bore | 6.00 | Each | 566.44 | 3398.64 IN | 3398.64 INR Three Thousand Three Hundred & Ninetv Eight and |
| 18.17 | 2.32.7: 65mm dia nominal bore | 6.00 | Each | 1103.51 | 6621.06 IN | INR Six Thousand Six Hundred & Twenty One and Paise |
| 18.18 | Providing and fixing Superior quality CP Brass fittings of approved make as per direction of Engineer- in-charge | | | | | |
| 18.19 | 2.33.1: Pillar Cock 15 mm nominal size | 55.00 | Each | 1006.86 | 55377 30 IN | INR Fifty Five Thousand Three Hundred & Seventy Seven |
| 18.20 | 2.33.22: Health focet (Premium heavy Quality) as approved by Envineer-in-Charoe | 45.00 | Each | 1162.23 | S2300.35 IN | 52300.35 INR Fifty Two Thousand Three Hundred and Paise Thirty |
| 18.21 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) nines (1S 15778 - 7007 code) having | nh co | | | | |
| | thermal stability for hot & cold water supply including | | | 0. | E lott | |
| | all CPVC plain & brass threaded fittings i/c fixing the | | | 2 | H (Cole) | |
| | pipe with clamps at 1 metre spacing. This includes | | | 2.0 | No. of Contraction of | |
| | solvent cement and testing of joints complete as per | CONO. | 141 | 22 | | |
| 18.77 | 2 37 1-15 mm nominal size | 30.00 | Q | | ALL AL ALLAN | |
| 10.72 | 2.2.7.6. AD must notified size | 00.001 | IIIN | 10.002 | V010.10 IV | /010.10 INK Seven I housand & I en and Paise I en Only |
| 18.74 | 2 30. Drowiding and fixing Oblarinated Delening | 1000.00 | KII | 024.92 | 024950,00 IN | 034950.00 IINK Six Lakh Thirty Four Thousand Nine Hundred & Fifty |
| | Chloride (CPVC) pipes (IS 15778 : 2007 code) having | 1000 | 1.10 |) | | |
| | thermal stability for hot & cold water supply including | CHI | | | 10 B/B/B/C | |
| | all CPVC plain & brass threaded fittings, this included | | 5 | | | |
| | Jointing of pipes & tittings with one step CPVC | 0 | n | | | |
| 107 152 | solvent coment, uenching retuining & testing of joints complete as per direction of Engineer in Charge. | AA | 2 | | | |
| 18.25 | 2.39.5. 40 mm nominal size | 1350.00 | Rm | 576.22 | 777897.00 INF | INR Seven Lakh Seventy Seven Thousand Eight Hundred & Ninety Seven Only |
| 19 | CHAPTER S-3: DRAINAGE / DISPOSAL WORK | 1 | | | | ice over one |
| 10.61 | 3.9: P & F Sand-cast Iron (S.C.I.) Pipe (IS : 1729mark) of approved make in wall or in floor with M.S. holder bat clamps in 10 X 10 X 10 Cm. M-15 grade concrete blocks, joints filled with CM 1:4 with spun yarm including cuttine holes and makine wood the wall: | ~ | | | 2 | |
| 10.07 | 207.75 mm dia | 10.00 | 14- | 1161.60 | | |
| 10.03 | 2.2.66.72 IIIII 414 | 00.00 | MIL | 1104.00 | 11040.80 INK | Eleven I housand Six Hundre |
| 19.04 | 3.11: P &F S.C.I. Fittings (IS : 1729 mark) in CM 1:4 | 20.00 | INIT | +C.70CI | 101 00:040.0C | c I nirty I nousand & Forty SiX and Parse Eighty Only |
| | with spun yarn. | | | | | |
| 19.05 | 3.11.7: 100mm-do- | | | | | |
| 19.06 | [3.11.7.ii: (ii) Bend | 12.00 | Each | 935.90 | 11230.80 INR | 11230.80 INR Eleven Thousand Two Hundred & Thirty and Paise |
| | | | | | | |

Page 23 of 25

| | | | | | < | |
|---|--|------------------|-----------------|---|--|--|
| Validate Tender Inviting Name of Work: Contract No: 11 | Validate Pint Help Tender Inviting Authority: Director (O&S),JMRC Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle J Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Contract No: 117/JMRC/OS/Civil/Works/2035-26 | ration/Modificat | ion, Repair & M | Percentage Bo aintenance Of Various Stations & | O: Schedule Part B:-R c RSS Baildings Between M | Percentage BoO: Schedule Part B:-Rajasthan PWD BSR 2022 Items; City Circle Jaipur, arious Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro |
| 19.07 | 3.16. P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. Cm2.) approved quality /make including joining the pipe with softwart cement rubber ring and lubricant. | | | | 6 | |
| 19.08 | 3.16.3: 110 mm dia | 70.00 | Mtr | 345.00 | 24150.00 | INR |
| 19.09 | 3.16.4: 160 mm dia | 70.00 | Mtr | 566.44 | 39650.80 | INR Thirty Nine Thousand Six Hundred & Fifty and Paise |
| 1.61 | 3.17: P&F rigid PVC pipe fiftings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. | 1000 | | ??· | | (b) The Lorent Lorent Lorenty Links (1997) 101-101. |
| 19.11 | 3.17.1. Coupler (socket) | 10.00 | Lach | 21 LI 1 2 | 02 1021 | INB One Thousand Three Hundred & Twenty One and Paise |
| 1013 | (iii) 160 mm dia | 6.00 | Each | 145.59 | 873.54 | INR |
| 19.14 | 3.17.9: IBend 87.5 | | | 2 | | _ |
| 19.15 | (ii): 110mm dia | 10.00 | Each | 196.97 | 1969.70 | |
| 19.16 | iii: Item No. (iii). 160mm dia | 6.00 | Each | 216.54 | 1299.24 | |
| 19.17 | Supplying and fixing C.I. Cover with frame, C.I. gratings for chambers & man holes | 50.00 | KEN | 88.09 | 4404.50 | INR Four Thousand Four Hundred & Four and Paise Fifty Only |
| 19.18 | 3.32: Supplying and fixing Ferro- cement cover with C.1 frame for chambers & man holes of size. | 10 mail | 2 | 182 | States and States | perception in the end they bear and the perception |
| Total in Figures | | | 5 | | 10846400.62 | 10846400.62 INR One Crore Eight Lakh Forty Six Thousand Four Hundred and Paise Sixty Two Only |
| Ouoted Rate in Figures | ieures | | Select | | 0,00 | 0.00 INR Zero Only |
| Quoted Rate in Words | Vords | | | | INR Zero Only | |
| | | * | | | | |
| | | | | | | |
| | | | | | | |

Page 24 of 25

2

Percentage BoQ: Schedule Part C:-RUIDP ISOR 2023

Validate Frint Help Tender Inviting Authority: Director (0&S),JMRC

Name of Work: Maintenance Contract Of Civil Works : Addition, Alteration/Modification, Repair & Maintenance Of Various Stations & RSS Buildings Between Mansarovar To Badi Chaupar And any Other Metro Railway Premises Of Jaipur Metro Rail Corporation At Jaipur

Contract No: 117/JMRC/OS/Civil/Works/2025-26 Note: The estimated rate is inclusive of all applicable taxes, duties, levies, and anticipated escalation, and shall be considered as the final payable amount.

| Bidder/ Bidding Firm / Company : | | | | | | Э, |
|--|--|----------|--------|---|---|--|
| | | | | PRICE SCHEDULE | E A | |
| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER | NUMBER # | TEXT # |
| SI. No. | Item Description | Quantity | Units | Estimated Rate (inclusive of all applicable taxes and escalation) Rs. P | TOTAL AMOUNT (inclusive of all applicable taxes and escalation) in Rs. P | TOTAL AMOUNT (inclusive of all applicable taxes and escalation) In Words |
| - | 2 | 4 | 50 | 9 | 53 | 65 |
| 1.00 | A - MACHINARY | | | D. Y | 2 | 3 |
| 1.01 | Truck mounted sever cleaning machine comprising of suction-cum-jetting unit having combined high pressure jetting-cum suction (vacuum) of Suction Pump capacity 400 cum/hour 277 Hg column and Verting Pump flow capacity 200 Itrs/ minute, max working pressure 150 kg/ sqcm / 2100 PSi and sludge tank and water tank of individual capacity not less than 2000 litres each with operator and driver. | 00'06 | hour | 1200.75 | 108067.50 | 108067.50 INR One Lakh Eight Thousand &Sixty Seven and Paise Fifty Only |
| 2.00 | CHAPTER-9.0:CEMENT CONCRETE PAVEMENTS | A | | | | |
| 2.01 | Removing & re-fixing of precast cement concrete interlocking paving blocks of all sizes over 50 mm thick course sand bedding (duly compacted) including filling of joints with sand complete in all respect. | 820.00 | ubs | 694.40 | 569408.00 | 569408.00 INR Five Lakh Sixty Nine Thousand Four Hundred & Eight Only |
| Total in Figures | | ~ | | | 677475.50 | 677475.50 INR Six Lakh Seventy Seven Thousand Four Hundred & Seventy Five and Paise Fifty Only |
| Quoted Rate in Figures | igures | | Select | | 00.0 | 0.00 INR Zero Only |
| Quoted Rate in Words | lords | | | | NI | INR Zero Only |

7 ...

Abbeuger: 05 #